




Husqvarna HTC T8

HTC T8 is the largest model of the grinders with Duratq Technology, which stands for operational reliability, precision, control and power. It is a planetary grinder with three grinding discs. The machine features an intuitive digital control panel which gives you continuous feedback and thus control over the grinding process. The completely dustproof, hermetically sealed design of the grinding head and the electrical cabinet protects vital components and extends their lifetime. The well-balanced chassis design makes the HTC T8 floor grinder easy to operate, with superior ergonomics and advanced safety features.



FEATURES

Technical Specifications	
MOTOR	
Engine Power (As rated by the engine manufacturer)	16.1 hp
Rated current	50 A
Voltage	220-240 V
Phases	3 ph
Pins	3P+E
Frequency	50-60 Hz
OTHER	
Grinding disc diameter	10.5 in
Direction of rotation	Both directions
Number of grinding discs	3
DIMENSIONS	
Product size length	59.8 in
Product size width	33.8 in
Product size height	41.6 in
Weight	1098 lbs
PACKAGING	
Packaging length (Calc)	55.118 in
Packaging width (Calc)	35.433 in
Packaging height (Calc)	57.874 in

ACCESSORIES



HUSQVARNA TOOL HOLDER
EZCHANGE™ WING - AIRFLOW
593 31 93-01



HUSQVARNA TOOL HOLDER
EZCHANGE™ WING - FLEXIBLE
593 31 94-01



HUSQVARNA TOOL HOLDER
EZCHANGE™ WING - ELASTIC
593 31 92-03




HUSQVARNA TOOL HOLDER
VELCRO® - LONG HOOK
593 31 47-01



HUSQVARNA RESIN HOLDER
593 31 48-03




HUSQVARNA TOOL HOLDER EZ
270 6
593 31 91-05




ICRI PROFILE PLASTIC CHIPSET
546 21 69-02



FRICTION TESTER BOT 3000E
531 18 50-01



ROUGHNESS TESTER MARSURF
PS10
593 76 86-01



GLOSS METER MG6-SS
593 31 32-01



HARDNESS TEST MOH'S TEST KIT
593 31 69-01



PENETRATION TEST KARSTEN
PIPE TEST KIT
598 85 80-02



ICRI PROFILE CONCRETE SET
546 21 69-01



GLOSS & DOI METER RHOPOINT
IQ
593 31 15-01