



Model Number: 20240510

Clean Storm 20240510 HEPA Concrete Grinder Dust Slurry Collector 3Motor Wet Dry Shop Vac 335CFM Cyclonic PreSeparator

Manufacturer: Clean Storm

Clean Storm 20240510, HEPA Concrete Grinder Dust Slurry Collector, 3Motor (Triple) Wet Dry Shop Vac 335CFM Cyclonic PreSeparator 335 CFM / 108" Lift Item 20220111

The best vacuum for concrete floors, wood shops, sanding, hazardous material vacuum, abatement work, CNC vacuum cleaner, and much more.

Manufactured with three separate 2 stage high performance vacuum motors (6 stages of vacuum)

Our #1 Best Selling Concrete Grinding HEPA Cleaning Vacuum System

The unit has 20 gallon stainless steel tank

Triple 2 stage Vacuum motors @ 5.5 Amps Each = 16 Amp @ 240 Volts; 335 CFM @ 108.1" Water Lift = 36,213.5 Vacuum units.

4,500 watts of vacuum.

2 machines can be "Y"ed together to make a 670 Cfm system. (Larger ID hose required as 2" ID hose maxes out at 450 cfm)

Triple 2.4 hp commercial duty vacuum motors make quick work of floor stripper, liquid spill recovery, air duct cleaning, chimney cleaning, concrete grinding, rain gutter cleaning, mold and hazmat pickup (hazardous material vacuum), and many other uses.

Each Vacuum motor can operate on its own as the machine is designed with vacuum check valves under each vacuum motor so when the vacuum motor is not turned on, it does not allow air to run backwards through the non-used motor, creating a vacuum loss.

Operates 3 vacuum motors on a DUAL NEMA 5-15 Plugs /12-3 AWG X 25 Ft Power Cord @ 16 Amps 120 Volts (both power cords must be plugged in on different phases)

Phase locator green light notification system tells operator that both power cords are installed on different phases.

Power Cord Hanger Bracket (Keeps power cords out of the wheels during relocation and stair climbing)

Aluminum Hand Truck with Stair Climbing Wheels and lift off padded handles.

Use Measurements:

44-1/8" Height with lift off padded handles removed.

60" Height with Padded Handles Installed

21" Wide X 36" Deep

Use weight 88 lbs

4 Stage Filters and Separation System

Stage 1: 3 Gallon Pre-Separation Cyclonic System accept heavy duty trash bags
Stage 2: Disposable Yellow Heavy Duty Dirt Bag (can be removed for wet pickup and then install the water defector elbow)
Stage 3: Washable Stage 4 Poly-Cotton Cone Filter
Stage 4: Washable CleanStream HEPA filter media - 82 Pleat -10.82 Sq Feet (1,558 Sq Inches)

USE FOR:

Perfect for Fine Dust Pick up, sand, Automotive Detailing, Rain Gutter Cleaning, Drywall Dust, Cold Fireplace Ash, Cement Dust, Furnace and Duct Cleaning, Wood Stoves, Auto Refinishing, Mold Clean up, Asbestos, Body Fluid (blood), Concrete Grinding, Wood Shops (saw dust), Edge Grinding, Adhesive Removal, Paint Removal, Epoxy Removal, Spackle Removal, Wood Floor Sanding, Concrete Dust and Polishing, Silica, Dryer Vent Cleaning, Chimney Cleaning (cold ash only), Oil and Coolant mixed with metal chips (machine shop operation,) Metal Shavings, Dirt, Rocks, Mud, Production Waste, Drug Lab Clean up....

Dust pickup from small and medium size grinders, shot blasters and scarifiers, air duct cleaning...

OSHA Compliant for Silica Dust Mitigation and NFPA 652 and 484 compliant, . Aluminum, rust free, design makes this one of the lightest and easy to move and relocate Hepa vacuum units on the market.

Can be used for both wet and dry pick up indoors or outside.

• 18 gauge stainless steel 20 gallon vacuum tank

• Comes complete with two-piece wand, hose, 14" carpet and squeegee tools, plus, crevice and dusting tool

Total Amp draw for both power cords 32 amps @ 120 volts = 3840 watts of vacuum (under half load)

335.1 CFM X 108.1" Water Lift = 36,224.3 Vacuum units cleaning speed!

20 gallon stainless tank is bolted to the aluminum dolly and cannot fall off.

Plug in everywhere design: Two power cord design means no more looking for 240 volt connection. Each power cord 16 amps @ 120 volts.

The power of 240 volt motor with the plug in convenience of simply plugging in two standard 120 volt outlets on different circuit breakers. See photo to the bottom right.

Push momentary switch to confirm you have plugged in correctly. If you do not get a bright green light, simply unplug and relocate one power cord to a new location and re-test the button again for a bright green light. Relocate and test until the light turns on and then you are good to go to work. Green light means you have plugged into different breakers on different phases. Operates over 100 feet of hose with ease!

Includes:

50 ft X 2" ID vacuum hose and 6 piece tool kit with adapter cuff (other companies only provide 15 feet)

Washable filters mean less maintenance cost to keep you Hepa unit running at peak performance!

Caution, Do not use with flammable liquids.

Unit is not explosion proof.
Remove paper bag for liquid pick up.
Do not use with liquid pick up for more than 10 gallons without dumping water!
Change dry use paper bag once half full.
Poly-cotton white cone filter can be rinsed, allowed to dry and re-used!
Hepa filter can be rinsed off, allowed to dry and re-used!

WARRANTY INFO

5 year tank, 1 year motor and parts warranty excludes shipping and labor cost.
Each 120 volt cord needs to operate on separate circuit breakers (phases.)

Remove the yellow bag when using for wet pick up and install water deflector.
Install the yellow bag for dry pick up.

The cyclonic Separator, cotton polyester cone filter and Clean Stream Hepa filter are washable!

Steambrite Wet/Dry vacuums have the capacity and power for large water recovery jobs or dry debris pick-up in the shop or on the job site. They are perfect for hard floor maintenance jobs, recovering floor strippers and hard floor cleaners easily. Easy to transport and set-up. Efficient dust management. Works with any brand concrete grinder that uses 2" ID vacuum hose or smaller. This includes grinders that have a 22" or less grinder apron. With Husqvarna this is PG 540 millimeters or smaller units. Grinders that accept a 3" ID vacuum hose usually will need a 3" to 2" adapter. (see bottom of this webpage as a possible option)

Compatible and works with The Following 2" Vacuum Hose Connection Machines:
Husqvarna BGS 250, Husqvarna PG 280, Husqvarna PG 400 Petrol, Husqvarna PG 400, Husqvarna HTC 270 EG, Husqvaran PG 450, Husqvarna PG 510, Husqvarna HTC 5, Husqvarna PG 540, Husvarna BB 700, Husqvarna BS 75, Husqvarna BS 110, Husqvarna BMS 150, Husqvarna CG 200, Husqvarna BMP 215/215 Petrol, Husqvarna BMP 265 / 265 Petrol, Drill Motor Husqvarna DM 400, Husqvarna DM 430, Husqvarna DM 280, Husqvarna DM 230, Husqvarna DM 220, Husqvarna DM 540i, Husqvarna DM 200, All 9" and smaller angle grinders and Hammers, Husqvarna Soff-Cut 150 / 150E, Husqvaran Soff-Cut 5000, Husqvarna Soff-Cut 4200 / 4000, Husqvarna Soff-Cut 2500 / 2000, Wall Sawing Husqvarna WS 482 HF, Husqvarna WS 220, Shot Blaster Husqvarna 1-8DM, Husqvarna,
American Sander Epoch HD-20 (both 07234A and 07238A models)
American Sander Epoch HD-16 (02133A, 07237A, and 07233C models)
American Floor Crafter Belt Sander 8" (07104B, 07104C)
American Legend Belt Sander (07236A, 07236B, 07236C)
American 12 Drum Sander (07108A, 07204A, 07108C)
American 8 Drum Sander (07032C, 07105A, 07105C)
American Horizontal Rotary Epoch Dual Speed Sander 07221A
Hummel Lagler Belt Sanding Machine 230V 2.9KW Single Phase Version
Werkmaster Edge 000-0145-00 Concrete Grinder
Lagler Trio Three Disc Sander
and many more.

See chart below per EACH motor. Since 3 motors installed, CFM 335 Max

Factory Installed
Clean Storm Cotton Polyester 2nd Stage Filter for Triple Motor Wet/Dry
vacuum 20160219

Factory Installed - 3 motors
Clean Storm 20230110 Vacuum 2 Stage 240 volt 5.7in Diameter Peripheral
By-Pass Discharge 5.5 Amps
Complete machine average amp draw = 15 amp @ 240 volt with filters and
hose installed wired to operate on dual 120 volt 20 amp outlets plugged in on different
phases. Phase location light installed.

Factory Installed
Stage 2
Please order extra Bags
Clean Storm 906-73-00
Factory Installed One Included
1140 sq inches of surface area
Shop Vac High Efficiency Collection Bag Each 38" X 15"

Factory Installed One Unit Included
Order Replacements as needed
Clean Stream Hepa Washable Filter for Triple Shop Vac
Stage 4; Washable Clean Stream 82 pleats
10.82 sq ft media surface / 1,558 Sq Inches
Has 35% more surface area than traditional Hepa filters!

Compare to current or past OEM associations

AW Perkins Rovac 3 Motor HEPA Filtered Chimney and Dryer Vent Vacuum
B003KV64ME SKU: 561001
Dust Director 3-Motor 120 Volt Vacuum DD2400
Dust Director 3 motor Barrel Head
Goodway DV-3-SSH
JV58H 628383496144
NaceCare WVD900H-BB8 Wet & Dry HEPA 2 motor Vacuum
IPC Eagle S9NEV630TIP
Nikro AHW15150-S
IPC Eagle 430PH Triple Vacuum Motor HEPA Vacuum S6430PH
IPC Eagle S9M440BV
IPC Eagle S9PLANET200TOPT-220 Industrial Vac Heavy Duty Tandem Tanks With
Separator Split Drop Down Recovery Tank
IPC Eagle 440P Triple Vacuum 3Flow Motor Vacuum S9440P
Depureco M65 Jetclean
DashClean G32 3 motor unit
Depureco M100 Jetclean
Depureco M 65/100 Jetclean
Depureco Bull Uno 2 M / 3M
Blastrac BDC-1330LP
Husqvarna Blastrac BDC-23 and BDC-33
Blastrac BDC-24
Karcher 1.573-300.0 IV 60/36-3 3 motor 240 volt
Karcher 1.573-200.0 IV 60/24-2 3 motor 240 volt
Karcher IVM 50/24-2 Industrial Vacuum Cleaner 9.988-902.0 (2 motor unit)
Karcher 9.988-901.0 IVM 60/24-2 HEPA 2 motor unit
Karcher IVM 50/24-2 Hepa Industrial Vacuum Cleaner 9.988-902.0 (2 motor unit)
Karcher IVM 100/24-2 Industrial Vacuum Cleaner 9.988-918.0 (2 motor unit)
60185 Rovac B001D1FYVA
Rovac 1105 Chimney and Dryer Vent Vacuum
CPF-60185
Ruwac P504CONH 1646-6536
Ruwac WS2320 54372

Equipmaxx GPV3600-60L
American Sanders 07213A (non hepa)
Amono American Sander AVAC 26 Dust Containment System 07213B
Husqvarna S 36
Gutter Pro GPV3600-80L
American 3DS Rotary Sander with On board Dust Containment 07082C

Not matter what you compare this 20240510 unit to, this unit beats all the competition in portability, performance, ease of use, weight, hose length, cleanable filters, CFM, inches of water lift, and the price!

The vacuum on this is strong enough to use for air duct cleaning.
Video below is on the standard, non hepa model

.Compare to similar units

SteamBrite Clean Storm HEPA Triple Vacuum 3 Motor Triple Filter
Wet Dry Shop Vac 20 Gallon Tank with Tool Kit 120v 20140606 288Cfm
Same vacuum, same Hepa filter, same poly-cotton filter.
Plastic dolly instead of aluminum dolly
No stair climbing wheels.
No lift handle
No preseperator bucket.
6 ft X 1.5" ID vacuum hose + tool kit.

Clean Storm 87436756 Triple Vacuum Motor Wet Dry Shop Vac 20
Gallon Tank with Tool Kit

Same 20 gallon tank
Same triple vacuum motor
No filters
Plastic dolly
6 ft X 1.5" hose + tool kit
288 cfm

System Advantages Comparison Chart

Clean Storm 20221228
Other Brands

All Terrain and Stair Climbing Mobility
Yes
No

335 + CFM
Yes
Not Usually

Plugs In Everywhere, Does not Require 240 Volts Single Phase, Instead
Plugs into dual 120 volt 16 amps on separate phases. Has built in phase location
light to ensure vacuum is plugged in correctly.

Yes
No

Lightweight Construction; Only 88 lbs
Yes
No, Usually Weight is Double

Aluminum No Rust Design
Yes
No, Usually Framed In Carbon Steel

Easy Lift Off Dolly Handle For Shorter Van Roof Transportation
Yes
No

Build In Vac Motor Check Valves Allow For 1, 2, Or All 3 Vacuum Motors To
Be Used
Yes
No

Longer 50 Feet Of 2" ID Vacuum Hose
Yes
No

Complete Tool Kit
Yes
No

Includes Cyclonic Pre-separator
Yes
Some

Can Be Used Wet Or Dry
Yes
Some

Washable Stage 1, 3, 4 Filters (Saves \$\$ on Replacement) Only Stage 2
Yellow Bags Need To Be Replaced)
Yes
No

Works With Both 1.5" and 2" Vacuum Connections
Yes
Some

Includes Power Cord Hanger
Yes
Some

Includes Ability to use standard trash bags instead of Longopak
Yes

No

Includes Power Cords instead of baby pig tail

Yes

No

Includes the 240 volt to dual 120 volt Converter box with phase locator

Yes

No

4 Stage Filter System Insures Hepa Filter Last Longer

Yes

Some

Optional Automatic Electric 3 Gpm Drain and Dump Feature Available.

Can hook to 3" grinders with this option

Husqvarna 590436501 3 Inch Female Camlock X 2 Inch Pipe Adapter

8 different versions available in this 20 gallon tank size include tools (click on each version to read more)

Model 87436756 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with no filters, plastic cart, 1.5" ID X 6 ft Hose, includes tool kit

Model 20140606 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with Hepa Filters, plastic cart, 1.5" ID X 6 ft Hose, includes tool kit

Model 20221228 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with Hepa filters, pre-seperator, stair climbing wheels on aluminum dolly, 2" ID X 50 ft Hose, includes tool kit

Model 20230123 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with no filters, circuit locator system, plastic cart, 2" ID X 15 ft Hose, includes tool kit

Model 20230127 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with Hepa Filters, circuit locator system, plastic cart, 2" ID X 15 ft Hose, includes tool kit

Model 20230111 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with Hepa filters, Bucket pre-seperator, stair climbing wheels on aluminum dolly, circuit locator system, 2" ID X 50 ft hose, includes tool kit

Model 20230217 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords)

with no filters, pre-seperator, stair climbing wheels on aluminum dolly, circuit locator system, 2" ID X 50 ft hose, includes tool kit
Model 20240510 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with Hepa filters, Cyclonic pre-seperator (accepts trash bags,) stair climbing wheels on aluminum dolly, circuit locator system, 2" ID X 50 ft hose, includes tool kit (this webpage)

Upgrading from carpet and tile cleaning to air duct cleaning? What options Are There?

See How This HEPA Vacuum Performance Compares To The Top 70 Hepa Vacuums On The Market. Comparison Chart [HERE](#).

Comparison Chart of HEPA Concrete Grinder Slurry, Abatement, Sawdust Vacuums

(Specifications subject to change without notice.)

Note: CFM @ Zero Inches of Lift X (Times) Max Inches of lift @ Zero CFM = Vacuum Units

Home Work: Take Dollars spent for purchase divided by # of Vacuum units = cost per vacuum unit or value.

Example the first unit in the chart below:

Clean Storm 20240510 Formula 335 CFM X 108.1" = 36,213.5 Vacuum Units

Vacuum units is also in direct proportion to the amount of watts a system uses.

Again Watts formula is Volts X (Times) Amps; so the Clean Storm 20240510 is 240 volts X 15.5 Amps = 3720 Watts. You can apply this formula to the rest of the units in the list and see the machines with with most Vacuum Units will also use the most watts (energy.)

The more Vacuum Units and Watts a machine consumes, the longer hose runs and larger diameter concrete grinder aprons you can use and the least amount of contaminants are left on the surface being cleaned all with more speed of cleaning.

Example the first unit in the chart below:

Clean Storm 20240510 Formula 335 CFM X 108.1" = 36,213.5 Vacuum Units

Vacuum units is also in direct proportion to the amount of watts a system uses.

Again Watts formula is Volts X (Times) Amps; so the Clean Storm 20240510 is 240 volts X 15.5 Amps = 3720 Watts. You can apply this formula to the rest of the units in the list and see the machines with with most Vacuum Units will also use the most watts (energy.)

The more Vacuum Units and Watts a machine consumes, the longer hose runs and larger diameter concrete grinder aprons you can use and the least amount of contaminants are left on the surface being cleaned all with more speed of cleaning.

Manufacture

Model #

CFM

Inches of
Water Lift
Use
Weight
Power
Supply Source
Factory Power
Cord Provided
Washable Reusable
Filters
Tool Kit Provided
Will Fit in a Standard 50"H Roof Van Upright

Clean Storm
20240510
335
108.1"
88 lbs
240 Vac 15.5 Amps
Dual 12-3X25ft NEMA 5-15P Built in phase locator
Yes
Yes
Yes

Abatement Tech
V8000WD
120
90"
33 lbs
120 Vac 13 Amps
22ft 14-3 Nema With Nema 5-15P
No
Yes
Yes

Clean Storm
20140606
288
90"
65 lbs
120 Vac 21.5 Amps
Dual 25 Ft Power cords with Nema 5-15P
Yes
Yes
Yes

Clean Storm
20221228
288
90"
88 lbs
120 Vac 21.5 Amps
Dual 25 Ft Power Cords with NEMA 5-15P
Yes
Yes
Yes

Clean Storm
20230111
335
108.1"
88 lbs
240 Vac 15.5 Amps
Dual 12-3X25ft NEMA 5-15P Built in phase locator
Yes
Yes
Yes

Clean Storm
Forte F26
200
90"
155 lbs
120 Vac 16 Amps
25 Ft 14-3 Nema 5-15P
No
Yes
No

Clean Storm
Forte F36
285
90"
250 lbs
120 Vac 20 Amps
20 Ft 12-3 Power Cord
No
Yes
No

Clean Storm
20230127

335
108.1
65 lbs
240 Vac 15.5 Amps
Dual 12-3X25ft NEMA 5-15P Built in phase locator
Yes
Yes
Yes

Husqvarna
967664801
410
110"
600 lbs
Propane
No
No
N/A
No

Husqvarna
967759701
280
80"
134 lbs

240 Vac
3 Phase

No
No
No
No

Husqvarna
HEPA PUL45
110
105"
60 lbs
120 Vac 11 Amps
25 Ft 14-3 NEMA 5-15P
No
Yes
Yes

Husqvarna

591220601
100
100"
85 lbs
120 Vac 11 Amps
25 Ft 14-3 NEMA 5-15P
No
Yes
Yes

Husqvarna
967663801
285
100"
198 lbs
120 Vac 20 Amps
15 Ft 12-3 NEMA 5-20P
No
Yes
No

Husqvarna
967663802
353
100"
198 lbs
240 Vac 14 Amps
20 Ft 12-3 CS8265
No
Yes
No

Husqvarna
967792201
100
100"
85 lbs
120 Vac 11 Amps
25 Ft 14-3 NEMA 5-15P
No
Yes
Yes

Husqvarna
970514901
127

68"
57 lbs
36 VDC
No included battery
No
Yes
Yes

Husqvarna
970575408
200
84.7"
117 lbs
120 Vac 17 Amps
No mention of it
No
No
50.2" No

Husqvarna
970709401
288
80"
366 lbs
Ethanol Free Fuel
NA
No
Yes
No

Husqvarna
970709402
288
80"
441 lbs
Ethanol Free Fuel
NA
No
Yes
No

Husqvarna
967625003
406
150"
673 lbs

480 Volt 3 Phase 15.9 Amps
2 Ft CS8175 Plug
No
Yes
No

Husqvarna
967839910
295
150"
600 lbs
480 Volt 3 Phase 8 Amp
1 Ft
No
Yes
Yes

Husqvarna
967839912
295
150"
395 lbs
480 Volt 3 Phase 15 Amps
1 Ft
No
Yes
Yes

Husqvarna
970466602
157
94"
25 lbs
120 Vac 11 Amp
12 Ft 14-3 Cord NEMA 5-15P
No
Yes
Yes

Husqvarna
967973301
285
104"
523 lbs
Ethanol Free Fuel
NA

No
Yes
No

Husqvarna
967849301
285
104"
452 lbs
Ethanol Free Fuel
NA
No
Yes
No

Husqvarna
977664201
353
100"
454 lbs
480 Volt 3 Phase 14 Amps
2 Ft CS8175
No
Yes
No

Karcher
9.988-919.0
313
102"
209 lbs
120 VAC 17.5 Amps
33 Ft 12-3 NEMA 5-20P
No
No
No

Karcher
9.988-907.0
79
201"
306 lbs
Pneumatic
NA
No
No

No

Karcher
9.988-910.0
201
200"
330 lbs
Pneumatic
NA
No
No
No

Karcher
1.148-316.0
150
102"
32 lbs
120 Volts 11.5 Amps
25 Ft 14-3 NEMA 5-15P
No
Yes
Yes

Karcher
1.148-416.0
150
102"
40 lbs
120 Volts 11.5 Amps
25 Ft 14-3 NEMA 5-15P
No
Yes
Yes

Husqvarna
967839011
412
150"
600 lbs
480 Volts 3 Phase 16.7 Amps
2 Ft
No
No
No

Husqvarna
967760101
285
102"
454 lbs
Propane
NA
No
Yes
No

Husqvarna
967663701
480
120"
741 lbs
480 Volt 3 Phase 21 Amps
No
No
No
No

Husqvarna
967808001
285
102"
454 lbs
Propane
NA
No
Yes
No

Husqvarna
967765801
480
120"
741 lbs
230 Volt 3 Phase
2 Ft
No
Yes
No

Husqvarna

967760101
285
102"
454 lbs
Propane
NA
No
Yes
No

Husqvarna
965196016
325
102"
198 lbs
240 Volt 16 Amps
2 Ft
No
No
No

Husqvarna
970552701
300
108"
410 lbs
240 Volts 25 Amps
2 Ft
No
No
No

Husqvarna
970552702
300
108"
410 lbs
240 Volts 25 Amps
2 Ft
No
No
No

Husqvarna
201000671
280

125"
185 lbs
240 Volt 3 Phase 7 Amps
2 Ft
No
Yes
No

Husqvarna
967664101
353
110"
454 lbs
230 Volt 3 Phase
2 Ft
No
Yes
No

Karcher
9.988-913.0
270
88"
126 lbs
120 volts 15 Amps
33 Ft
No
No
No

Husqvarna
970519601
88
88"
90 lbs
94 VDC
NA
No
Yes
Yes

Nikro
AHD55TWN
195
225"
150 lbs

Pneumatic
NA
No
No
Yes

Nikro
AHW15150-S
90
150"
100 lbs
Pneumatic
NA
No
No
Yes

Powrflite
PF27HM
94
88"
100 lbs
120 Volts 10 Amps
15 Ft 14-3 NEMA 5-15P
No
Yes
Yes

Nikro
AHW15150
90
150"
100 lbs
Pneumatic
NA
No
No
Yes

Husqvarna
967663601
770
140"
900 lbs
480 Volt 3 Phase 28 Amp
2 Ft HBL460B7W

No
No
No

Husqvarna
967663701
480
120"
740 lbs
480 Volt 3 Phase 21 Amps
2 Ft CS8175
No
Yes
No

Husqvarna
970514804
283
80"
84.9 lbs
120 Volts 19 Amps
2 Ft NEMA 5-20P
No
Yes
Yes

Husqvarna
970519601
241
88.6"
89.9 lbs
96 VDC
Battery
No
Yes
Yes

Husqvarna
970705201
1030
88.6"
1149 lbs
480 Volt 3 Phase 62 Amps
No Cord
No
No

No

Husqvarna
970685205
1883
19.38"
1060 lbs
480 Volt 3 Phase 37 Amps
No Cord
No
No
No

Husqvarna
970685206
1883
19.38"
1060 lbs
480 Volt 3 Phase 37 Amps
No Cord
No
No
No

Nikro
HD55345
345
110"
200 lbs
3 Cords 120 Volt 11 Amps
15 Ft 14-3 NEMA 5-15P
No
No
No

Nikro
APD15150
90
150"
70 lbs
Pneumatic
NA
No
No
Yes

Nikro
HD55230
230
110"
180 lbs
2 Cords 120 Vac 11 Amps
15 Ft 14-3 NEMA 5-15P
No
No
No

Nikro
HD55110DV
115
110"
160 lbs
120 Volts 11 Amps
15 Ft 14-3 NEMA 5-15P
No
No
No

Husqvarna
967850701
100
97"
18 lbs
120 Volts 11.8 Amps
25 Ft 14-3 NEMA 5-15P
No
Yes
Yes

Nikro
PW15110DV
115
110"
65 lbs
120 Volts 11 Amps
15 Ft 14-3 NEMA 5-15P
No
No
Yes

Nikro

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

LVW15
119
114"
65 lbs
120 Volts 11 Amps
15 Ft 14-3 NEMA 5-15P
No
No
Yes

-->

Availability: This product was added to our catalog on Friday 02 August, 2024