



Model Number: 20240831

Clean Storm 20240831, 1400PSI 2GPM 120V 20Amp HEATED, Tile and Carpet Cleaning  
Truckmount 30GPM APO ETM

Manufacturer: Clean Storm

BE Pressure 1250 1400PSI 2GPM 120V 20Amp HEATED Pressure Washer 2Hp  
Baldor Motor item 1250

Bundle includes:

BE Pressure 1250, 1400PSI 2GPM 120V 20Amp HEATED Pressure  
Washer, 2Hp Baldor Motor, Tile and Carpet Cleaning, GTIN: NA

- Advantage

Over 200,000 BTU of heat! is more than 2 truckmounts!

Clean with live steam in 30 seconds, even if you never lay off the  
trigger!

DriStorm Goliath Flood Pumper 26gal 4/2 Stage Vacs Pressure  
Washer Recovery 120v APO SBM-GO-A SBMGOA 20220803

- Advantage

42,500 vacuum units

APO @ 30 Gpm with 1.5" ID hose OR discharge through garden hose

at 15 GPM - Dual discharge ported!

Build in auto defoamer.

Will run 200 ft of 2" ID vacuum hose.

Less than 90 lbs!

Video On Link!

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Pressure Washer Male Plug QD to Rust Bleeder to Filtered Insulated  
Carpet Cleaners, QD Male Plug as first Piece Bundle 20230629  
- Advantage  
Removes rust and trash from water  
Assist flow switch in low flow applications  
Assist with pre flush and post flushing of heater  
Video On Link!

Clean Storm 20150317, Hose Set, 100ft x 2.0in ID Vacuum and 1/4 in  
3000 psi Solution, QDs and Ball valve installed

Mytee Trex 15 Total Rotary Extractor Power Wand 15in Price Match  
Air Mover Included

Scrub and rinse at the same time!

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

20150801 Add Pressure Gauge to a Pressure Washer 3000 psi (self install kit)

8.697-425.0 A56578 Hose Wall Buddy Corner Guard 861609 AC18 AC181 CornerG

TH-40 Wand Only 24891818 Turboforce TH40 Turbo Hybrid Tile Cleaning Spinner Wand HFT-40  
Video On Link!

Clean Storm AH44 Vacuum hose Cuff 2in Thread X 2.0in Slip - 2in

Standard 8.708-904.0 B016 J11630 530009

2 units included.

These 2 cuffs are used to cut the 100 ft section of vacuum hose to insert hose mount lint filter.

1 glued on cuff will have to be cut off to use Mytee provided Lynx cuff to Trex or to use the AH48 cuff below with TH40 wand.

Clean Storm AH48 Cuff 2in Thread Hose x 1.5in Slip Reducing Vacuum Hose Cuff H498A 87089000 J00627

1 unit included.

Used to connect 2" vacuum hose to 1-1/2" connection on TH-40 wand

POWDER COATED FRAME

1,400 PSI

2.0 GPM

BALDOR 2 HP MOTOR

115 VOLTS / 20 AMPS / 1 PHASE

QC CONNECTIONS TRIPLEX PUMP: COMET LWS2020E

7 GALLON POLYESTER FUEL TANK burn diesel fuel, bio-diesel, or kerosene.

200 degree preset thermostat.

Flow switch set to 1 GPM.

Made in the USA

Normal

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

0

false  
false  
false

EN-US  
X-NONE  
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"  
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />



Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="List Paragraph" />

Name="Intense Quote" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Steambrite Supply

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

```
UnhideWhenUsed="true" Name="Bibliography" />
```

```
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />
```

```
Name="Grid Table 1 Light Accent 1" />
```

Name="Grid Table 6 Colorful Accent 1" /&gt;

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" /&gt;

Name="Grid Table 1 Light Accent 3" /&gt;

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />



Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
```

50' x 3/8" Hose, Trigger gun with 4" lance  
Garden Hose Connection  
Accepts water up to 140 degrees F.  
Factory Brochure

PART # 1250  
Weight 350 lbs  
Can be used for carpet cleaning, pressure washing, tile and grout cleaning.

Amp draw for heater is 5 amps to light and 3 amps to run.  
Amp draw for pump is 8 amps to turn on and 1 amp for each 200 psi you ask the

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

pump to push.  
Example on electrical use below

Pressure  
Pump  
Heater  
Total

0 psi  
8 Amps  
3 Amps  
11 Amps

500 psi  
10.5 Amps  
3 amps  
13.5 Amps

800 psi  
12 Amps  
3 Amps  
15 Amps

1000 psi  
13 Amps  
3 Amps  
16 Amps

1400 psi  
16 Amps  
3 Amps  
19 Amps

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Optional

Availability: This product was added to our catalog on Friday 30 August, 2024