



Model Number: 7303LX-230

Mytee 7303LX-230, Air Hog Vacuum Booster Carpet Extractor, 7Gal Dual LX Motor Vac 3GPM 230Volt, International

Manufacturer: Mytee Products Inc

Mytee 7303LX-230v Air Hog Vacuum Booster for Carpet Extractors and pressure washer vacuum recovery

Mytee 7303LX Air Hog Hose mounted vacuum booster (Version 2)

Hose mount means you install it between two sections of 2" ID vacuum hose
Install on your last 50-65 ft next to your wand for an unlimited distance!
Provide an addition 173 cfm of vacuum to your hose run!
Upgrade to 14" and 15" wide cleaning tools to clean up to 30% faster!

Compare to current or past OEM associations:
PBCA 120V

Two LX motors are better than one.

Here's a Mytee's product that's about to become an indispensable part of your cleaning arsenal — the 7303LX Air Hog's Vacuum Booster. But it's actually much more than just a vacuum booster; use it as a stand-alone extractor.

Four Ways to Use your LX Air Hog's:

With this specially designed Air Hog's model, you add up to 250 CFM (SteamBrite test 213 CFM @ 1000 ft above sea level) to your existing extractor for unmatched performance on long hose runs, giving you increased suction, leaving carpets dryer.

This versatile unit can also be used as a stand-alone extractor with your Mytee T-REX's or carpet wand.

You can also "daisy chain" multiple Air Hog's vacuum boosters to complete bigger jobs more efficiently, without unnecessary downtime.

Only one outlet available? No problem. Use only one power cord to run a single vacuum motor. You will still have powerful performance with 180 CFM and 113' of water lift when running one vacuum motor.

Features:

7 gallon tank

Dual exclusive Mytee's Ametek Hybrid vacuum motors mounted in series

Factory Installed

Mytee C348 Ametek Lamb Vacuum Motor Blower 6.6 Inches W/ 2in inlet

tube CONE 120 volts Tangential 2 Stage 1 Speed

This is the vacuum motor installed on the bottom, upside down.

Amp draw is 9.5 occluded / 15.5 open flow = average 6 amps when you have lots of vacuum hose and wand on the floor.
or similar

Factory Installed

Ametek Lamb 122628-00 Lamb 6.6 Inch Vacuum Motor Blower 120 volts

Tangential 2 Stage 1 Speed Mytee C347

This is the vacuum motor installed upside down under the vacuum tank.

Amp draw is 9.5 occluded / 15.5 open flow = average 6 amps when you have lots of vacuum hose and wand on the floor.
or similar

225-250 CFM (SteamBrite test 213 CFM @ 1000 ft above sea level)

182″ water lift (SteamBrite test 15" HG / 204" water lift - see video)

43,452 Vacuum units (using formula Inches of water lift @ zero cfm X (times) water lift @ zero cfm)

Pumps out at 3.3 GPM

Factory Installed

Aquatec 60psi Pump Out Pump 3.5 GPM 115 Volt Auto Dump Out Mytee

C381 5503-2E6E-B586

Full time Automatic Waste Water Drain

Discharges through garden hose (not provided)

or similar

Float shut-off valve

Durable roto-molded polyethylene housing that resists rusting and denting

Circuit locator indicator light

Lightweight unit at 40 lbs. allows anyone to carry this unit virtually anywhere

3″ locking casters

Factory Installed
Mytee H667 3 inch Locking Front Caster (or similar)
4 units

Includes:

1- H110V 2″ to 2″ Female Vinyl Cuff-Lynx Coupler Reducer
1- H141V 2″ to 1.5″ Vinyl Cuff-Lynx Reducer
1- H136V 2″ to 2″ Male Vinyl Cuff-Lynx Coupler
Dual 25′ extension cords (one for each vacuum motor)

Extension Power Cord 12-3 X 25 feet Heavy duty SJTW 15A-125V Lighted
Ends 10-0860 30-071 E531 AX32 860836 D16612025 D11712025BL 12/3 EC0005
Two Units Factory Provided in Box / or similar
(color not guaranteed)

FAQ:

Can I use the Air Hog™ in conjunction with my truck mount?

Yes. However, in order to avoid damage to the unit it is critical that you first turn on the vacuum motors on the vacuum booster.

Then turn on the truck mount vacuum motors only after the vacuum booster vacuum motors are already running.

Recovery Tank
7 gallons

Vacuum Motor
Dual exclusive Mytee® Ametek Hybrid Motor

CFM
225 (Both Motors On)

Water Lift
204" (Both Motors On)

Pump-Out GPM
3.3

Casters
3" locking casters

Power Cord
Dual 25' 12/3 extension cords

Amp Draw
Cord 1: 8 amps | Cord 2: 8 amps

Product Weight
40 lbs.

Shipping Weight
60 lbs.

Note: Both Mytee and SteamBrite reserve the right to change the exact specifications, including but not limited to parts used in the build without notice and without obligation to retrofit any previously produced machines. Equipment is sold by part number only. Equipment design and parts used for the build are subject to change without notice.

Question: Does the Mytee 7303LX include the vacuum hose Lynx connections?
Answer: No, please purchase both H136V and the H110V connectors to use this machine.

Question: Are we supposed to use 1.5" ID or 2" ID vacuum hose with this machine?

Answer: 2" ID vacuum hose is recommended to join this booster to your current or existing machine as well as to travel on the way to your cleaning tool. Most cleaners that are using 1.5" vacuum hose might only do so the last 10 to 15 ft next to the cleaning tool/wand. Example: Main extractor < short 5 to 10 feet of 2" vacuum hose < Mytee 7303LX < 50 ft 2" ID vacuum hose < Reducer < 15 ft of 1.5" ID vacuum hose < Cleaning tool/wand.

Question: Can I use any of these power cords on the same breaker as my current carpet and tile cleaning machine?

Answer: No, this machine is too strong and use all the electricity for an electrical breaker. The reason it has more than one power cord, and your current machine has more than one power cord is each cord needs it own breaker.

Question: Please explain what is "Hose Mount?"

This topic is covered under the subject to cover the difference between hose mount, machine mount, exhaust mount vacuum boosters.

<https://www.steam-bright.net/forum/parts-and-accessories/vacuum-motors/539-different-types-of-vacuum-boosters-used-in-carpet-cleaning>

Question: What is the recommended maximum cleaning distance /vacuum hose length with this machine?

Answer: Unlimited when you use as a booster with another machine (truckmount or portable) and this 7303LX machine is 65 ft from your cleaning wand.

As a stand alone machine 150 ft with 2" ID hose, 75 ft with 1.5" ID hose, these numbers are cut in half when used with a rotary power wand.

Question: If I even want more power, more suction, what are some additional options?

Answer: I could mate this machine with another 7303LX and make my own Quad 6.6 system, OR I could mate with the Mytee Escape dual 6.6 system to make a quad 6.6 machine, OR I could made with the Mytee 1005LX to make a quad 6.6 system, OR I could just purchase a Quad 6.6 machine. Example Goliath Quad 6.6. This is available in both with wheels or trailer/truck mount.

Question: Since this is version 2 what was version 1?

Answer: Version one has a single 6.6 vacuum installed. They doubled the vacuum power with version 2 but the price jumped up another \$600 too. Version one is on the discontinued list. If you want a single 6.6 vacuum motor for a hose mount vacuum booster, please continue to check the website as I expect one will be available soon.

Question: Are the Mytee "hybrid" vacuum motors really stronger than traditional 6.6 vacuum motors?

<https://www.steam-bright.net/forum/parts-and-accessories/vacuum-motors/21132-mytee-hybrid-vacuum-motors-really-stronger-than-traditional-6-6-vacuum-motors>

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Availability: This product was added to our catalog on Tuesday 22 March, 2011

Steambrite Supply