



Model Number: 9420GHV

JE Adams 9420GHV, Vacuum and Air Machine, GAST Compressor, Vault Ready, Retractable Hose Reel

Manufacturer: J.E. Adams

Combination Unit
Car Wash And Auto Detailing

Vac & Air Combination

Features:

This unit comes standard with the following features (unless noted) and identifies replacement products:

3/4 HP oil-less GAST air compressor, 18-month warranty (Replacement Item #9862)

DeVilbiss 1.5HP air compressor, 6-month warranty (Replacement Item #8778)

2 Motors with 2" hose = 163.5 CFM / 193.4 Air Watts

2 Motors with 1 1/2" hose = 140.8 CFM / 402.4 Air Watts

Double service doors offer easy access to clean out compartment and 4 filter bag system (Replacement Item #8076)

SSAC 110 volt accumulating timers (Replacement Item #8712SS5) in units without the bill acceptor

IDX 2-Timer (Replacement Item #8712X2) in units with the bill acceptor

Optional "Free Air", "Free Vacuum", or "Both Services Free" available

Side-mounted, easy-coil, adjustable speed, retractable air hose reel available

Cut resistant 25' x 1/4" wire braid service station quality air hose (Replacement Item #8532-25) with 90 PSI inline air gauge (Replacement Item #8533-8)

Imonex coin acceptors take quarters (Replacement Item #8149)

Both services can be used simultaneously by separate customers in units without a bill acceptor.

Secure coin box with pin lock (Replacement Item #8638)

Hose: 25' x 15', swivel cuff and nozzle included (15', 25', and 50' available in 1 1/2' or 2')

Optional security accessories, timers, coin mechs, cycle counters, coin counters, motors, colored hoses, and clean-out container are available

Print Manual

Category:
Car Wash

Line:
Combination Units

Model #:
9420GHV

Shipping Weight:
230.00 lb.

Description:

This unit comes standard with the following features (unless noted) and identifies replacement products:

- Requires (2) 20 AMP services
- Both services can be used simultaneously by separate customers
- (2) 1.6 HP, 120 volt motors (Replacement Item #8055EM)
- 2 Motors with 2" hose = 163.5 CFM / 193.4 Air Watts
- 2 Motors with 1 1/2" hose = 140.8 CFM / 402.4 Air Watts
- GAST 3/4 HP air compressor, 18-month warranty (Replacement Item #9862)
- Optional 3/4 HP oil-less Thomas air compressor, 18-month warranty (Replacement Item #9859)
- Optional Devilbiss 1.5 HP air compressor available, 6-month warranty (Replacement Item #8778)
- (2) service doors offer easy access to 4-quick-change filter bag system (Replacement Item #8076) and clean out compartment
- (2) SSAC 110 volt non-accumulating timers (Replacement Item #8712SS5)
- Side-mounted, easy-coil, adjustable speed, retractable air hose reel
- 25' air hose (Replacement Item #8532-25) with 90-PSI air gauge (Replacement Item #8533-8)
- (2) Imonex coin mechanisms takes quarters (Replacement Item #8149)
- Faceplate secured with pin locks (Replacement Item #8638)
- Hose: 2" x 15', swivel cuff and nozzle included. Optional 15', 25', and 50' also available in 1 1/2" or 2"
- Optional "Free Air", "Free Vacuum" or "Both Services Free" available
- Optional security accessories, timers, coin mechs, cycle counters, coin counters, motors, colored hoses, and clean out container are also available

VAULT READY DESCRIPTION: There are two primary ways to store coins in a self-serve environment; either inside the equipment in a coin box or in a

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

vault that is installed beneath the meter to collect coins. Vaults can hold anywhere from \$700 in quarters for the 10-inch model up to \$1600 for the 18-inch (10" and 14" and 18" vaults available for sale). Since most vaults are cemented or bricked in on all sides they are very difficult for thieves to break into. JE Adams provides the 2" threaded nipple and vault tube cover for most units and customers are required to supply concrete bases and tubing to direct money to the vault. Units can be lowered to meet ADA requirements.

Availability: This product was added to our catalog on Tuesday 21 June, 2011