



Model Number: 9215LD-VR

JE ADAMS 9215LD-VR, Turbo Towel and Super Vacuum, No Bill Acceptor, Vault Ready

Manufacturer: J.E. Adams

Turbo Towel Hot Air Dryers & Vacuums
Car Wash & Auto Detailing

Features:

- Turbo Towel uses (1) 120 volt high-performance blower motor
- Turbo Towel is the first blower on the market with heated air
- Use Turbo Towel to quickly dry off the exterior of your car
- Blast water out of cracks and crevices
- Dry floor mats and carpets in a matter of minutes
- Great for drying motorcycles, chrome wheels, and engine compartments
- Internal heating element heats the air at 120 degrees above ambient temperature to provide a streak and spot free finish
 - Thermostatically controlled heating element
 - Nozzle velocity exceeds 200+ miles per hour
 - Prevent scratches and marks caused by standard hand towel and chamois drying
 - Eliminates storage and transportation of wet towels
 - Mars Series 2000 bill acceptor takes \$1.00, \$2.00, and \$5.00 bills (Item #8130-6)
 - Imonex electronic coin acceptor takes U.S. \$1.00 coins, U.S. quarters, 1.073 and .984 tokens (Item #8149-92)
 - Comes with 7 Medeco locks (5 for the control door, 1 for an internal bill acceptor locking box, and 1 for an internal coin acceptor locking box)
 - Lighted dome available in red, blue, yellow, dark green, light green, purple, and white
- Includes a 2" x 30' high temperature hose for Turbo Towel
- Includes a 2" x 15' hose for the vacuum
- Turbo Towel is Eco-Friendly too! Minimize landfill waste from purchased and non recyclable products

[Print Manual](#)

[Print Brochure](#)

Category:
Car Wash

Line:
Turbo Towel - Hot Air Dryer

Model #:
9215LD-VR

Shipping Weight:
278.00 lb.

Description:

This unit comes standard with the following features (unless noted) and identifies replacement products:

- (3) 1.6 HP, 120 volt motors (Replacement Item #8055EM)
- Requires 30 AMP service
- 3 Motors with 2" hose = 210 CFM / 415.4 Air Watts
- 3 Motors with 1 1/2" hose = 165.9 CFM / 662.3 Air Watts
- Toggle switch between Turbo Towel and Vacuum function
- Turbo Towel is the first blower on the market with heated air (patent pending)
 - Use Turbo Towel to quickly dry off the exterior of your car
 - Blast water out of cracks and crevices
 - Dry floor mats and carpets in a matter of minutes
 - Great for drying motorcycles, chrome wheels, mirrors, and engine compartments
 - Heating element will engage when ambient temperature is below 79 degrees to provide a streak and spot free finish
 - Thermostatically controlled heating element
 - Nozzle velocity exceeds 200+ miles per hour
 - Prevent scratches and marks caused by standard hand towel and chamois drying
 - Eliminates storage and transportation of wet towels
 - Includes a 2" x 30' high temperature hose for Turbo Towel
 - Includes a 2" x 15" vacuum hose, swivel cuff and nozzle included (25" and 50" also available in 1 1/2" or 2")
 - Turbo Towel is Eco-Friendly!! Minimize landfill waste from purchased and non recyclable products!
 - Imonex electronic coin acceptor takes U.S. \$1.00 coins, U.S. quarters, 1.073 and 0.984 tokens (Replacement Item #8149-92)
 - Comes with 6 Medeco locks (3 for the control door, 1 for an internal coin acceptor locking box, and 2 for the Turbo Towel)
 - Lighted dome available in the following colors: red, blue, yellow, dark green, light green, purple, and white

VAULT READY DESCRIPTION: There are two primary ways to store coins

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

in a self-serve environment; either inside the equipment in a coin box or in a vault that is installed beneath the meter to collect coins. Vaults can hold anywhere from \$700 in quarters for the 10-inch model up to \$1600 for the 18-inch (10" and 14" and 18" vaults available for sale). Since most vaults are cemented or bricked in on all sides they are very difficult for thieves to break into. JE Adams provides the 2" threaded nipple and vault tube cover for most units and customers are required to supply concrete bases and tubing to direct money to the vault. Units can be lowered to meet ADA requirements.

Availability: This product was added to our catalog on Wednesday 27 July, 2011