



Model Number: SBM-GO-D-CH Set

Clean Storm SBM-GO-D-CH Set Goliath Extreme COMPLETE HEAT 20gal 500psi 4/2 stg Vacs
Dual 14000 BTU 1750 watt Heater

Manufacturer: Clean Storm

Clean Storm SBM-GO-D-CH Set Goliath Extreme COMPLETE HEAT 20gal 500psi
DUAL HEATED Four 2 Stage Vacs 14000 BTU Heater Plus 1750 watt Heater Auto
Fill Flood Pumper Auto Dump Hoses Wand

Description

Complete Heat Is Guaranteed To Be Hotter Than Any Other Electric Portable!
Two heaters back to back. 14,000 BTU heat exchanger runs off the exhaust of the 4 vacuum motors as a preheater and 1750 watt electric post heater (after the pump). Portable Electric Truck Mount Complete Heat Model also has a 1750 watt electric heater (15 amp) on a third power cord. (you do not have to use the electric heater if a third power cord is not available.) More suction, more heat, more pressure, move vacuum motors, faster cleaning, better customer retention, hook in one place and clean the entire job site. Portable truckmount carpet cleaning machine. This unit is auto fill and auto dump and boost water temperature too! The water pump maintains more cleaning pressure than other 500 psi portables. This is because you can direct connect to any bathroom or kitchen sink with 13/16 or 15/16-27 thread count or 3/4" garden hose or washing machine connection. Other 500 psi portables can lose as much as 50% of the water pressure between squeezing the cleaning trigger and letting go because the pump has to suck out of a fresh tank reservoir and then build the pressure. The Goliath 500 psi system uses the water pressure from the building to feed the pump eliminating the pressure drop that other brands experience. You can also suck water out of a bathtub, bucket, or trash can if you do not want to direct connect the unit to the sink. This machine offers the ability to clean 200 ft from the machine with full productivity and automation of auto fill and dump. This package includes 65 ft of vacuum and solution hose. This is the absolute most performance that can be squeezed out of 2 power cords! This machine will also operate on one power cord is that is all the power that is available. In the one power cord mode will turn on two 2 stage vacuum motors and 500 psi water pump and half the heat exchanger. Extra large 20 gallon waste tank (usable space under 15 gallons) is 75% larger than other machines on the market today, combined with full time auto dump and drain makes this a non stop cleaning beast.

Features

- Dual ball float/standpipe (with check valve for single cord operation when you want to)
- Clear dome lid on slotted hinged
- Circuit locator
- 12" rear wheels
- Front mounted GFI w/ water-proof cover.
- Dual waste water discharge - Garden hose for cleans and 1-1/2" dump hose for

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

floods (your choice)

- Machine will operate on either one, two, or three power cords (See Specifications)

Video

Pictures

Includes

Extension Power Cord 12-3 X 50 ft 115 volt Lighted Ends AX33
860831 Mytee E530 M1394 860831 D11712050YL 661899102185

HydroForce AC10 Hydrofilter Hydro Filter Inline Waste Filter
Truckmount Hose Mount Carpet Cleaning Lint Filter A97699 1658-1670

Clean Storm 10-1455 Carpet Cleaning Wand 12in x 1.5in Pipe 2 Jet
1200psi Valve Double Bend AW29 Esteam 250-008

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Clean Storm 20121216 Hose Set 65 ft Includes 50 ft 2 in 15 ft of 1.5 in
ID Vacuum dual 1/4 in 3000 psi Solution Connections QDs Bundle

Clean Storm AH44 Vacuum hose Cuff 2in Thread X 2.0in Slip - 2in
Standard 8.708-904.0 B016 J11630 530009

Clean Storm 291A Faucet Adapter 15/16ths to Garden Hose
Connection FGHA AX22 (fits most 13/16ths) 1665-0273 Kaivac FGHA

Training DVD Package of 3 Covers the basics a Cleaner needs to know SBMdvdPak All Sales Final

Specification

- Tank Size: 20 gallon with flat lid (some photos above show the original 15 gallon machine with the clear lid)
- Body Construction: Fiberglass box for durability,
- Vacuum Motors: Four 2 stage vacuums (8 stages total will operate 200 ft of 2" vacuum hose!) Vacuum motors are configured: each pair is in series and then both pairs are in parallel for the best of both worlds of high cfm and high inches of lift. 30 amp vacuum system (15 amps per cord).
- Automation: 30 GPM STAINLESS STEEL sump pump with water level sensor (machines automatically dumps the dirty water as you clean for non stop production) Draws only 3.5 amps.
- Primary cord (20 amp) runs (2) vac motors in air series with ball float shutoff and sump pump. If a secondary circuit is not available, machine would perform on this cord. Wired with an in-line GFI and cooling fan.
- Secondary circuit (15 amp) runs the (2) other vac motor in air series with a ball float shutoff and check valve.
- 2" vacuum intake.
- Stainless steel screen lint catch to protect your auto dump pump.
- Garden hose cam lock adapter for carpet and tile cleaning
- 1-1/2" cam lock adapter for flood restoration (seen in photo below)
- (5) Green lighted splash proof rocker switches.
- Blue tank/Grey base
- 250 C.F.M.'s
- 170" of Lift (normally dual 2 stage in series would only achieve 155" of lift but these MaxVac vacuum motor are actually doing 170" in series! This is one of the reasons we chose this set up. These are not inflated numbers!)

- 42,500 vacuum units (maximum 170 inches of lift X maximum 250 CFM) make this one of the strongest electric machines on the market
- Gallon of liquid defoamer can be set on top of extractor on jobs where you need to cut some suds. (auto dump systems only dump water and not bubbles)
- 14,000 BTU belly-mount heat exchanger/muffler. Uses the hot air from the four vacuum motors to heat the water to 140 degrees. Our testing show temperature rises to a full 30 degrees over the tap water temperature.
- 1750 watt electric heater (one third power cord - needs to be plugged into a separate circuit breaker - 15 amps needed). High limit switch on heater is set to 200 degrees F. (Both heaters on the same machine for Complete Heat Technology)
- Goliath has 2 power cords, one cord runs two vacuum motors (15 amps) + 3 amp pressure pump, the other power cord is 2 vacuum motors (15 amps) + auto dump pump 4 amps. Electric heater cord is 1750 watts (15 amps).
 - Auto defoamer needle valve
 - Goliath exhaust motor air temperature after 5 minutes is 180 degree F.
 - Flow rate of pump is up to .72 Gpm or less.
 - Average incoming water temp from faucet is 110 degrees F.
 - Average temperature rise is 30 degree during use.
 - This feeds the pump with 140 degree water.
 - 1750 watt Electric heater provides a last stage 20+ degree rise.
 - Maintain 160 degree water.

Documentation
Manual
Factory Installed

NM5720 Mytee H666 Locking Front 5 inch Swivel Caster Kaivac CFS03

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Clean Storm 254649 2in Mip X 2in Barbed Truckmount vacuum hose
connector Plastic Nipple Insert Fitting

Mytee B112 1/8in Fip Screwed Bonnet Brass Needle Valve 122440
Heat Bypass or Chemical injection / BACKORDERED

Clean Storm Auto Fill Hose 6 ft By 1/2 Inch ID with 90 degree Fitting
for Hot water Garden Hose 20130305

Clean Storm Goliath 30 GPM Stainless Steel Automatic Dump Drain
Dirty Water Discharge Pump Out Mytee C384 12499

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

32-900195 Rocker Switch 2 Position On/Off - 4 pinned Mytee E515
Sandia Plastic 10-0803 (usually RED) Kaivac 86162010

Pumptec 81275 Series 207V 085/M9253F 120v 4 - 3/8in PORTS 600
psi G13102 8.620-105.0 250-74 80547

Mytee B118 600 psi Safety Pressure Relief Valve 1/4 SBM-B600

JE Adams 7685 Thermal Relief Valve 1/4in Mpt X 1/8in Female Pip
Brass with Viton Oring 140 degree Sensor 8.904-564.0

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Valterra Gate Valve 1.5in Replacement Dump Drain Valve Powrflite
PX10 K00711 Mytee H225 Esteam 545-100 Pullman Holt B932173

Max Vac 2 Stage 5.7 Inch High Performance Vacuum Motor
PO932STD Max 093

Options Below:

AH54 Ball Valve 1/4in Male X Female Pipe 1000 psi Chrome Plated
Save trips back and forth to your carpet cleaning machine by installing a ball valve at the end of each solution hose.
Allows you to change tools quickly.
Toggle back and forth between pre-spraying with an injection sprayer or rinsing with a cleaning wand.

Turn into the world's strongest dry shop vacuum: Clean Storm Goliath Dry Vacuum Option



Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Shazaam: Business Starter Package

Shower Hot Water Hook Up Kit

Optional

Clean Storm Grout Master Cleaning Tool 300psi - 1200 psi 20190919 Wand

For the first time in history, pressure wash tile and grout with a standard 500 psi portable carpet cleaning machine.

No high pressure pump required.

Watch Video On Link!

Clean Storm 20190925 Grout Master Cleaning Edging Hand Tool 300psi - 1200 psi

Clean shower walls, counter tops, and grout lines with your 500 psi machine

Watch Video On Link!

Availability: This product was added to our catalog on Tuesday 13 September, 2011