



Model Number: LB10-24-81

Link Ramps LB10-24-81 LB10 Series Side Step Mount Bifold Van Ramp 24x81 7850-A004

Manufacturer: Link Manufacturing Ramps

Link Ramps LB10-24-81 LB10 Series Side Step Mount Bifold Van Ramp 24x81 7850-A004

Up to 3 Weeks Build Time

Description

Link Manufacturing has developed a broad array of deployable mounted aluminum ramp solutions engineered for commercial vans and box trucks. Link's lightweight, low-profile mounted aluminum ramps vertically mount just inside a vehicle's rear or side doors. Each mounted ramp is made from high-strength aluminum and engineered for simple installation and ease of use.

All Link mounted ramps are fast, easy and convenient to deploy, use and stow. Opening and closing the ramp requires only 50 pounds of force and the ramps can be unfolded and folded back into their vertical, low-profile storage position in less than 10 seconds. By stowing vertically inside the vehicle's cargo hold, the ramp is not exposed to the weather or road debris and takes up less than 12 inches of horizontal space.

All of our Ramp Systems provide protection for your employees and equipment by eliminating the danger of lifting in and out of vehicles. Our systems are proven to increase your job efficiency and reduce the cost of expensive equipment damage. Create for yourself a professional appearance with a Link Manufacturing Ramp System.

The high-strength LB10 Series ramp mounts in vans with a sidestep and easily stores in the "dead" space above the step. The user-friendly design makes installation a snap, and requires only a few seconds to position for use, making users more efficient. The LB10 Series weighs between 82 to 108 pounds and its weight capacity is 1,000 pounds.

Spring Assist Not Available for LB10 line or ramps.

Features

- The unique bi-fold ramp design stores vertically in the dead space of the vehicle. The bi-fold ramp collapses to roughly 7.5 inches in depth and the baseplate covers 15 inches of rear or side door floor space. Only needs 43 inch clearance from floor to ceiling.

- Increase efficiency The family of mounted ramps are easy to release and deploy with quick-release latches and sturdy hinge points. The mounted ramps work perfectly for vans or medium duty vehicles for rear or side loading applications.

- High strength aluminum extrusion Our ramps are designed for reliability and durability using extruded high strength steel and state of the art manufacturing processes. Our extensive family of mounted ramps provides a safe and economical delivery solution.

- Easy installation Both the flat floor and side step mounts install easily into any vehicle with a side step or flat surface baseplate. The unique ramp design stores vertically and only takes a 4 bolts in the floor and mounting baseplate to position for use.

- Reduces dangerous lifting and Reduce equipment damage

Ramp Selection

2021 Ramp Fit Guide for Vehicles

Print Installation Instructions

Use this chart to choose the appropriate ramp length for your vehicle.

Ramp Selection Chart

There are many methods that are used to give a ramp its loading capacity rating. Do not be fooled by the numbers. Our ramps are rated using a footprint 6" wide by 16" long.

Pressure is applied to the center of the ramp with this footprint. We then apply a three times safety factor to arrive at the weight our ramps are capable of loading safely. This gives you a true capacity rating that has the safety of you and your employees at heart.

Ask your ramp supplier how they arrive at their capacity rating.

LB10 Series

Side Step Mount (Bifold Design)

Model Number (style-width-length)

Capacity (lbs)

Weight (lbs)

LB10-24-81

1000

82

LB10-30-81

1000

92

LB10-36-81

1000
102

LB20 Series
Flat Mount (Bifold Design)

Model Number (style-width-length)
Capacity (lbs)
Weight (lbs)

LB20-24-54
1000
72

LB20-24-72
1000
84

LB20-24-81
1000
90

LB20-30-54
1000
82

LB20-30-72
1000
94

LB20-30-81
1000
100

LB20-36-54
1000
92

LB20-36-72
1000
104

LB20-36-81
1000
110

LT30 Series
Flat Mount (Trifold Design)

Model Number (style-width-length)
Capacity (lbs)
Weight (lbs)

LT30-24-119
1000
110

LT30-30-119
1000
125

LT30-36-119
1000
140

LS50 Series
Heavy Duty Straight Design

Model Number (style-width-length)
Capacity (lbs)
Weight (lbs)

LS50-24-54
1000
37

LS50-24-63
1000
43

LS50-24-72
1000
49

LS50-24-81
1000
56

LS50-24-90
1000
62

LS50-24-99
750
69

LS50-24-108
750
75

LS50-24-117
750
81

LS50-24-126
750
88

LS50-24-135
750

94

LS50-30-54
1000
42

LS50-30-63
1000
49

LS50-30-72
1000
56

LS50-30-81
1000
64

LS50-30-90
1000
71

LS50-30-99
750
78

LS50-30-108
750
85

LS50-30-117
750
92

LS50-30-126
750
99

LS50-30-135
750

107

LS50-36-54
1000
47

LS50-36-63
1000
56

LS50-36-72
1000
64

LS50-36-81
1000
72

LS50-36-90
1000
80

LS50-36-99
750
88

LS50-36-108
750
96

LS50-36-117
750
105

LS50-36-126
750
113

LS50-36-135
750

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

121

Availability: This product was added to our catalog on Monday 17 October, 2011