



Model Number: 56105272

US Products 56105272 Hydraport 200 12gal 200psi HEATED 3 Stage Vacuum Carpet Extractor  
Bundle Freight Included

Manufacturer: US Products

## HYDRAPORT 200 CARPET EXTRACTOR

### Introducing the New HydraPort Series

The HydraPort series of portable extractors is the culmination of a major engineering and design initiative of US Products that emanated from direct field input of cleaning technicians who used high performance portable extraction machines every day. The HydraPort series represents a dramatic step forward in implementing unique, productivity enhancing features that considered even the minutest detail. These features go a step beyond traditional componentry that is common to most extractors — pumps and vacuum motors — and take into account the most common annoyances expressed by cleaning technicians. For example, moving the solution tank filling site to a location where the inevitable spill does not come in contact with any electrical components or switches. No detail was overlooked.

The design change started with basic ergonomic modeling. You can see it in the unique patent pending transport handle design that makes movement, maneuverability, and control around the facility a breeze. An additional handle on the front side of the extractor makes lifting, loading, and unloading easier and acts as a vacuum hose guidance system. Two front panel roller wheels also make loading and unloading easier and helps to prevent damage to the machine. Oversized rubber grip rear wheels make the HydraPort easier to transport up and down stairs

This remarkable attention to detail continues in the recovery tank design. The slope tank design to an attached disposal hose allows complete emptying easier of the recovery tank. A recessed channel inside the recovery tank for the ball float diminishes turbulence reducing premature wear. The recessed electronic switch plate protects switches and is located away from the solution tank decreasing water exposure. Features like a wand caddy and extension cord wraps make mobility through the building simpler and faster.

At the same time, the HydraPort series of extractors provide you with the uncompromising cleaning and extraction performance you have come to expect from

a US Products machine. The Low Moisture Environmental footprint reduction system utilizes 212 degrees heated cleaning solution from the in-line heater for faster carpet and hard surface drying, decreased chemical usage, and reduces the need for chemical sanitizing of surfaces. The whisper quiet, sealed vacuum system muffles sound for quieter operation in noise sensitive environments. A smart circuit locator identifies separate lines to eliminate blown circuits. Of course, the HydraPort comes with US Products industry leading 2 year parts and labor warranty.

The HydraPort 200 is the culmination of a major engineering and design initiative of US Products that emanated from direct field input of cleaning technicians who used high performance portable extraction machines every day. The HydraPort 200 represents a dramatic step forward in implementing unique, productivity enhancing features that considered even the minutest detail. These features go a step beyond traditional componentry that is common to most extractors & pumps and vacuum motors & take into account the most common annoyances expressed by cleaning technicians. For example, moving the solution tank filling site to a location where the inevitable spill does not come in contact with any electrical components or switches. No detail was overlooked.

The HydraPort 200 is the culmination of a major engineering and design initiative of US Products that emanated from direct field input of cleaning technicians who used high performance portable extraction machines every day. The HydraPort 200 represents a dramatic step forward in implementing unique, productivity enhancing features that considered even the minutest detail. These features go a step beyond traditional componentry that is common to most extractors & pumps and vacuum motors & take into account the most common annoyances expressed by cleaning technicians. For example, moving the solution tank filling site to a location where the inevitable spill does not come in contact with any electrical components or switches. No detail was overlooked.

- 140" water lift
- Instant 212 degree heat
- 1750 Watt heater
- CRI Bronze certification
- Pump: positive displacement adjustable 50-200psi
- Ergonomic design allows for easier loading, transport, and reduces fatigue
- Unique transport handle design makes movement, maneuverability and control around a facility a breeze
  - Handle on top of tank assist in lifting, loading/unloading and acts as a vacuum hose guidance system
  - Recovery tank design features a sloped tank design to the disposal hose makes for more complete emptying of recovery tank and the recessed channel for the ball float reduces turbulence
  - Easy-fill solution tank access port is designed to make it easier to fill from bucket at average lift height. Located away from electronic switch and controls reduces maintenance issues
  - Low moisture/environmental footprint reduction system: Less water combined with higher heat means faster drying, less chance of soil wicking from pad or shrinkage. High heat system reduces chemical usage in cleaning and reduces need for chemical sanitizing of surfaces

- Wand caddy is molded right into the extractor, allowing for easier mobility and transport
- Recessed electronic switch plate protects switches from solution tank and reduces water exposure
- Two front panel roller wheels assist in loading and unloading from transport vehicle
- Oversized, rubber grip wheels make it easier to transport up stairs and faster to move and maneuver from one room to another
- The 3-stage vacuum motor has unrestricted airflow for superior water recovery. Closed, sealed system reduces wear and extends vacuum motor life 140" lift.
- Pressure gauge, pressure regulator allows you to dial in specific pressure for sensitive textures, hard and textile surfaces. Provides accurate monitoring of exact solution pressure being applied
- Extension cord wraps to protect extension cords and make maneuverability and transport through facility easier

#### Standard Features:

- 12" Stainless steel scrub wand (Evolution Wand optional upgrade)
- 12.5 gallon solution tank
- 11.0 gallon recovery tank
- 15' Vacuum hose (25' optional upgrade)
- 15' Solution hose (25' optional upgrade)
- Two handles for easy maneuverability and loading
- Handle on tank to assist loading/unloading and to guide vacuum hose
- Extension Cord (s)
- Oversized, rubber grip rear wheels
- Two front panel roller wheels
- Easy-fill solution tank access port
- Molded wand caddy for easy transport
- Recessed channel for ball float
- Glycerin filled pressure gauge
- In-line, after-the-pump, heater
- 1750 watt Heater has lifetime warranty (15 amps)
- 

- 1 year parts and labor warranty (exclusions apply)

#### Specifications:

Solution Tank:  
12.5 gallons

Recovery Tank:  
11 gallons

Vacuum:  
5.7" 3-stage motor

Vac Shutoff:  
Ball float

Pump:  
50 - 200 PSI, adjustable

Water Lift:  
140"

Air Flow:  
107 CFM

Heater:  
1750 Watts, 212&deg; F

Circuit Locator:  
Locator light

Power Cord:  
2-25', 12/3 gauge

Amp Draw:  
29 amps between 2 cords

Dimensions:  
40.5" H x 21" W x 42" L

Weight:  
93 lbs.

Warranty:  
Lifetime on tanks, body & heater | 1 year on parts & labor

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Also marketed under part number USP-56105272

View SteamBrites Entire Selection Of US Products Extractors Click Here  
<http://www.carpetextractors.com/Qstore/Qstore.cgi?CMD=011&PROD=1231878315>  
-->20121228dj

Availability: This product was added to our catalog on Friday 27 July, 2012