



Model Number: COMBL012D

Shertech COMBL012D, Bronze High Flow, Straight Centrifugal Pump

Manufacturer: Shurflo

COMBL012D 0.12 HP Bronze High Flow Straight Centrifugal Pump

316 STAINLESS STEEL CENTRIFUGAL PUMP WITH DC MOTOR. Wet-end components are constructed of 316 and 300 series stainless steel, Viton[™], carbon and ceramic.

BRONZE CENTRIFUGAL PUMP WITH DC MOTOR. Wet-end components are constructed of bronze, brass, Viton[™] and 300 series stainless steel.

Notes: Shertech/SHURflo/SHURflo close-coupled bronze or 316 stainless steel units pump continuously, producing high flow rates under lowhead conditions. Designed for continuous low-pressure circulation and transfer of non-flammable liquids, utility, boiler feed, general transfer, filtration, cooling towers, condensate return, marine applications, fountains, boosters, water circulation, irrigation, spraying systems, jockey pump service, chemical processing, aggressive liquid applications and other general purpose pumping compatible with pump component materials where no suction lift or no self-priming is required.

Capacities to 24 GPM, heads to 25 ft

Clog-resistant, semi-open metallic impellers (Bronze models have a bronze/brass impeller; Stainless Steel models have a 316 stainless impeller).

Pumps feature maintenance-free ball bearings and an easily accessible front drain plug for draining liquid.

Maximum casing working pressure is 100 psi

3/4" female NPT inlet and outlet ports.

Discharge port can be rotated at 90[DEG] intervals.

Stainless steel and bronze models handle temperatures from 40[DEG] to 180[DEG]F.

Seals: Bronze models are equipped with a Viton[REG] lip seal and Viton[REG] o-ring, and Stainless Steel models are equipped with a carbon ceramic Viton[REG] mechanical seal having 316 stainless steel components and Viton[REG] o-rings.

Height:
4"

Length:
7-1/8"

Material:

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Bronze, Brass

Style:
Close-Coupled

Type:
Centrifugal Pump

Application:
Liquid Transfer

Flow Rate:
21 gpm

Voltage:
12

Horsepower:
1/125

Maximum Temperature:
180[DEG]F


Motor Type:
TENV

Maximum Working Pressure:
22 ft of head

Product Weight:
5.0 lbs.

COMBL012D 0.12 HP Bronze High Flow Straight Centrifugal Pump

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Availability: This product was added to our catalog on Wednesday 21 November, 2012

Steambrite Supply