



Model Number: SBM-GO-Hybrid

CleanStorm SBM-GO-Hybrid Goliath Flood Pumper 27gal 8 Stage Vacs GAS Pump HEATED Pressure Washer Rotovac 360i ETM

Manufacturer: Clean Storm

Clean Storm SBM-GO-Hybrid Goliath Hybrid Flood Pumper 27gal 4/2 Stage Vacs GAS Pump HEATED Pressure Washer Recovery System Rotovac 360i ETM
All surface type cleaning: concrete, tile, carpet, upholstery, auto interior/ exterior, water extraction flood, sewer jetting, drain cleaning, mattress cleaning, more
Package includes items in the list below
Save over purchasing separately.
Click on each link to read more about each item.

DriStorm Goliath Flood Pumper 26gal Quad 2 Stage Vacs Pressure Washer Recovery 120v APO Lint Filtration SBM-GO-A SBMGOA 20220803

Hydrotek SH27003VH Mobile Wash Skid-(Diesel fired) Gas Hot Pressure Washer On Wheels 2700 psi 2.5 gpm

Rotovac 360i Power Wand Demonstrator Model [Demo-Rotovac 360i]

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Northstar 32154 5000 psi Pressure Gauge with Pressure Washing QD
Fits all NorthStar Shark Legacy Pressure Washers

Clean Storm 20131604 Solution Hose for Carpet and Tile Cleaning
15ft x 1/4in ID 3000 psi rated Non marking RUBBER jacket - 8.918-393.0

Foster FK2BH2B QD 1/4in Male/Female Set Brass Quick Disconnect
Used for Carpet and Tile Cleaning

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Clean Storm AH30 Hose Vacuum Hose 50 ft x 2.0in ID Truckmount
Double Walled DHV50 DHV02 AH24 18-003 260-238-50 AH30H 000-068-065

Clean Storm AH76 2 in Barbed X 2 in Barbed Plastic Hose Insert
Joiner Fitting Truck Mount Vacuum Hose Connector B018 21-003 HydraMaster
000-052-168

Clean Storm AH15TM Vacuum Hose 15ft Long (5 meters) x 1.5in ID -
H295 8.620-199.0 260-038-16

Clean Storm AH46 Vacuum Hose Enlarger Cuff Expander 1.5in
Threaded X 2.0in Slip 19-027 579-012

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Mosmatic 78.292 Tile and Grout Spinner 12 Inch Wand FL-AER 300
With Vacuum Air Recovery Pick up 4000 psi Sirocco SC-12v 78.242

Foster FK2B Bretco 1/4in Male Brass Quick Disconnect QD Nipple
Plug Coupler QD40 8.756-044.0

Karcher BR132 1/4in Mip X 3/8in Mip Hex Reducing Nipple Brass
8.705-227.0 - Kaivac CSS119

Clean Storm 20160505 Live Solution Reel System 160ft Plus 15ft
1/4in ID 3000 psi Hose For Truckmount Carpet cleaning and Tile Cleaning

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

HydroForce AS08P Injection Sprayer Plus High Pressure with blow
molded jug 1639-0775

Shazaam 20170116 Carpet Cleaning Auto Detailing Start Up Chemical
Package Starter Package ChemStart

Clean Storm AH44 Vacuum hose Cuff 2in Thread X 2.0in Slip - 2in
Standard 8.708-904.0 B016 J11630 530009

Clean Storm 20120606 Pressure Washer QD to Rust Bleeder to
Filtered Insulated Carpet Cleaners QD Female Socket as first Piece

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Training DVD Package of 3 Covers the basics a Cleaner needs to know SBMdvdpak All Sales Final

Clean Storm AX23 Solution Tee with QDs for truckmount dual wand
T or Y Splitter TWQCF15 Freight included

Clean Storm DustDowner Dry Vacuum Mister for 2in Vacuum Hose
AH20 W/ Cuffs

Goliath
Quad Vac Flood pumper
The Industries Strongest Water Extraction Machine!
Tank Size: 20 gallon
Body Construction: Fiberglass box for durability,
Vacuum Motors: Four 2 stage vacuums (8 stages total will operate 200 ft of 2" vacuum hose!) Vacuum motors are configured: each pair is in series and then both pairs are in parallel for the best of both worlds of high cfm and high inches of lift.
Automation: 30 GPM STAINLESS STEEL sump pump with water level sensor (machines automatically dumps the dirty water as you clean for non stop production)
Draws only 4 amps.

Features:

- Dual ball float/standpipe,
- Clear dome lid on slotted hinged,
- Dual 50 ft. 12-3 power cords,
- Circuit locator,
- 12" rear wheels and swivel casters in the front.
- Front mounted GFI w/ waterproof cover.
- Built in Auto Defoamer with adjustment knob.
- Dual waste water discharge - Garden hose for cleans and 1-1/2" dump hose for floods (your choice)
 - Machine will operate on either one or two power cords (see below)
 - When the machine is operating on one power cord you have the option to run the vacuum motors in series or parallel.
 - Made in the USA

Technical Specification:

- Primary cord (20 amp) runs (2) vac motors in air series with ball float shutoff and sump pump. If a secondary circuit is not available, machine would perform on this cord. Wired with an in-line GFI and cooling fan.
- Secondary circuit (15 amp) runs the (2) other vac motor in air series with a ball float shutoff and check valve.
- 2" vacuum intake.
- Stainless steel screen lint catch to protect your auto dump pump.
- Garden hose cam lock adapter for carpet and tile cleaning
- 1-1/2" cam lock adapter for flood restoration (seen in photo below)
- (5) Green lighted splash proof rocker switches.
- Blue tank/Grey base
- 200 C.F.M.'s
- 170" of Lift (normally dual 2 stage in series would only achieve 155" of lift but these MaxVac vacuum motor are actually doing 170" in series! This is one of the reasons we chose this set up. These are not inflated numbers!)
- 42,500 vacuum units (maximum 170 inches of lift X maximum 250 CFM) make this one of the strongest electric machines on the market
- Gallon of liquid defoamer can be set on top of extractor on jobs where you need to cut some suds. (auto dump systems only dump water and not bubbles)
- Pressure washer test results: With the Rotovac 360i by itself you can turn the

pressure washer down to 600 psi, with the Rotovac 360i and a Dustdowner with 02 jet installed you can turn the pressure washer down to 400 psi, with a Rotovac 360i and a Dustdowner with 01 jet installed you can turn the pressure washer down to 500 psi, the burner lights and heats water in all three test results.

Package Advantages:

Only 3 power cords required (two for the Goliath and one for the Rotovac 360i)
Goliath is more than traditional auto pump out systems with more vacuum, can be converted into air duct cleaning machine, can be used for water damage clean up and flood restoration because of the dual discharge port and 30 gpm pump.
Clean all surfaces with one machine and clean them as HOT as you feel comfortable with. Note this machine is super HOT and dangerous. It is so hot that it will melt gum out of carpet without gum remover. It is so hot that if you lay the pressure hose across the customer's lawn, it will KILL the grass! It is so HOT that you can burn yourself through the jacket of the pressure hose. In most cases you will not use this unit turned up to 250 degrees. It is scary. The good thing is it does have a dial on it and you can turn it down. Quad 2 Stage Max Vac Vacuum motors are mounted vertical for longer bearing life.

Unit Measurements:

- Handle height is 39". Machine dimensions" 41" H x 24" W x 30" L
- Weight (assembled) = 86 lbs. w/out cords.

Goliath Advantages:

1. 27 gallon recovery tank
2. Auto defoamer needle valve
3. 2" vac port will run either 2" or 1-1/2" vacuum hose
4. The highest lift and highest CFM extractor on the market. Nothing comes close. This machine is impressive when it comes to suction. This machine will run longer hose lengths and dry carpet better than any other electric machine that is operating on two power cords.
5. Will operate on one 15 amp power cord, will operate on two 7 amp power cords, will operate on two 15 amp power cords, will operate on two 20 amp power cords. Just turn off features in applications where you have less power available.
6. Stainless steel dump valve is another industry first. You will not be able to brake it or clog it or wear it out.
7. Dual port water pump out discharge. Choose between dumping out a garden hose or out a 1-1/2" vacuum hose, your choice.
8. Switch plate cover will keep your water resistant switch covers in place. Unlike some other brands the clear water protection cover can fall off once the machine gets old or if it gets knocked around.
9. Now available with an optional 500 psi PumpTec pump in it to use as a carpet cleaning machine too Add \$750

Owner's Manual

These results were achieved with an open vacuum tank

POWERFUL 30 GPM AUTO DUMP

Factory Installed Clean Storm 30 GPM Stainless Steel Automatic Dump Drain
Dirty Water Discharge Pump Out 12499 Mytee C384 12499

Color is not guaranteed. The current color is Blue.

Auto Defoamer with adjustment knob

QUAD TWO-STAGE VACUUM MOTORS IN SERIES/PARALLEL
AS PER MANUFACTURERS RECOMMENDATION, MOTORS ARE MOUNTED IN A
WAY THE BALANCES THE VACUUM (lift) AND THE VOLUME (cfm), BY
MOUNTING THE VACS IN SERIES PAIRS THEN THE PAIRS ARE MOUNTED IN
PARRALLEL. THIS BALANCES THE LIFT AND CFM, GIVING BETTER
PERFORMANCE THAN HAVING ALL 4 MOTORS IN SERIES (high lift but nominal
cfm) OR ALL 4 IN TANDEM (plenty cfm but wimpy vacuum). SO FAR ONLY
STEAMBRITE MFG GIVES YOU THIS SUPERIOR DELIVERY SYSTEM FOR 4
VAC MOTORS.

To see our vacuum motor testing visit

<https://www.steam-brite.com/forum/showthread.php?p=3004#post3004>

Starter packages available to clean:

Air Ducts, Tile and Grout Cleaning, Water Extraction, Carpet Cleaning (either high
flow and high pressure),

Auto Detailing, Mattress, Upholstery, and Drape Cleaning.

OPTIONS:

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Clean Storm Rotary Turbo Laser Nozzle 500 to 5100 psi HOT Heavy Duty 2.5
gpm 20252515 SALE

Clean Storm Goliath Dry Vacuum Option
Turn your Goliath into the worlds strongest dry vacuum shop vac for
air duct cleaning

Truckmount Live Vacuum hose reels 200 ft with side mount 200 ft
solution or garden hose reel

PMF Crevice, 56 Inch Long Tool, Booted/Easy Glide Grout and Tile
Wand, Internal Spray, 3000psi Top Mounted HD Valve

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Clean Storm: Portable Extraction Machine Drip Tray

PMF: 4.5in Easy Grip 500Psi pressure side bypass Internal Spray

Shazaam: Carpet Cleaning Business Starter Package

Air Care: Cable, Vac Hose 1.5 X 35 ft W/12 inch Flex-E-Bristle Brush
(for Cobra 5) Air Duct Cleaner CE1958D

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Steambrite Supply



Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Shazaam: Convert Portable to a Truckmounted Carpet Cleaning Machine and
Leave outside with Generator, Reel, Power Cord

Clean Storm Speed Perimeter Crevice Tool: Vacuum Only, Aluminum Pipe,
1-1/2" ID, 42" Long

Hydroteck Dual Stacked Pressure washing hose reels AR325 - includes one
5000 psi reel and one inlet garden hose reel
Add a double stack live reel system. One for your garden hose and One for
your 3/8" pressure washing hose.

Clean Storm 200 ft Live Electric Vacuum Hose Reel with Side Storage Reel
for Truckmounted Carpet Cleaning Machines

Westpak 14in Carpet Cleaning Wand Starter Package 1.5in Pipe 4 Jet 2
Bend Low Profile W/ Splash Guard

Rotovac 15" Quad Head 15-CH-QUAD for 360i

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Clean even faster with a larger head

If you like the Mytee more
We can trade it out for you on this package
Mytee TRex Jr 12 inch Rotary Power Wand

Optional
Clean Storm Grout Master Cleaning Tool 300psi - 1200 psi 20190919 Wand
For the first time in history, pressure wash tile and grout with a standard 500
psi portable carpet cleaning machine.
No high pressure pump required.
Watch Video On Link!

Where did the name Goliath Carpet Cleaning Machine come from?
<https://www.steam-bright.net/showthread.php?3389-Were-did-the-name-Goliath-Carpet-Cleaning-machine-come-from&p=5477#post5477>

Availability: This product was added to our catalog on Thursday 13 December, 2012