



Model Number: 8006-882-288

Shurflo 8006-882-288, 100psi 36 volt 1.4gpm With Pressure Switch, 8.602-634.0

Manufacturer: Shurflo

PUMP DESIGN: Positive Displacement 3 Chamber Diaphragm Pump

CAM: 2.5 Degree

CHECK VALVE: (2-Way Op.) Prevents Reverse Flow & 6 Ft. Head Forward Flow

MOTOR: Permanent Magnet, P/N 11-150-10, Thermally Protected

VOLTAGE: 36 VAC Nominal

PRESSURE SWITCH: Adjustable Shut-Off (Range 80-100 PSI), Factory Set @ 100 PSI, Turn On 85 PSI +/- 5 PSI

BYPASS: 80 PSI

LIQUID TEMPERATURE: 180 Degrees Fahrenheit (82 Degrees Centigrade) Max.

PRIME: Self-Priming Up To 7 Ft. Vertical,

Max. Inlet Pressure 30 PSI (2.1 Bar)

PORTS: 3/8"-18 NPT Female

MATERIAL OF CONSTRUCTION:

PLASTICS- Nylon

VALVES- Viton

DIAPHRAGM- Viton (Switch), Santoprene (Main)

FASTENERS- Zinc Plated Steel

NET WEIGHT: 4.9 Lbs (2.2 Kg)

DUTY CYCLE: Intermittent

TYPICAL APPLICATIONS: Soil Extraction and carpet cleaning pump

- UL/CSA Recognized Component

ShurFlo 36VAC 1.3 GPM Transfer Diaphragm Pump

ShurFlo 8006-882-288-288 Industrial Transfer Diaphragm Pump

36 Volt AC, 1.3 GPM open flow, 100 PSI Demand switch, Internal bypass at 80 psi, Viton valves, Santoprene diaphragm. 3/8" NPT Poly (Female) Ports

- PUMP DESIGN: Positive Displacement 3 Chamber Diaphragm Pump
- CAM: 3.0 Degree
- CHECK VALVE: (2-Way Op.) Prevents Reverse Flow & 6 Ft. Head Forward Flow

Flow

- MOTOR: Permanent Magnet, P/N 11-150-00, Thermally Protected
- VOLTAGE: 115 VAC Nominal
- PRESSURE SWITCH: Adjustable Shut-Off (Range 100-80 PSI), Factory Set @ 100 PSI, Turn On 80 PSI +/- 5 PSI
- LIQUID TEMPERATURE: 170 Degrees Fahrenheit (77 Degrees Centigrade) Max.
- PRIME: Self-Priming Up To 8 Ft. Vertical,
  - Max. Inlet Pressure 30 PSI (2.1 Bar)
- PORTS: 3/8"-18 NPT Female
- MATERIAL OF CONSTRUCTION:

- PLASTICS- Polypropylene
- VALVES- Viton
- DIAPHRAGM- Santoprene
- FASTENERS- Zinc Plated Steel
- NET WEIGHT: 3.8 Lbs (1.72 Kg)
- DUTY CYCLE: Intermittent
- TYPICAL APPLICATIONS: Soil Extraction
- Also marketed under part number(s): Windsor 65142, Windsor 65166, M-105, 993-0040, 8.602-634.0, Windsor 86026340, M105, GPMP5F006

International shipping?

You can ship either one or two of these pumps for the same \$80 by the US Post Master to almost every country in the world.

- Model: 8006-882-288
- Shipping Weight: 4lbs
- Manufactured by: SHURflo

## Cross Reference Skus

65142  
65166  
8006-882-288  
993-0040  
M-105  
8.602-634.0  
86026340  
225042848440

<https://www.pumpagents.com/ShurfloPumps/8006-882-288.html> \$152.25

Amazon 228.00 after 5% off

[https://www.toboaenergy.com/product/shurflo-pump-8006-882-288-36vdc-100psi-presure\\_switch-1-6-gpm/](https://www.toboaenergy.com/product/shurflo-pump-8006-882-288-36vdc-100psi-presure_switch-1-6-gpm/) \$180

--> 20190116dj

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Availability: This product was added to our catalog on Tuesday 29 January, 2013

Steambrite Supply