



Model Number: TSS1511

General Pump TSS1511, Triplex Plunger Pump, 3500psi 1450rpm 4 gpm, 8.753-483.0 UPC 682491064732

Manufacturer: General Pump

General Pump TSS1511 Pressure Washing Carpet Cleaning Pump 3500psi 1450rpm Triplex Plunger Pump

The preferred pump frame in the pressure cleaning industry

- Forged brass manifold with an exclusive lifetime warranty
 - Large-capacity, die-cast, anodized aluminum oil-bath crankcase
 - Over-sized connecting rods for maximum life
 - Heavy-duty tapered roller bearing
 - Solid ceramic plungers with continuously lubricated packings
 - Unitized stainless steel inlet and discharge valves
- Also marketed under part number 8.753-483.0

Maximum Volume

4.0 GPM

Max. Discharge Pressure

3500 PSI

Maximum Pump Speed

1450 RPM

Maximum Inlet Pressure

125 PSI

Plunger Bore

.787 in. / 20 mm

Plunger Stroke

.472 in. / 12 mm

Crankcase Oil Capacity

40.6 oz.

Maximum Fluid Temperature

165°F

Inlet Port Thread

1/2-14 BSP-F

Discharge Port Thread

3/8-19 BSP-F

Shaft Diameter

.945 in. / 24 mm

Weight

32 lbs.

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Dimensions

12.2" x 9.2" x 6.9";

Sales tax collected in TX and CA
Inventory Part TSS1511
UPC 682491064732

<https://www.kleen-ritecorp.com/p-9957-general-pump-tss1511-triplex-plunger-pump-40-gpm-3500-psi-1450-rpm-right-shaft.aspx> \$421.99
<https://www.generalpumponline.com/product/tss1511-pressure-washer-pump/> \$399
+ shipping
--> General pump Maintenance Guide

Exploded view and parts

Availability: This product was added to our catalog on Friday 03 May, 2013