

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Model Number: CPS30005VHR

Hydrotek CPS30005VHR 3000psi 479 cc Gas Engine Skid Cold Pressure Washer 4 gpm Belt Drive

Manufacturer: Hydrotek

DISCONTINUED

Hydrotek CPS30005VHR 3000psi 447 Gas Engine Skid Cold Pressure Washer
4 gpm Belt Drive



Long Life:

Built with the same chassis design & components as our proven hot water skids.

Rugged "Pro-TECT-IT" Frame:

Hydro Tek's unique "Pro-TECT-IT" frame of heavy gauge steel, with durable electrostatically applied powder coat finish give greater protection to engine and other vital components. Heavy duty 1 1/4" structural tubing frame, with built-in lifting bars, offers flexible mounting options: trailer, tank skid, stationary, or add a wheel kit for a portable washer.

Industrial Engines:

Smooth running twin cylinder gas engine. Overhead valve, pressure lubrication, and oil filtration along with reserve horsepower delivers 50% longer life than single cylinder powered washers. Electric start, low oil shutdown engine starts with the turn of a key and shuts off automatically if oil pressure drops.

Panel Mounted Unloader:

The unloader is frame mounted eliminating heat failures and vibration and is a pressure activated unloader for consistent and dependable operation.

Belt Drive Pump:

Low RPM drive pump runs cooler and quieter for continuous performance. These industrial triplex, ceramic plunger pumps outperform the competition in longevity.

EZ Align™ Belt System:

Tensioning system allows for easy belt adjustment with a single adjustment bolt. If you need to remove the pump for preventative maintenance, it is as simple as removing bolts, no need to reach underneath the washer.

Remote Fuel Tanks:

Gas engine models have a 4 gallon fuel tank which is located away from the engine reducing risk of fire from gas spills. Extra capacity tank extends running time up to three times longer.

More standard features:

Nozzles with insulated quick couplers

Heavy-duty, 50' high pressure hose

Heavy duty, insulated wand with trigger gun

Twist coupler hose connection to easily remove gun/wand for storage or to add additional lengths of hose

The CPS Series is a rugged cold water skid built to tackle the toughest jobs. A heavy gauge powder coated steel frame protects vital components and a smooth running twin cylinder engine, with low oil shutdown, ensures a long life of industrial use. Low RPM belt drive pump runs cooler and quieter and is ideal for use when drawing water from a tank. A 4 gallon fuel tank allows for long run times between fill ups, and its remote location away from the engine provides for safe refueling that

reduces the risk of fire from fuel spills. Flexible mounting options, you choose your level of portability: on a trailer or tank skid, on wheels, or stationary. Requires group U1 235 CCA battery, not included. Dimensions: 32"Lx24"Wx27"H.

Features:

- 14 HP Commercial/Industrial twin cylinder, electric start engine includes low oil shutdown and oil filter
- Belt Driven Triplex Industrial Duty pump
- Remote mounted, non-integrated unloader
- Heavy duty, insulated spray wand, trigger gun, quick connect nozzles and 50' of high pressure hose
- Available Options: Downstream injection kit (#AC340), Hour meter (AM512), Wheel kit (#AHS10), Sewer jetting kit and reel (#AR460), Tank skid/reels (200gal. #T185TW, 270gal. #T270TW), Transport trailer (200gal. #T185CP)

Product Specifications

LENGTH INCHES
32

WIDTH INCHES
24

HEIGHT INCHES
27

COLOR FINISH
Red

BRAND
Hot-2-Go

CONSTRUCTION
Powder Coated Steel

HORSE POWER
14

MANUFACTURERS PART NUMBER
CPS30005VHR

MAX. TEMPERATURE
Cold

PSI
3000

WEIGHT LBS
250

GALLONS PER MINUTE
4.8

ENGINE
Vanguard

PUMP
General

PHASE
1

FUEL TANK CAPACITY GALLONS
4

DRIVE
Belt

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Optional trailer, reel, wheels, extra hose...

Factory Brochure

Note sales tax is collected in both CA and TX

Availability: This product was added to our catalog on Wednesday 19 June, 2013