



Model Number: GPE-75EH-1-1

Gillette Generator GPE75EH-1-1 13hp Industrial Portable Generator 7500watts 120/240 dual voltage, electric start

Manufacturer: Gillette Generator

Gillette Generator GPE75EH Industrial Portable Generator 7500watts 120volts electric start, single phase

Powered By Honda's GX390 Commercial Grade OHV Engine

- A compact, fuel efficient engine which provides plenty of torque
- Cast iron cylinder sleeve provides long engine life

Electric Starting System w/ Recoil Backup (Battery Not Included)

- Start your generator by flipping a switch (Min 200 CCA Battery)

Oil Alert&reg; Warning System

- Alerts you or shuts engine down if oil reaches an unsafe level

Exclusive Kleen-Power&reg; (Only 6% THD) & Exclusive Power-Assist&trade;

- Provides clean, smooth operation of sensitive electronics
- Provides extra power for hard starting electric motor loads

Full Panel GFCI Protection - OSHA & UL Compliant

- Must use GFI type manual transfer switch for panel connection
- Interlock kits are not compatible with this generator

4-Gallon Metal Fuel Tank w/ Gauge, Twist-Cap & Slop Valve

- Provides extended run times of 4.2 hours @ 3/4 load

Rugged 1.25" Steel Round Roll Frame

- Provides total generator protection on the jobsite

Built-In Hour Meter w/ Maintenance Alerts

- Reminds you when it is time to change the oil & air filter

2 Year/1000 Hour Limited Warranty

Model Number:

GPE-75EH

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Manufacturer:  
Gillette

Made in USA:  
Yes

Engine

Brand:  
Honda GX

Starting System:  
12-Volt Key Start w/ Recoil

HP/CC:  
13 HP/390 cc

Consumer Engine Warranty:  
3 Years

Commercial Engine Warranty:  
3 Years

Engine RPM:  
3600 RPM

Low Oil Alert/Shutdown:  
Yes

Cast Iron Sleeve:  
Yes

Product Specs

Voltage  
120/240 Single-Phase

Frequency:  
60 Hertz

Auto Voltage Regulation:  
Yes

Fuel Type  
Gasoline

Rated Amps:  
28 Amps @ 240 Volts (Single Phase)

Tank Size:  
4 Gallons

Fuel Tank Material:  
Metal

Fuel Gauge:  
Yes

Decibel Rating @ 7m:  
78 db(A)

Hour Meter:  
Yes

Lifting Eye:  
No

Battery:  
Not Included

Run Time (75% Load)  
4.2 Hours

## Overview

Weight:  
242 Lbs. (109.77 kilograms)

Dimensions:  
30.5"L x 24"W x 23"H  
(77.47 x 60.96 x 58.42 cm)

Consumer Warranty:  
2 Years

Commercial Warranty:  
2 Years

Optional

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Generator Grounding Kit Bonding Parts 18012017 Self Install

BE Pressure 85.508.003 Champion Power 48036 L14-30P X Four 5-20R  
Generator Power Cord Adapter

Availability: This product was added to our catalog on Tuesday 09 July, 2013