



Model Number: 6-2300-H-240v Set

Clean Storm 6-2300-H-240v Set, 6gal 300psi HEATED Dual 2 Stage Vacs, Hose Set Wand Upholstery Carpet Cleaning Machine

Manufacturer: Clean Storm

Color NOT Guaranteed Blue, Black, Or Grey

Carpet & Upholstery Cleaning Machine with Heat for international use 240 volts

New! Taking the cleaning world by STORM is the introductory priced CLEAN STORM series of portable extractors by Shazaam!

Specifications for this Model

Model #
6-2300-H-240v Set

Pump Pressure
300 psi Pumptec Pump (Adjustable)

Vacuum Motors
Two 2 Stage Vacuum Ametek Motors 150" X 125 CFM = 18,750 Vacuum units.

Solution Tank
6 Gallon

Waste Tank
6 Gallon

Voltage
240 Volt

Power Cords
Dual 25ft Power Cords

Dimensions

23.5in (L) X 16in (W) X 30in (H)

Heating

2000 Watt Heater

Rear Wheels

10in Semi-pneumatic

Auto Fill And Auto Dump

No

Weight of unit dry is 102 lbs.

The best thing about the Clean Storm Carpet Extractor that makes it unique from other carpet extractors is the fact that it is a much lighter machine. You will find this 6 gallon machine easy to move with its size and weight. You'll also find it packs a punch when it comes to cleaning power. This carpet machine comes with a 6 gallon fresh water tank and a 6 gallon waste tank. It has dual 2 stage vacuums and a 300 PSI pump. This machine has a 2000 Watt Heater.

This package comes with a Hose Set & Wand.

[To See All Clean Storm Machines Click Here](#)

[See More Pictures Of The Clean Storm Below](#)

Warranty:

Lifetime on Roto-molded body

2 Years on Vacuum Motors

1 year on Pump

1 year on all electrical.

Note: Warranties will be honored if it is a Manufacturer Defect Only.

Damaged caused by customer will not be honored.

Labor warranty matches the duration of the associated

part.

Examples of exclusions:

Heavy items crushing hose such as being run over, etc...

Allowing machine to be frozen in winter weather.

Not changing carbon brushes on vacuum motors after 1 year or

1,000 hours.

Sucking water, mud, dirt, and other debris into the vac motor

Dry vacuuming without using a Dust Downer.

Not lubricating bearings on casters or the piston on the pressure

regulator.

Not cleaning filters on vacuum motors.

Running vacuum motors with the link cage removed in the waste

tank.

Running flammable solvents through the pumps.

Not protecting the pump by using a lint filter or hose mount filter on

Auto Pump Out machines.

Shipping is not covered under the warranty coverage unless you purchase an extended warranty.

Remember: Basic maintenance should be done to your machine frequently to keep it in good running condition.

All The Options::

Available models cover a wide range of options and performances.

Two tank options (12 gallon, and 6 gallon). Five pump options (100, 200, 300, 500 and 1200 psi). Four vacuum motor configurations available (Single 3-stage, Dual 2-stage, 5 stage, and Dual 3-Stage) And an optional 1000 or 2000 watt heater with or without auto clean water fill and waste water dump. All machines can have a 1-1/2" or a 2" vacuum port installed. Also available in 115 volt.

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Color Not Guarenteed

See More Pictures Of The Clean Storm Below

Trade your carpet cleaning wand for internal spray auto detail wand

Producton Metal Forming
U1560PSB-M

PMF: Detailer Internal Spray Economy w/ Brass Valve Upholstery Cleaning,
Auto Detail, And Mattress Wand U1560PSB With Male QD and Filter

options:

Shazaam
Set50



Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

.Shazaam: Hose Set - 50ft (15 meters) x 1.5 in - Vacuum & 1/4in
Solution

Producton Metal Forming
U1560PSB-M



Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

PMF: Detailer Internal Spray Economy w/ Brass Valve Upholstery Cleaning,
Auto Detail, And Mattress Wand U1560PSB With Male QD and Filter

Availability: This product was added to our catalog on Thursday 25 July, 2013