



Model Number: TZ-2-220v

International Ozone TZ-2-220v Total Zone 2 Ozone Generator 220 volts International Pre-orders Only

Manufacturer: International Ozone

International Ozone TZ-2-220v Total Zone 2 Ozone Generator 220V for International use

Pre-orders Only

Pre-orders means you place your order and you wait in line for the unit to be built. Extended delivery time frames possible.

The Patent Pending SP-ARC Silicate Polarized Arc out performs much larger generators while being virtually maintenance free. Ideal for large and small residences and commercial buildings and rugged enough for years of trouble free use on a service truck. It weighs only 8 lbs. in a 12 1/4 x 9x 6 aluminum case with a finger print free textured coating. It operates on 220V.

Use Promo Code: Ozone6 for 6% off your International Ozone order over \$500 TZ-2-220 volt

The Total Zone is no ordinary ozone generator. It utilizes ultra modern SP-ARC (Silicate Polarized Arc) technology to produce up to three times more ozone than the competition.

The Total Zone is no ordinary ozone generator. It utilizes ultra modern SP-ARC (Silicate Polarized Arc) technology to produce up to three times more ozone than the competition.

Plus, the Total Zone has no plates, cylinders or UV lights to clean and replace, making it completely maintenance free.

Completely maintenance free! No plates, cylinders or UV lights.

100 CFM, 3000 milligrams per hour

Treat areas up to 120,000 cubic feet

Draws only 4 amps

Built in timer

Brochure

Owners Manual



All Stainless Steel Fasteners Throughout  
100 CFM Fan With Ball Bearings (ABEC #5) For Extremely Long Service Life

12 Hour Timer With Hold (7 Day Programmable Electronic Optional)

45 Pores Per Inch Washable Filter



Electrical Specifications, Cautions & Warnings Screen Printed On Case

Replaceable Fuse

8' 160 Grounded Power Cord With Strain Relief

<b>Model</b>	<b>TZ-1</b>
<b>Size</b>	12 1/4" x 9" x 6"
<b>Weight</b>	7 lbs. 9 oz.
<b>Timer</b>	12 Hour with Hold
<b>Generator</b>	Patented "SP-A" Silicate Polarized Technology
<b>Fan</b>	100 CFM ABEC #5 Bearing
<b>Ozone Output</b>	1500 Milligrams Per Hour
<b>Maximum Treatment Area (Cubic Feet)</b>	60,000
<b>Primary Volts / Amps</b>	110 / 1
<b>Secondary Volts / Amps</b>	14000 / .35 max
<b>Cycles</b>	50 / 60
<b>Case Material</b>	Anodized Aluminum .060 / 14 Gauge
<b>Finish</b>	Industrial Powder Coat
<b>Warranty</b>	One Year Parts & Labor Lifetime Output
<b>Manufacturer's Suggested Retail Price</b>	\$668.50

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

SEE THE SPARK!

Total Zone ozone generators are the most modern, technically advanced systems on the market today. Total Zone TZ-1, TZ-2, TZ-4 & TZ-8 use a patented corona discharge technology known as "SP-ARC", Silicate Polarized Arc. This new process allows the Total Zone ozone generator to produce much higher levels of ozone than any competitive model with little or no maintenance. The TZUV-300 & TZUV-600 use a proprietary UV Chamber with high output UVC lamps. All Total Zone ozone generators are designed and built for the utmost reliability in the harshest environments.

Works on Formaldehyde, Benzene, Ammonia, Radon too!

20120530djc  
20191025JMG  
-->

---

Availability: This product was added to our catalog on Monday 19 August, 2013