

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Model Number: T9051EBF
General Pump T9051EBF, Mytee C332 Pump Head 1750 RPM 2.1gpm Bolt, 56c Frame Electric Motor

Manufacturer: General Pump

General Pump T9051EBF Mytee C332 Pump Head
General, TT9061EBF Pump 2.1GPM 1500PSI 1750 rpm 10008167TT Series 51
Triplex Plunger Pumps - TT9061EBF Pump 2.1GPM 1500PSI - Hollow Shaft, Nema 56-C flanged for direct couple to electric motors - General Pump

TypePumps
FeaturePlunger Pump
BrandGeneral Pump
Dimension2.1 GPM

MSRP
\$569.99

Style
Piston

PSI
500 psi@ 1/2 HP, 1000 psi @ 1HP, 1500 psi @ 2 HP

GPM
2.1

Product weight
15 lbs.

Shipping weight
17 lbs.

Right Hand Shaft is default with this part number.

- Forged brass manifold with an exclusive lifetime warranty
- Die-cast, anodized aluminum, oil-bath crankcase
- Solid ceramic plungers with continuously lubricated packings
- The original InterPump unitized stainless steel K01 inlet and outlet valves
- Ideal for all general cleaning, RO, and misting applications
- Comes standard with NEMA 56C electric motor mounting flange
- Also available in L left-handed versions

Maximum Volume
2.11 gpm

Max. Discharge Pressure
1500 psi

Maximum Pump Speed
1750 rpm

Maximum Inlet Pressure
125 psi

Maximum Inlet Vacuum
3 ft. water (2.6 in Hg)

Bore
.591 in / 15 mm

Stroke
.370 in / 9.4 mm

Crankcase Oil Capacity
11.2 oz

Maximum Fluid Temperature
165°F

Inlet Port Thread
3/8-19 BSPP-F

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Discharge Port Thread
1/4-19 BSPP-F

Shaft Diameter
5/8 in / 16 mm

Weight
11.5 lbs

Dimensions
7.0 x 7.2 x 5.5 in

Please confirm the RPM of your electric motor before purchase.
General pump Maintenance Guide
Sales tax collected in TX and CA

Availability: This product was added to our catalog on Thursday 19 September, 2013