



Model Number: Z602

Kubota Z602 Super Mini Diesel Engine E4B KRC1 1J953-11000 - 8.751-398.0

Manufacturer: Kubota Engine

Kubota Z602 Super Mini Engine

599 cc engine

Hydrotek part number MU168

electric start

40 amp charging system

Diesel Fuel

1-1/8" shaft

Muffler included

Z602-E4B KUBOTA SUPER MINI SERIES

Model

Z602-E4B

Emission Regulation  
Tier 4

Type  
Vertical 4-cycle liquid cooled Diesel

Number of Cylinders  
2

Bore  
mm (in)  
72 (2.83)

Stroke  
mm (in)  
73.6 (2.90)

Displacement  
L (cu.in)

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

0.599 (36.55)

Combustion System  
IDI

Intake System  
Naturally Aspirated

Maximum Speed  
rpm  
3600

Output: Gross Intermittent  
kW  
12.5

hp  
16.8

Direction of Rotation  
Counterclockwise Viewed on Flywheel

Oil Pan Capacity  
L (gal)  
2.5 (0.66)

Starter Capacity  
V-kW  
12-1.0

Alternator Capacity  
V-A  
12-40

Length  
mm (in)  
384.6 (15.14)

Width

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

mm (in)  
420.5 (16.6)

Height  
mm (in)  
544.1 (21.42)

Dry Weight  
kg (lb)  
60.0 (132.3)

(\*) SAE J1995

\*Specification is subject to change without notice.

\*Output: Gross Intermittent SAE J1995

\*Output: Stand-by, Continuous ISO 3046

\*Dry weight is according to Kubota's standard specification.

When specification varies, the weight will vary accordingly.

Compare to current or past OEM associations:

Z602-E4B-HYD-1 Kubota Diesel (HT SPEC Z602-E4B-HYD-1) 16.8 Gross HP/  
13.5 Cont.Net HP @ 3600 RPM.

Kubota Z602 Brochure

Availability: This product was added to our catalog on Thursday 02 January, 2014