



Model Number: 30.153

Mosmatic 30.153 DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

Manufacturer: Mosmatic Pressure Washing Equip

Mosmatic 30.153 DGS In-Line Stainless Swivel 3/8" Fip X 3/8" Mip

Technical Specifications

Boom Compatible
Yes

Female NPTF
3/8" Fip X 3/8" Mip

Flange Type
Inline

Low RPM
No

Manufacturer
Mosmatic

PSI
4000

RPM
30

Swivel Type
DGS

Temp in Fartenheit
250

Technical data

- Pressure
4000 psi
- Temperature
250°F
- RPM
max. 30 rpm
- Body
brass, nickel plated
- Inner part
stainless steel
- Seal
O-ring
- Bearing
1x radial ball bearing
1x thrust ball bearing
- Throughput medium
pH 3-12

Features

- dual bearing system
- stainless
- live swivel
- longevity
- multiple seal system
- maintenance free

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Applications

high pressure cleaners
hose connections
ceiling booms

Sales Brochure

Availability: This product was added to our catalog on Friday 03 January, 2014