



Model Number: 30.653

Mosmatic 30.653 DGS In-Line Stainless Swivel 3/8in Fip X 3/8in Mip Dual Bearing System

Manufacturer: Mosmatic Pressure Washing Equip

Mosmatic 30.653 DGS In-Line Stainless Swivel 3/8" Fip X 3/8" Mip

## Technical Specifications

Boom Compatible  
Yes

Female NPTF  
3/8" Fip X 3/8" Mip

Flange Type  
Inline

Low RPM  
No

Manufacturer  
Mosmatic

PSI  
4000

RPM  
30

Swivel Type  
DGS

Temp in Fartenheit  
250

Technical data

- Pressure  
4000 psi
- Temperature  
250&deg;F
- RPM  
max. 30 rpm
- Body  
brass, nickel plated
- Inner part  
stainless steel
- Seal  
O-ring
- Bearing  
1x radial ball bearing  
1x thrust ball bearing
- Throughput medium  
pH 3-12

Features

- dual bearing system
- stainless
- live swivel
- longevity
- multiple seal system
- maintenance free

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

## Applications

high pressure cleaners  
hose connections  
ceiling booms

## Sales Brochure

<http://www.blastlineind.com/Mosmatic-30-653-Swivel-inline-dual-bearing-syste-p/40m30653.htm> \$111.02

<http://stores.kecsupplies.com/> \$91.69

[http://www.staniosindustrial.com/Mosmatic\\_30\\_653\\_Swivel\\_inline\\_dual\\_bearing\\_sy\\_p/40m30653.htm](http://www.staniosindustrial.com/Mosmatic_30_653_Swivel_inline_dual_bearing_sy_p/40m30653.htm) \$96.23

-->

Availability: This product was added to our catalog on Friday 03 January, 2014