



Model Number: 31.053

Mosmatic 31.053 DGL In-Line Brass Stainless Swivel 1/4in Fip X 3/8in Mip Triple Bearing System

Manufacturer: Mosmatic Pressure Washing Equip

Mosmatic 31.053 DGL In-Line Stainless Swivel 1/4" Fip X 3/8" Mip Triple Bearing Seal

## Technical Specifications

Boom Compatible  
Yes

Female NPTF  
1/4" Fip X 3/8" Mip

Flange Type  
Inline

Low RPM  
No

Manufacturer  
Mosmatic

PSI  
4000

RPM  
30

Swivel Type  
DGL

Temp in Fartenheit  
250

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Technical data

Pressure  
4000 psi

Temperature  
90&deg;F (at 1'000 rpm)  
250&deg;F (at 30 rpm)

RPM  
max. 1'000 rpm

Body  
DGL: brass, nickel plated  
DGLI: stainless steel

Inner part  
stainless steel

Seal  
O-ring

Bearing  
2x radial ball bearings  
1x thrust ball bearing

Throughput medium  
pH 3-12

Features

triple bearing system  
stainless  
live swivel

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

maintenance free  
compact

## Applications

self rotation applications  
high pressure cleaning technology  
part cleaners  
tire cleaners

Sales Brochure

---

Availability: This product was added to our catalog on Friday 03 January, 2014