



Model Number: CPHL5E1H

Hydrotek CPHL5E1H, Hot Link, 115 volt Diesel Water Heater for Pressure Washing and Carpet Cleaning 47113

Manufacturer: Hydrotek

8 WEEKS BACK ORDER

Hot Link CPHL5E1H Hot Water Generator for pressure washing and truckmount carpet cleaning 47113

\*\* Note: Factory back order 12-14 weeks (90 days) \*\*

Would you like your cold water pressure washer to be capable of spraying hot water? Simply connect the Hot Link to your existing cold water pressure washer (up to 4350psi /300bar, up to 5gpm / 19liters) with the included hose and you have the hot water you need to wash away grease and grime efficiently. The Hot Link uses a diesel fired burner and schedule 80 steel pipe coil with ceramic insulation to efficiently provide up to 200 F water. The Hot link is compact and rugged with a powder coated steel base/frame and stainless coil enclosure.  
Dimensions: 29" L x 22" W x 22" H

Note: 4 ft connection hose is a bare hose that starts in a 3/8" Mip connection. This means you will have to add your own optional QD or coupler. The same is true with the outbound connection. It is a 3/8" female swivel Mip connection and if you might want to add your own QD or coupler to this port as well.

CPHL5E1H: 115v, 1ph, 15 amp, plug into a wall outlet or 2000w generator

Attach to your existing cold water pressure washer and you have the power of Hot Water to quickly melt away grease and grime.

Features:

Use with your cold water pressure washer  
100 - 4350 psi

1-5 gpm  
Includes 48" jumper hose  
4 gallon diesel fuel tank  
Adjustable temp up to 200°F  
Stainless steel insulated coil enclosure  
Redundant safety features include flow switch, pressure relief valve, and burst disc  
Compact: 29" x 22" x 22"  
2 Models Available:  
o 12v DC for remote use, hook to the battery on your pressure washer (requires 14 amp charging system)  
o 115v includes 3' GFCI cord, plugs into any standard 15 amp outlet  
Benefits:  
The Hot Link System allows you the flexibility of using hot water on those stubborn jobs such as grease, gum, or graffiti that require the impact of hot water to get the job done right. It will save you money by getting the job done faster, and you do not have to buy a new pressure washer if you already have a cold water system. Its compact size allows for easy storage when not in use and takes up less room on your truck or trailer.

Compare to current or past OEM associations:  
Hot2Go 47113  
B00TPIC7FE  
CPHL5E1H

Customer is responsible for all shipping surcharges, tariffs and taxes.

Ship Weight  
234.0 lbs

Pressure (PSI)  
4,350

Flow (GPM)  
5

Volts  
120

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Hose  
48-in. jumper

Sales tax collected in CA, FL and TX.

Factory Brochure

Options

Hydrotek AHC25 Wheel Kit

Male Nipple Plug 3/8 in Stainless Steel Quick Coupler 87071520 QD

Extension Power Cord 50 ft 12-3 115 volt AX33 860831 Mytee E530 M1394

1/4" Mip X 3/8" Mip Hex Reducing Nipple Brass 8.705-227.0 - BR132

1/4" Mip X 3/8" Fip Brass Adapter Reducing BR166 9.804-007.0



QD Female Socket Coupler X 3/8in Mip Stainless Steel 8.707-135.0 - Landa Legacy Hotsy Shark 2-2003SS Flow Through

Pressure Washing QD 3/8" Fip X 3/8" Male Plug Nipple Stainless Steel 8.707-144.0 Coupler

Clean Storm Pressure Washer QD to Rust Bleeder to Filtered Insulated Carpet Cleaners QD

Foster FK2B Bretco 1/4in Male Brass Quick Disconnect QD Nipple

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

AS56A 1/4in Insulated Safety Female Quick Disconnect Foster QD Samdx

Shazaam: Descaler System Maintainer - 1 Gallon

Optional

Rotovac Bonzer Carpet Cleaning Wand (Bi directional with glides) FREE  
Shipping FREE 3 Year Warranty FREE Kryptonium

Discussion board for Hydrotek CPHL5E1H Hot Link 115 volt & CPHL5DCH 12  
Volt water heaters

<https://www.powerwashstore.com/P/1741/HydroTekHot2Go115vHotLinkHotWaterGeneratorNoCPHL5E1H> \$1468.90

-->

Availability: This product was added to our catalog on Wednesday 02 April, 2014