



Model Number: A9000

Mytee A9000 Heat Exchanger Muffler Pair with Hoses

Manufacturer: Mytee Products Inc

Mytee A9000 Heat exchanger and Muffler Free heat - does not plug in and reduces the noise of your Mytee Speedster, LTD, and Escape carpet cleaning machine.

Attaches to any booster or carpet cleaning machine that use the female Cuff Lynx connectors. Reduces the noise and provides up to 10 degrees F. water temperature rise (5 degrees each box) up to 120 degree F (parallel) and 140 degrees (series mount). Please note because the Mytee Escape is a 2 series pair vacuum configuration these will work better. The heat from the first vacuum motor boost the temperature of the air on the second vacuum motor.

No tools need for installation. Noise level on Mytee LTD5 went from 92.9 to 89.2 dB with the A9000 heat exchangers/muffler. A reduction of 3.7 dB. A reduction of 3 dB is half as damaging to the human ear. Compare to video and notes at bottom of this web page.

Each heater has 12.5 ft of 1/4" 700 psi rated copper tubing. Out bound air on most Mytee extractors is 120 degrees F. on machine that use parallel vacuum configuration and 140 degrees on series configuration.

Includes:

42" Long 3000 psi connection hose with QD's and 90's

12" Long 3000 psi connection hose with QD's and 90's

Two Mytee Muffler / Heat Exchangers.

Question: Can the water temperature ever go over 120 degrees F?

Answer: Only if you use series vacuum motors. The air coming out of parallel mount is 120 while series vacuum motors can be up to 140, 160 and even 180 degrees depending the the brand of vacuum motors.

Question: If I quit cleaning for a while can I over roast the water?

Answer: No, these are not that hot. On average the coil is only going to boost the water 5 degrees per side or 10 degrees total.

Question: If I place water that is 120 /140 degree's F in the machine will the heaters work at all?

Answer: No, 120 /140 degrees is max rating on these heaters since it is based on the outbound air temperature.

On video below the Mytee LTD5 at 10 ft went from 92.9 dB to 89.4 dB with Mytee A949 mufflers.  
A 3.5 decibel (dB) reduction.

PSI Range: 50 - 500psi  
Power Source: 3 or 4 prong dryer outlet  
Cord: 33ft  
Weight: 39 Pounds  
Insulation: 500F&deg; / 1000PSI  
Dimensions: 24in X 9.75in X 10.75in

Now portable extractors have the power to clean tile and grout. What your portable can't do with pressure, it will make up in heat! A full 6000 watts of heat inside an insulated stainless steel heating system. - top mounted- 4 each- 20 amp circuit breaker system, insulated quick disconnect, 4 LED lights come on as each of the (4)1500 watt heating elements cycle on to maintain the temprature, covered on-off switch. Heater and cord store inside a sturdy, light weight, durable, rust free aluminum housing.

12 thermostat controls. For the price of buying 3 separate 2000 watt heaters, get the power of 5. The heat of propane, without the dangers. Turn your extractor into a steam cleaner today. Manufacturer's one year parts warranty.

--> "A change in power by a factor of 10 is a 10 dB change in level. A change in power by a factor of two is approximately a 3 dB change" -Wikipedia.org  
In other words a reduction of 3 dB is half as damaging to the human ears.

Optional

Mytee H124 Hose Cuff-Lynx Vacuum Hose Starter: 2" Female Links X 2" Male Thread

*Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >*

Clean Storm Truck Mount Vacuum Hose Connector 2" Barbed X 2" Fip  
Straight

*Availability: This product was added to our catalog on Wednesday 24 November, 2004*