

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Model Number: F355
Drieaz Restoration Meter Kit F355
Manufacturer: Drieaz

Item #F355

RESTORATION KIT SPECS

Model
F355

Dimensions HxWxD
15 x 19 x 5"
(381 x 483 x 127 mm)

Gross weight
10.58 oz (300 g)

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

GE Protimeter MMS Plus Specs

Dimensions HxWxD
7 x 2.75 x 1.9 in
(180 x 70 x 49 mm)

Max. pin depth
0.4 in (10 mm)

Gross weight
10.58 oz (300 g)

Batteries (included)
2 AA batteries

Measurement range
Pin (%WME)
Non-invasive (RF)


HumiStick (RH)

6 to 99
0 to 1000 (relative) up to 1-in (25.4-mm) deep

0 to 100% RH, 32°F to 122°F (0°C to 50°C)

Humistick data
0 to 10% RH

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



10 to 90% RH
90 to 100% RH
32º to 122ºF (0º to 50ºC)
±3% RH at 68-86° F
(20-30° C)
±2% RH at 68-86° F
(20-30° C)
±3% RH at 68-86° F
(20-30° C)
±0.6ºF (±0.3ºC)

GE Protimeter Hammer Specs

Overall length
14.5' (37cm)

Max dia. excluding strain relief
2' (5.1cm)

Gross weight
3.6lbs (1.63kg)

Needle Penetration (max depth)
1.6' (40mm)
Dia 0.12' (3mm)

Announcing the GE Protimeter Restoration Kit

The Ultimate Combo

With the GE Protimeter Restoration Kit you get both the updated full-range MMS Plus and Hammer Probe. Both units come packaged together in a heavy-duty carrying case.

The full-range MMS Plus is three meters in one, with hygrometer, pin and pinless measurement modes. It measures 0-100% RH and 32-122°F with the Humistick® probe, providing temperature, dew point, GPP, moisture content and data logging. And it can store and download up to 1,000 measurements.

The restorer-tested GE Protimeter Hammer Probe works with the MMS Plus to measure moisture in structural materials like sub-floors and framing.

Availability: This product was added to our catalog on Tuesday 20 June, 2006