



Model Number: 20191129

Clean Storm 20191129, Hose Mount Vacuum Power Booster, 6.6 Vacuum for Carpet And Tile Cleaning, (2 Week Build Time)

Manufacturer: Clean Storm

Clean Storm 20191129 Hose Mount Carpet Cleaners Vacuum Power Booster Description

Clean Storm Hose Mount Vacuum Power Booster with 6.6 vacuum motor shortens dry times while allowing you to run longer hose runs and wider cleaning tools. Keep you machine more stationary and just run longer hoses instead of having you machine follow you around the job site. Keep you machine on the first floor and just run more hoses to the second floor. You can upgrade to 14 and 15 inch wide tools for up to 20 - 33% faster cleaning over traditional 11 and 12 inch wide tools. This unique system provides up to 139 CFM's of Air-Flow and up to 132" of water-lift to your existing extractor for unmatched performance on long hose runs, giving you increased suction, leaving carpets dryer. This will allow the portable or truck mount operators to go the distance when their current machine vacuum becomes tired and worn out, or who simply desires greater efficiency.

Requirements and Instructions

- Designed for dual 3 stage and dual 6.6 vacuum motor systems or larger. DO NOT USE this booster with single vacuum motor or dual 2 stage vacuum portables. Parent machine must have a stronger vacuum rating than the booster or the booster can blow water mist out the exhaust port!

- Turn on booster before parent machine to prevent the vacuum motor spinning backwards.

- For best performance, please use as much 2" ID vacuum hose between your parent machine and the booster as well as on the way to your cleaning wand. 2" vacuum hose offers 100% more air flow than 1.5" ID vacuum hose.

- Please use on its own 15 amp breaker.

Specification

Vacuum Motor

Ametek Lamb 122475-00 Two Stage 6.6

CFM

139

Water Lift

132"

Power Cord

Single 25' 12/3 extension cord

Amp Draw (110-120V 60Hz)

15 amps

#### Additional Information

Please install a Hose Mount Lint removal system between booster and cleaning tool. This will assist in keeping the lint filter located under this vacuum motor cleaner longer.

The two bolts on the side between the upper box and middle box and be removed for servicing these filters.

Please note if your machine is already producing 132" water lift, it is not going to increase the gauge lift rating, rather it is changing the total CFM that is excavated from the carpet which in turn changes the inches of water lift in the wand, thereby lowering your dry time.

HydroForce AC10CLEAR Transparent Truckmount Hose Mount Carpet Cleaning Lint Filter HydroFilter Clear INLF23

Mytee F200B Lint Hog Hose Mount Lint Filter with 2 inch barbed inlet for vacuum hose

Clean Storm 2019K016S Filter Force Bolt Down Floor Mount Vacuum Lint Filter For Truckmounted Carpet Cleaning Systems

Videos

Parts used for the build:

Factory Installed  
WestPak 20-0600 Orange Power Extension Cord 12-3 X 25 Foot Contractor Grade Outdoor

Factory Installed  
Ametek Lamb 122475-00 Optimizer 6.6 Vacuum Motor 120 volts (Old part number 122234-18 and 122483-00) 24-00434  
132" water lift X 139 CFM Adds 18,348 vacuum units to your existing carpet cleaning system.  
14 amps open flow 139 CFM  
8.2 amps sealed / zero cfm  
11.1 amps when used with vacuum hose and wand on the floor

Factory Installed  
Switch Toggle Stainless W Spade Connect Single Pole Single Throw Approved 20 amp 125 volts 12 amps 250 volts SPST 39008774507

2 units factory installed  
Carpet Cleaners 2in Mip X 2in Barbed Truckmount vacuum hose connector Plastic Nipple 254649 Insert Fitting

4 Units Factory Installed  
Rubber Feet used for air movers converter boxes and heaters .875in Wide X

.53in Tall 3/16in Hole with washer G050

Factory Installed  
Clean Storm Panel Mount 20 amp push button resettable breakers  
PP33-900163 PP140634 PHY018-005 E779

Compare to current or past OEM associations  
Cross American PBCA 120V  
Mytee 7300P  
Mytee 7300SLA  
Mytee 7303  
Mytee 7502  
Mytee 7503  
KleenRite 75001  
Mytee 7303LX Version 1  
Octavac  
Optional

Convert a 1.5" barbed machine to 2" Barbed machine  
2in Barbed X 1-1/2in Mip Plastic Connector Vacuum Port 20130429 Insert  
Fitting AH69

Hose Vacuum Hose 8 ft x 2.0in Double Lined Truckmount with Hose cuffs  
590436701

If you want to use with 1.5" id vacuum hose.  
Cuff 1.5in Threaded X 2.0in Slip Vacuum Enlarger Hose Cuff AH46 Expanded  
19-027 579-012

It certainly is not uncommon that whenever a great product comes along in the market place, that it quickly becomes cloned and copied by others who want to ride on the coat tails of success of the company and the inventor. This is an in line booster that is installed between two sections of vacuum hose. This unit can be used with any brand extractor or truckmount.

Has 2" vacuum ports on it but can be used with 1-1/2" vacuum hose by pushing the 1

1/2" cuff inside the 2" fitting; or, purchase two AH46 1 1/2"-to-2" expansion cuff. Developed in the mid- 70's and patented in 1980, it became just another innovative product from the inventor himself, Ed Valentine. And since this time, it has been constantly up-graded and refined with high technology and component system design. It features an adjustable dolly handle and easy to move wheel system for the operator to avoid heavy lifting during transportation. Also available is an optional exhaust muffler that helps to lower sound decibel levels when operating indoors. This system provides a much needed 100CFM's of Air-Flow that will allow most portable/TM operators to go the distance when their current machine vacuum becomes tired and worn out.

Unique 2-in-1 Combination!:

This unique system provides up to 100 CFM's of Air-Flow and/or up to 137" water-lift , which ever the Operator prefers based on a specific job or requirement. Now, You select what you need! We use a 2 stage high-performance 6.6 vac motor; rated @ 137" lift x 101 cfm.

This will allow the portable/TM operators to go the distance when their current machine vacuum becomes tired and worn out, or who simply desires greater efficiency.

Seriously consider purchasing from the originator, who developed the product and has done all the field testing (38 years), instead of the duplicators who are constantly chasing playing catch up.

You just have to have one because once you experience the performance, you will never operate without it!

#### POWER BOOSTER FEATURES:

1. Vacuum Motor: High-Performance: up to 100cfm of air-flow
2. Tank: 8 Gallon air chamber w/ View-Thru design
3. Wheels: 2, 10" & 2, 3" Swivel Locking
4. Specs: 24" H x 22" L x 13" W/ approx wt= 24lbs.

other styles of vacuum boosters

Power Booster

The All New "Second Generation!"

It certainly is not uncommon that whenever a great product comes along in the market place, that it quickly becomes copied by others who want to ride on the coat tails of success of the company and the inventor.

Developed in 1972, perfected and patented in 1980, it became just another

innovative product from the inventor himself, Ed Valentine. And since this time, it has been constantly up-graded and refined with higher technology and component system design. It features an adjustable dolly handle and easy to move wheel system for the operator to avoid heavy lifting during transportation.

The first system that allows the Operator a choice! And, now even more powerful than ever!

Unique 2-in-1 Combination!:

This unique system provides up to 100 CFM's of Air-Flow and/or up to 137" water-lift, whichever the Operator prefers based on a specific job or requirement. Now, You select what you need!

This will allow the portable/TM operators to go the distance when their current machine vacuum becomes tired and worn out, or who simply desires greater efficiency.

Seriously consider purchasing from the inventor who developed the product and has done all the field testing & up-grades (38 years), instead of other sales people who try their best to convince you that their copy will do the same thing. You just have to have one because once you experience the performance, you will never operate without it

#### POWER BOOSTER FEATURES:

- Value priced at: \$995.00
- Vacuum System: Select up to 100 cfm of air-flow ; or engage up to 137" of water-lift at a snap!
- Tank: 8 Gallon air chamber w/ View-Thru design; 2" inlet/outlets. (1 1/2" cuffs can also be adapted)
- Wheels: 2-10" Rear wheels & 2- 3" Swivel
- Specs: 24"H x 22" L x 13" W/ approx wt= 24lbs
- Easily rolls out like a dolly on wheels.

20120626sdw

-->

Availability: This product was added to our catalog on Friday 14 July, 2006