



Model Number: 116565-13

Ametek Lamb 116565-13, Three Stage Vacuum Motor 5.7in Tangential 120V, Sandia 10-0810, AV14 8.685-458.0 1920 A64342

Manufacturer: Ametek-Lamb

Ametek Lamb 116565-13 Three Stage Vacuum Motor 5.7" Plastic Horn By-Pass 120 volts

Ametek 116565-13 vacuum motor has three stages and a single speed. Suitable for 120 volt AC operation, 50/60 Hz. Tangential bypass discharge with thermoset fan end bracket and aluminum commutator bracket.

5.7"/145mm 3-Stage Tangential Bypass Discharge - 116565-13

Motor Specs

Fits: Olympus, Hydro-Force FX and EX, Prochem, Mytee, Century, Sandia Plastic, Clean Storm, and many other machines.

Motor Type: Bypass

Discharge: Tangential

Bearings: Double Ball Bearing

Sealed Vacuum: 117.4 inches

Maximum Air Watts: 368

Maximum Air Flow: 99 CFM

Maximum Amps: 10.70

Motor Speed: 17,700 RPM

Vacmotor Discharge
Tangential

Vacmotor Size
5.7"

Vacmotor Stages
3

Amps
10.7 Open flow / 8.7 with hose and wand on the floor

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Vacmotor Voltage
120V

Cross Reference Skus

AV14
Q6600-054AMP
0297546
116565-13
Tennent 130416
130996
Tornado 19118
Powrflite 19118
30041
408G
44911A
53130
Advance 56209095
Advance 56265096
740089
Prochem 8.685-458.0
86854580
993-1740
A13504
ASM130416
ASM130996
ASM56409
CI-130416-EA
VM-25
VV67154
ZD63000A
Sandia Plastic 10-0810
Powrflite 1920
19118
X9079
A64342
64342

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Volts: 120
Discharge: Tangential

Fan Stages: 3
Fan Diameter: 5.7 Inches

Air Seal: Yes
Epoxy Paint: Yes

Double Insulation: No
Bearings: Double Ball

Type: Bypass

Rating Watts: 1300
Max Air Watts: 368

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Sealed Vacuum: 117.4 Inches
Max Airflow: 99.0 CFM

10.7 amps open flow cfm / 6.7 amps @ sealed zero cfm / 8.7 amps average during use (wand on the floor)

Vacuum: 56.1 Inches
Airflow: 55.7 CFM

Input Watts: 1212
Input Amps: 10.3

Air Watts: 368
Motor Speed: 17,700 RPM

Factory brochure

2 Motor performance with average consumption of 17.4 amps:

Air Series performance:

199.6 Inches of lift @ Zero CFM

123.75 CFM @ Zero inches of lift

24,700.5 Vacuum units

Parallel performance:

117.4 Inches of lift @ Zero CFM

198 CFM @ Zero inches of lift

23,245.2 Vacuum Units

Will operate 75 ft of 1.5" Vacuum Hose or about 150 ft of 2" vacuum hose.

Shipping charges always apply even when picking up at Steambrite San Antonio, TX

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Optional

Press On Vacuum Motor Inlet Tube, Cone, or Horn (suction side)
SBMcone15 Esteam 355-405
Click link to watch video!

Add Vacuum Motor Lint Screen Filtration and Gasket to any vacuum motor

Gasket Vacuum Motors fits 5.7in Vacuum Motors 1/4" Thick PP43-807110
Mytee G004A PX13

<https://www.kleen-ritecorp.com/p-2426-lamb-ametek-116565-13-57-dia-3-stage-120v.aspx>

https://www.amazon.com/Lamb-Ametek-Vacuum-Cleaner-116565-13/dp/B00BZBOH5W/ref=sr_1_cc_1?s=aps&ie=UTF8&qid=1526043063&sr=1-1-catcorr&keywords=116565-13 \$70.48
-->

Availability: This product was added to our catalog on Thursday 21 December, 2006