



Model Number: PDS21

XPower Viking PDS21 Pressurized Drying System AC8400 1687-2881 PDS-21 XPO-PDS-21

Freight included GTIN: N/A

Manufacturer: XPower Air Movers

Viking Equipment Pressurized Drying System PDS21 and WDR-PDS-21

May be filled in Green, Yellow or Blue. Color not guaranteed!

Buy more, \$ave More

#### Description

Heats air up to 205F. There is no air mover motor, no squirrel cage, and no attachments. The PDS-21 is an all-in-one containment which makes this revolutionary product easy-to-use for big and small jobs alike. The PDS-21 makes drying easier and less frustrating than before. It is perfect for under sinks or behind cabinets and permanent furniture. Its portability makes drying a breeze. Just bore a 1/2 inch hole(s), plug in the hose end(s) and begin drying

#### Features

- Pressurized air flow
- Most even airflow
- Built-in cord wrap
- Light weight
- Easy grip handle
- On-board plug-off system
- Self healing thermal protection
- Stackable for storage

Factory Installed

Factory installed

Heater Thermostat Miniature Auto Reset 86317510 Mytee E573 Sandia  
10-0814 Rotovac TE206212

Factory Installed

Imperial: 1942C- 1942-IF 1942A Tangential Discharge Vacuum Motor -

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Sourced Replacement for 1942-ie, BPT, B/B, AS, PB, 2 STAGE

Specification  
Spec Sheet  
Owners Manual  
Revised Owners Manual  
Repair Instruction

Motor  
2-Stage Tangential By-Pass

Vacuum  
106 inches

VOLTS / CYCLE  
115 V

AMP  
9.0 A

watts  
1200

RATED AIRFLOW  
92 CFM - 2600 IPM

Switch  
2-Position Rocker with Moisture guard and Light

SPEEDS  
1

CORD LENGTH  
25 ft

STACKABLE

Yes

#### TUBING

3/8 id 1/2 od Black (200 Ft.) Included

#### Air Nozzels

21

#### OPERATING TEMPERATURE

Up to 205F

#### UNIT WEIGHT (LBS)

19 LB

#### UNIT DIMENSIONS (L X W X H)

20.5" x 16.7" x 18.5"

#### BOX WEIGHT (LBS)

35.6 LB

#### BOX DIMENSIONS (L X W X H)

21" x 19" x 22"

#### HOUSING

Roto Molded Polyethylene

#### SAFETY CERTIFICATIONS

UL Approved Motor

#### THERMAL PROTECTION

Thermal Protection Switch + Auto Reset

Compare to current or past OEM associations

Omni-Dry Wall & Cavity Dryer AC8400

UPC 848025012529

RP-PDS21-EA

WDR-PDS21

XPO-PDS-21

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

B01HINXZAI  
1687-2881  
VE PDS21  
VIK-PDS  
128887  
PDS-21  
PDS21  
Optional

Purchase extra tubing  
3/8 in ID X 1/2 in OD Polybraided Reinforced Clear Tubing X 300' -  
8.704-753.0

DriStorm WRT-WALL, Ceiling, Cabinet, Floor, And Cavity Warm Air Dryer  
20180706 Basic Starter Package WRTWALL  
Video On Link!

[https://www.atexwholesale.com/index.php?main\\_page=product\\_info&cPath=78\\_3\\_44&products\\_id=561](https://www.atexwholesale.com/index.php?main_page=product_info&cPath=78_3_44&products_id=561) \$609.00  
<https://www.cleanfreak.com/flood-remediation/fans/air-movers/viking-pds-21-heated-21-port-pressurized-wall-drying-air-mover.html> \$609  
[https://waterdamageequipment.com/store/index.php?main\\_page=product\\_info&products\\_id=36](https://waterdamageequipment.com/store/index.php?main_page=product_info&products_id=36) \$548.01  
[https://www.amazon.com/Viking-Wall-Cavity-Drying-System/dp/B01HINXZAI/ref=sr\\_1\\_1?ie=UTF8&qid=1545425510&sr=8-1&keywords=VIKING+PDS-21](https://www.amazon.com/Viking-Wall-Cavity-Drying-System/dp/B01HINXZAI/ref=sr_1_1?ie=UTF8&qid=1545425510&sr=8-1&keywords=VIKING+PDS-21)  
-->

Availability: This product was added to our catalog on Wednesday 09 January, 2008