



Model Number: 80326

Pumpte 520723 - 114T Pump Spray Basic - 12vdc - 200psi 80326 Nylon body with Viton Seals

GTIN: N/A

Manufacturer: Pumpte

Pumpte 520723 Series 114 Pump Spray Basic 12 VDC 200 PSI

12 VDC, 1.5 Flow, 200 PSI, 0.15 HP, 15 Max Amps, 13 lbs

EFFICIENCY

The plunger type design of the 114 is the most efficient way possible to pressurize water. PUMPTEC's efficiency produces up to 20% more pressure or flow for a given power input compared to some competitors' pumps.

MAINTENANCE & SIMPLICITY

Factory lubricated for maintenance free performance. The only tool needed to completely disassemble the pump to its basic components is a simple hex wrench.

DURABILITY

Durability results from exclusive use of premium materials. All metallic wetted parts (except body) are stainless steel or chemically resistant plastic. The plastic pump body is nearly indestructible compared to pumps made of castings. Precision molded plastic body offers chemical compatibility with a wide variety of chemicals.

VERSATILITY

Flow and pressure can be optimized to exactly match power input to nozzle size by customer

selection of the precise eccentric offset.

Part Number
80326

Max Pressure (psi)
200

Open Flow (gpm)
1.15

Seals
Teflon

O-rings
Viton®

Plunger
304 SS

Inlet Ports
(1) - 1/2" Hose Barb

Discharge Ports
(2) - 3/8" Hose Barb & (1) - 3/8" Hose Barb By-Pass Return

Max Fluid Temp. (°F)
140

Voltage
12 VDC

Max Amps

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

15

Weight
13.0

Body
Nylon

Valves
Nylon

Color
Black

Fasteners
Stainless Steel

Cam
0.075

https://www.northerntool.com/shop/tools/product_124294_124294?cm_mmc=Google-pla&utm_source=Google_PLA&utm_medium=Lawn%20%2B%20Garden%20%3E%20Sprayers%20%3E%20Sprayer%20Pumps&utm_campaign=Pumptec&utm_content=520723&gclid=EAlaIqObChMly8yBmoOS3QIVjMDACh1erwSbEAQYCSABEgJc9PD_BwE
--> 20180829djc

Availability: This product was added to our catalog on Thursday 10 April, 2008