



Model Number: 20141373

San Antonio TX HydroForce SX15 Hard Surface Cleaning Tool AW105 Spinner Wand Rental per day

Manufacturer: SanAntonio Tool Equipment Rental

Rent a Hydro-Force SX-15 Hard Surface Cleaning Tool in San Antonio, TX  
Item No. AW105

Built for Speed!

**MORE DURABLE**

\* Thicker, glass-reinforced Super-Tough (ST) Nylon to improve durability and prevent cracking.

\* Injection molded brush skirt improves rigidity and roundness and makes it easier to get on and off.

**INCREDIBLE WATER RECOVERY**

\* We almost doubled the size of the vacuum relief ports to allow for a massive increase in air flow from the outside to the inside of the cleaning head. Air flows in from the top and pushes the water TOWARDS the edges where the vacuum is located, dramatically improving water pickup.

\* The injection molded brush skirt allowed us to precisely cut the rubber skirt so it creates a better seal and; consequently, a better vacuum.

**THE PROOF'S IN THE PUDDING**

See for yourself what these changes do for water recovery and dry times.

This video illustrates the decrease in dry time achieved with the new SX-15. Two versions of the 15" Turbo tile tool were used as a comparison; one with the standard 1501 jets it is sold with, and one with the 0502 jets used on the SX-15. This was done to make a more accurate comparison between the two tools. The 0502 is a smaller angle jet than the 1501 which increases the pressure and cleaning power. The 0502 also puts down twice as much water which improves your rinsing capability

Hydro-Force has done it again!

Using the latest technology and feedback from customers, we've created the industry's most advanced hard surface cleaner!

The SX-15 is perfect for the grungiest tile, grout, stone and concrete! This revolutionary tool works with ANY truck mount or high pressure portable, such as the Nautilus, to provide unbeatable results in LESS TIME!

Clean faster - 15 inch head cleans 25% faster than other models with operating pressures from 700 to 2,600 PSI so you can blast away oily deposits  
Work Faster - EZ-LOC boot change allows you to change from a brush skirt to a hard boot on the fly without tools  
Optimal Drying Results -vacuum relief ensures you have suction strength to remove watertwice as fast as competitive models so floors dry faster  
Quality Design- shoulder width lay-flat handle, lightweight, laminar flow vortex cleaning head  
Low Profile - will fit under toe kicks to clean hard-to-reach areas

Owners Manual

Hydro-Force®; SX-15®; Hard Surface Cleaning Tool  
BUILT FOR SPEED

LEAVE THE COMPETITION BEHIND!

Make quick work out of any job with the industry's most advanced hard surface tool.

FAST

- Industry-leading 15" cleaning path allows you to clean up to 25% faster than 12" models
- Aerodynamically-engineered radial vacuum line creates a laminar-flow vortex in the cleaning head that allows the SX-15 to remove water twice as fast as competitive models
- Tool-less design makes changing the boots a breeze! EZ-LOC®; boot uses no screws or pop rivets, simply release three locking levers to change your boot on the fly!
- Toe-adjustable vacuum relief lets you adjust the suction strength on the fly
- Low profile allows the unit to fit under toe kicks
- Easy access inline filter makes cleaning the filter a snap
- 12" wide spray bar.
- Note: Requires 2" vacuum hose, like used on gasoline powered truckmounted carpet cleaning machines.
- Requires 1000 psi @ 2 gpm flow rate of water (recommended 1500 psi)
- Designed for interior tile cleaning and not broom finished cement as long term cement cleaning will wear out the brush lip.

DURABLE

- Quality components will handle operating pressures from 700 to 3,000 PSI so you can blast away oily deposits
- Stainless steel handle and high-tech polymer casing will take a beating and ask for more

## ERGONOMIC

- Handles are spaced shoulder-width and allow you to use side-to-side or front-to-back cleaning strokes
- Lightweight construction makes it feel like the machine is floating along the floor
- Tool length is comfortable for users of all heights

Box = 21 lbs - 55 x 24 x 7

- 
- 

IF YOU ARE USING THIS TOOL WITH 1.5" HOSES, YOU WILL NEED TO PURCHASE A REDUCING CUFF (SEE PART #AH46) BECAUSE THE PIPE ON THE SX15 IS 2".

## Clean Faster

Clean 24% faster with industry leading 15" cleaning path

## Work Faster

EZ-LOC tool-less boot change...go from brush skirt to hard boot in seconds

## Low Profile Design

Get under toe-kicks and eliminate the need to hand clean

## Dry Faster

Head is aerodynamically engineered to create laminar flow vortex

Leaves floor drier than ever before

## Optimize Drying Conditions

Toe-adjustable vacuum break to ensure the right vacuum pressure

## Faster Water Removal

Removes water twice as fast as other models

Simply spray your chemical on the surface to be cleaned, then use the SX-15 to blast away oily deposits and remove water at the same time using the vacuum from your portable or truckmount. Try it! You will like it!

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

"So far so good, all the performance of the best competitor but easier to move around due to a better vacuum break. No need for a 1.5 adaptor cuff is nice as is the very easy (no tools!) to remove brush ring. BP did their homework and get an "A" from me!"

--Mike P., Mikey's Board

"The SX-15 is awesome!!! It has better extraction - the deck fits under cabinets - it's larger and cleans faster - not having to adapt from 2" to 1.5" is a real time saver - no tools to change between the hard boot and the brush is another time saver and really easy. We did a side-by-side comparison and the SX-15 blew the competition away! The SX-15 had:

Better pickup

- Cleaned better
- Extracted more water
- Cleaned the same size area in 1/2 the time

--Ryan Ririe - Owner; Blue Diamond Premium Cleaning and Restoration,  
Woods Cross, UT

Steambrite  
18975 Marbach LN #200-C  
San Antonio, TX 78266

20120324 DJC

Availability: This product was added to our catalog on Wednesday 08 October, 2014