



Model Number: 20141221

DriStorm 20141221 Goliath Quad 6.6 Flood Pumper 26gal Bundle 22.1Hp 2100psi Steam Pressure Washer Recovery Synergistic

Manufacturer: Clean Storm

Goliath 6.6 Flood Water Extraction and Pressure Washer Vacuum Recover Machine, Pressure wash, Tile cleaning, Outdoor Cement Cleaning, Carpet Cleaning, Hoses, 3 Hose Reels, more...

Includes one each of the items below

Package provides the ability to take the pump and vacuum into high-rise work or leave out side in your truck.

Easily toggle between truckmount work and portable work.

Pressure wash with live steam with vacuum recovery!

Tile cleaning with live steam!

Carpet cleaning with live steam!

Enough vacuum power to clean over 400 ft from the machine!

Enough vacuum power to perform air duct cleaning!

Out clean any 22.1 Hp truckmount on the market today (as well as most 25 HP machines!)

Full time auto dump for flood extraction with 30 gallons per minute auto dump!

Entire package can operate on a single electric clothes drier plug or on your pack up generator.

One system for all surface types.

Our most popular casino and large building set up.

Toggle between portable and stationary use

Toggle between being a carpet cleaning machine or a high pressure washer to a tile and grout cleaning machine.

Toggle between being an outdoor pressure washer with vacuum recovery or an indoor all purpose machine

Will operate on as few as 1 power cord or as many as 7.

Kitchen cleaning, sidewalk cleaning, carpet cleaning, remove salt from walk off mats

OK to use indoors or outdoors

No fuel to carry, no hard starts, no small engine maintenance.

In this package we mate the best vacuum, best pressure washer, hottest heater, top performance generator, and fastest indoor and outdoor surface cleaner

You can purchase all or only some of these items to suit your needs. Add to your package as your company grows.

-DriStorm Goliath 6.6 Flood Pumper 26gal Quad 6.6 Vacs Pressure Washer Recovery 120v with Lint Filtration

Worlds strongest electric vacuum

215 inches of lift / 340 cfm / 50 amp 120 Volt / 73,100 vacuum units!

Runs on one, two, three, or four power cords
100% more vacuum than other dual 6.6 vacuum motor machines when using all four vacs.
Operates on 120 volts or 240 volts
Can be used as auto dump and manual drain- Triple waste water discharge.
Toggle between air series and air parallel vacuum without opening the hood (built in vac stack check valve)
Fiberglass body and vacuum manifold is not effected by sucking up steam like rotomolded bodies.
Use indoors or out

Clean Storm 6720 Cleaning Units 2100 psi 3.2 gpm Cold Electric Pressure Washer 2 Power Cords 115 Volts
World's strongest, plug in anywhere pressure washer.
Will operate on dual 15 amp breakers.
Watch Video on link
Have the power to pressure wash outside, tile and grout cleaning, and turn down and use inside for carpet cleaning, mattress and upholstery cleaning.
Use indoors or out

NorthStar 15000 Surge Watts 13500 Rated Watts Electric Start EPA Phase 3/CARB-Compliant 165607
Easily toggle back and forth between electric or gasoline powered
Use Unleaded 86 octane or higher
Outdoor use only

Has enough power to run all 7 power cords in package!
Watch Video on link

Electric Truckmount Electrical Converter Starter 3 Package Bundle
Use less gasoline by using electricity that is available from the job site
Plugs into both the three and four prong clothes drier plugs.

Provides up to 7200 watts of cleaning power
Example: Plug in two power cords from the pressure washer, and two from the Goliath, and one from the heater.
(The last two cords from the Goliath can be plugged into the washing machine outlet next to the clothes drier and the front porch - if you want but not required. The Goliath can clean up to 115 ft on just two power cords.)

Electric Converter Generator L14-30P to drier converter adapter 10-30R
Use the above converter package on your generator

Clean Storm Triple 200' Live Electric Vacuum Hose Reel Package with 165 ft Hoses Plus Connecton Hoses for Truckmounts
3 hose reels
Watch Video on link
Live vacuum hose reel
Live solution hose reel
Storage garden hose reel

NorthStar: 350,000 btu water heater for pressure washing, Tile Cleaning, and carpet cleaning 157495

Clean with live steam for either pressure washing or carpet cleaning (stays in your truck)

We recommend to bolt to the floor and remove the wheels and handle.

Uses electricity with kerosene or diesel to heat the water.

See Video on link

Double the cleaning units with heat and provide 13,440 cleaning units of cleaning speed

Please note this is not traditional hot water extraction! Live Steam Cleaning when you need it.

Dial in temperature up to 250 degree F.

Outdoor use only

Westpak 10-0556 14in Carpet Cleaning Wand 1.5in Pipe - 4 Jet 2 Bend Low Profile W/ Splash Guard

Cleans 20% faster than 12 inch wide tools. You have the vacuum, heat, and water flow so why not...

Works perfect with the heater above and no additional changes are required

to make the flow switch work.

Clean Storm Pressure Washer QD to Rust Bleeder to Filtered Insulated Carpet Cleaners QD

Required when converting pressure washing equipment for carpet cleaning use.

Hubbell HBL5965VY Yellow Replacement 5-15P Male Electrical Plug To Repair Power Extension Cords

Your first step to properly grounding your generator.

Turboforce HT777LP Hyper Turbo Low Pressure 17 inch Spinner Surface Wand with Vacuum Recovery

FREE -Training DVD Package of 3: Covers the basics a Cleaner needs to know

The worlds strongest electric flood extraction machine!

Video below is of the baby brother model made with quad two stage. This sku is for quad 6.6 vacs and requires four 15 am breakers to operate.

Video above of the original smaller Goliath Heated Electric Truckmount Package

Goliath Plus
Quad Vac Flood pumper
The Industries Strongest Water Extraction Machine and Electric Pressure Washer Vacuum Recovery!
New Larger Waste Tank Size: 27 gallon (20" X 20" X 15")
Body Construction: Fiberglass box for durability,
Vacuum Motors: Four 6.6 vacuums (will operate over 300+ ft of 2" vacuum hose!)
Vacuum motors are configured: each pair is in series and then both pairs are in parallel for the best of both worlds of high cfm and high inches of lift.

New Larger Flat Lid

Automation: 30 GPM STAINLESS STEEL sump pump with water level sensor
(machines automatically dumps the dirty water as you clean for non stop production)
Draws only 3.5 amps.

Features:

- Dual ball float/standpipe for increased air flow and vacuum performance.
- Water and vacuum tight hinged with gasketed reinforced lid.
- Quad 50 ft. 12-3 power cords

Factory Provided Four Extension Power Cord 50 ft 12-3 115 volt AX33
860831 E530 M1394

- Circuit locator,
- 12" rear wheels stair climbing wheels.
- Front mounted GFI w/ waterproof cover.
- Built in Auto Defoamer with adjustment knob.

Factory Installed Mytee B112 1/8" Fip Screwed Bonnet Needle Valve
122440

- Dual cam lock waste water discharge - Garden hose for cleans and 1-1/2" dump hose for floods (your choice)
- Machine will operate on either one, two, three, or four 120 volt power cords or a single electric clothes drier plug.
-

Factory Installed Clean Storm Fiberglass Vacuum Motor Manifold
20131023

Fiberglass body and fiberglass vacuum air manifolds allow for steam and hot water vacuum recovery without the worry of traditional plastic manifold collapse.
Another Clean Storm exclusive!

- When operating on just two power cords, you have the option to run the vacuum motors in series or parallel.
- Made in the USA
-

Factory Installed Clean Storm 30 GPM Stainless Steel Automatic Pump Out
12499 Mytee C384

Factory Installed Valterra: Gate Valve 1.5in Replacement Dump Valve
H225 Drain Valve

Optional Stainless Lifetime valve option below.

Installed Carpet Cleaners: 2" Mip X 2" Barbed Truckmount vacuum hose
connector
on front of machine.
Allows you to use either 2" or 1-1/2" ID vacuum hose (your choice)

FREE Hydro-Force: Truckmount Carpet Cleaning Hose Mount Lint Filter
AC10 HydroFilter

Included at no extra charge

Used to remove hair and carpet fibers from the water to protect auto pump out system

Installed Water Resistant Rocker Switches: 2 Position On/Off - 4 pinned with built in dust and water cover
5 installed on this machine
One switch for each vacuum motor and one for the auto dump pump override.

Installed Pair Locking Front 5 inch Caster

Keeps machine from rolling around during transport and on step driveways.

- Technical Specification

- Primary cord (15.5 amps) runs (1) vac motor in air series with ball float shutoff and sump pump. If a secondary circuit is not available, machine would perform on this cord. Wired with an in-line GFI and cooling fan.
- Remaining three power cords (12.5 amp average) runs one each of the remaining (3) other vac motors in air series twin pair configuration.
 - Twin 1-1/2" ball float shutoff with lint filtration.
 - One vacuum stand pipe with check valve will let you run one, two, three or all four vacuum motors depending on how much electricity is available on the job site. One cord per vacuum motor.
 - Single 2" vacuum intake.
 - Garden hose cam lock adapter for carpet and tile cleaning
 - 1-1/2" cam lock adapter for flood restoration (seen in photo below)
 - (5) Green lighted splash proof rocker switches.
 - Blue tank/Gray base. Lids can be white or black. (current color black)
 -

Quad (4) Ametek Lamb 122234-18 6.6 Vac Motor 120 volts
Note each vacuum motor is on it's own power cord using 12.5 amps of power

Machine operate on one, two, three, or all 4 power cords based on the available power.

Twin series pair configuration for balanced vacuum
340 cfm
215" lift
73,100 vacuum units
50 amp total vacuum system
(same performance of a 22 hp 36 blower gasoline truckmount)

- Gallon of liquid defoamer can be set on top of extractor on jobs where you need to cut some suds. (auto dump systems only dump water and not bubbles)

OPTIONAL:

1. Add a booster port to the lid to add even more vacuum later on \$100

Unit Measurements

- Handle height is 43-1/8". Machine dimensions" 43-1/8"H x 23"W x 30" L (we can make the machine handle shorter for smaller suv's)
- Weight (assembled) = 125 lbs. w/out cords.

Goliath Advantages:

1. 26 gallon recovery tank
2. Auto defoamer needle valve means non stop production.
3. 2" vac port will run either 2" or 1-1/2" vacuum hose.
4. The highest lift and highest CFM extractor on the market. Nothing comes close. This machine is impressive when it comes to suction. This machine will run longer hose lengths and dry carpet better than any other electric machine that is operating on four power cords. 50 amp total vacuum system @120 volt = 6000 watts vacuum performance!
5. Will operate on one, two, three, or four 15 amp power cords.
6. Stainless steel dump valve is another industry first. You will not be able to brake it or clog it or wear it out.
7. Dual port water pump out discharge. Toggle back and forth between automatic dumping out a garden hose (for cleaning jobs) or out a 1-1/2" vacuum hose (water extraction jobs), your choice.
8. Switch plate cover will keep your water resistant switch covers in place. Unlike some other brands the clear water protection cover can fall off once the machine gets old or if it gets knocked around.

9. Fiberglass body is not affected by steam vacuum recovery as plastic housing get soft.
10. Easily converts into an air duct cleaning machine, tile cleaning machine, carpet cleaning machine, auto detail extractor.
12. Goliath Quad 6.6 Vacuum is designed to work perfectly with electric converters and run on 15 hp (420cc) generators and larger. To operate additional equipment besides just the vacuum, please consider larger generators - like the unit included in this package.

Owner's Manual

These results were achieved with an open vacuum tank

POWERFUL 30 GPM AUTO DUMP

This unit may be filled in Blue or Green. Color is NOT guaranteed!

Auto Defoamer with adjustment knob

QUAD 6.6 VACUUM MOTORS IN SERIES/PARALLEL
AS PER MANUFACTURER'S RECOMMENDATION, MOTORS ARE MOUNTED IN A WAY THE BALANCES THE VACUUM (lift) AND THE VOLUME (cfm), BY MOUNTING THE VACS IN SERIES PAIRS THEN THE PAIRS ARE MOUNTED IN PARALLEL. THIS BALANCES THE LIFT AND CFM, GIVING BETTER PERFORMANCE THAN HAVING ALL 4 MOTORS IN SERIES (high lift but nominal cfm) OR ALL 4 IN TANDEM (plenty cfm but wimpy vacuum). SO FAR ONLY STEAMBRITE MFG GIVES YOU THIS SUPERIOR DELIVERY SYSTEM FOR 4 VAC MOTORS.

Testimonial:

"Vacuum is awesome! I love the automatic flood pumping ability. I have worked with the Boxxer 427 for many years and found my Goliath Quad 6.6 feels stronger to me!"

<https://superior-carpet-cleaning-texas.com/>

"I wanted to let you know how pleased I am with you recommending the Goliath 6.6 quad vacuum recovery and the be9000 watt generator. I did a basement flood job that was approximately 4 inches deep on the concrete. I thought I would be there all day but the Goliath had the water out and job done in 1-1/2 hours! The Goliath will really pump 30 gal. a min like its stated on your web site. I highly recommend the Goliath. Thanks Gary Lindbom" garyscarpetclean.com

Q&A:

Question: Will the machine operate on a customer's electric dryer plug?

Answer: Yes. This was the idea behind this machine. One plug to run just vacuum and auto dump. If you want to run a pressure washing pump, you will need to operate that pump on gasoline or throw another power cord to the porch or inside the building. An electric dryer plug will offer up to 60 amps @ 120 volts or 7200 watts but with power cord length, you have to allow for wire resistance. This is the reason for this design. We did not want to make this machine a 60 amp vacuum to allow for wire loss resistance. By making a 50 amp design allows you to run 100 feet of power cord to your machine. (50 ft of 240 volt cord then transfers to 50 ft of 12-3 standard power cord.

Question: How large of a generator would I need to have to run just the vacuum?

Answer: Any 420 cc (15 hp) generator will work. Example below BE9000ER. Please note when using optional generators you will need to also use the 240 volt plug with converters (NEMA L14-30R). If using a generator, please do not try to operate by just plugging into the 120 volt outlets (NEMA 5-15R) because it is important to pull electricity evenly out of both sides of the generator. Please make sure you properly ground your generator.

Question: What is involved in switching between using one power cord to two cords, to three power cord, and then to use all four vacuum motors?

Answer: Nothing! We have a check valve installed on one of the vacuum stacks. This way if you are only using one power cord it shuts off the stack you are not using to prevent air from sucking backwards through the system. When you are using as a dual corded machine, you have the option to use in air series or air parallel by simply just turning on the two vacuum motors you want. Because each power cord will operate on 15 am breakers, it plugs in everywhere. No need to pre-qualify if the outlet is a 20 amp breaker.

Question: Does the machine include the bubble top lid or the flat lid?

Answer: The flat lid. The bubble top lid are some photos that carried over from the 20 gallon model. All the 26 gallon machines have flat lids with a twist and lock latch.

by Ricky Smith

The 6.6 Goliath recovery system is a beast. I was some what surprised at how well it performed. The pump out is as strong as any truckmount system or even stronger. The setup is very simple as it should be. Easy to use and the build quality seems to be very strong. The suction power is great. The system has no problem keeping up with a 4 gpm power washer on just 2 vacuums on. Cleaning out the waste tank is simple and made easier with the drain valve on the front of the unit. The extension cords are high quality which are sent with the vacuum. I will recommend the Goliath system to any new business or current power washers that need a water recovery system. Great Job Steambrite.

One Year Warranty Included.

Also available in 230 volts for International use \$350 extra + a one month lead time.

To see our vacuum motor testing visit
<https://www.steam-brite.com/forum/showthread.php?p=3004#post3004>
Starter packages available to clean:

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Air Ducts, Tile and Grout Cleaning, Water Extraction, Carpet Cleaning (either high flow and high pressure),

OPTIONS:

Clean Storm Goliath Dry Vacuum Option

Demo Open Box Rotovac ShearDry Hand Wand Internal Spray
Bi-directional Fiberglass Tool FREE Shipping Bi-Directional Cleaning Trade Show
Special

Electrical Converter 240 volt 4 wire/prong 30 amp L14-30P TO 115
volt 4 Gang GFCI (8 outlets with Breakers) Generator Adapter

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Aquatec 12 Volt 4.2 gpm 45psi AP63 Truck Mount Water Transfer
Pump 5 Chamber Head 15 Amp Max Draw Mytee C361 Sapphire Scientific 68-002

Link Manufacturing Ramps: LB10 Series Bifold Ramp 24x90

Where did the name Goliath Carpet Cleaning Machine come from?
<https://www.steam-bright.net/showthread.php?3389-Were-did-the-name-Goliath-Carpet-Cleaning-machine-come-from&p=5477#post5477>

How can this system run on 1, 2, 3, 4, 5, 6, or 7 power cords?

Availability: This product was added to our catalog on Sunday 21 December, 2014