



Model Number: 4230VB-20G3

Pressure Pro 4230VB-20G3 4gpm 2000psi Electric Hot Pressure Washer With Portable Cart and Tank 5HP 12amp 230 volt 3 phase

Manufacturer: Pressure Pro

Pressure Pro 4230VB-20G3 4gpm 2000psi Electric Hot Pressure Washer With Portable Cart and Tank GP Pump 3 phase
4 Wheel Cart
5 HP
25 amp 230 volts
EZ3040S Belt Driven Pump Powered by 3 phase 5HP TEFC 230V Motor

Rugged powder coated steel frame
Super efficient schedule 80 steel coil w/ one-piece molded insulation combustion chamber
Stainless steel coil exterior wrap
8 gallon poly diesel fuel tank w/ fuel filter
Larger 3 gpm flow rate compared to similar models by competition means faster cleaning with spinner and tile cleaning tools.
Commercial/Industrial grade motors
Reliable Beckett burners
Belt Drive Design
Vertical Flow Switch

Vertical Flow Switch Ap500 Black 3/8 in Fpt 8.712-244.0 - 410305A

High limit over temp protection

225 Degree Switch Sensor 1/2" Mip with 3 Wire Leads

Controls water temperature.

Safety Pop off Valve Prevents over Pressurization

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Giant 8.722-190.0 Safety Pressure Relief POP OFF VALVE 3/8" ORANGE
SPRING 3600 Psi

145 degree Thermo-pump head sensor (prevents overheating in bypass mode)

Clean Storm Thermal Valves 200 PSI 145 Degrees F. 2 to 5 GPM
discharge Rate Sensor

Preset water temperature at 225 degrees in 30 seconds regardless how much you
lay on the trigger!

General Pump EZ3040S Or Similar Used Ww186 4gpm 3000psi
8.702-773.0

NOTE: 230volt units include a 12 ft power cord, no plug
Built and tested in the USA, and delivered ready to operate.

Gun/wand assembly with insulated grip and quick connects
50' high pressure hose w/quick connects
Maxi-Flo 20% chemical injector assembly w/quick connects
4 color-coded QC spray nozzles
1 color-coded QC chemical nozzle

Advantages: Higher gallons per minute means this unit will operate spinner surface
cleaners and tile and grout tools.
Sales tax only collected in Texas and FL.
Larger 8 gallon fuel tank.
Cleaning Speed/Units 16,000

Factory Brochure of similar model

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Owners Manual

Pressure Warranty

General Pump Maintenance Guide

Optional

Be able to operate single phase 230 volt units on dual 20 amp standard 120 volt wall outlets at low pressure. (About 13000 cleaning units)

Power Joiner Step Up Inverter Electric Pressure Washer Converts Dual 20 amp 115 Volt outlets to allow 230 Volt 3 wire 20 amp Use (Reverse10-30R)

General Pump 100538 Dial Thermostat 86 - 250 Degrees F.

Dealer installed for \$198.00 (Pressure Pro #ATK010)

Converts pressure washer for use in low pressure cleaning applications
Clean Storm Pressure Washer QD to Rust Bleeder to Filtered Insulated
Carpet Cleaners QD

<http://pressurewasherpro.myshopify.com/search?q=4230VB-20G3&search-button=>
-->

Availability: This product was added to our catalog on Tuesday 06 January, 2015