



Model Number: 87439877

Clean Storm 87439877 Goliath 26 gal 8 Stage 2100Psi Pressure Washing Recovery Starter Multi-Surface Package 30GPM APO

Manufacturer: Clean Storm

Clean Storm Goliath 26gal 8 Stage Vacs 2100psi Pressure Washing Recovery 120v Starter Multi-Surface Package 87439877

Description

Can be wall mounted (no wheels) for permanent installation in a restaurant, hotel, bar, or gym for an all in one system to maintain all surface types. Clean furniture at 400 psi, carpet cleaning at 500 psi, touchless bathroom cleaning 1000 psi, tile and grout and pipe/sewer jetting at 1500 psi, outdoor concrete work and exterior walls and windows 2100 psi. Attachments for air duct cleaning, unclog drains, sewer vacuum, evacuate water from floors (mega shop vac)Our best selling restaurant cleaning system!

Includes

Package Includes

Clean Storm Pressure Washer to Carpet cleaning Connection QD

Package Includes

Turboforce TH15 Tile and Cement Cleaning Wand 15 inches TH-15

Dual function tool

Clean tile inside and concrete outside.

Clean up to 37% faster than 12 inch spinner tools.

Package Includes
Clean Storm 6720 Cleaning Units 2100 psi 3.2 gpm Cold Electric
Pressure Washer 2 Power Cords 115 Volts

My favorite electric pressure washer!
Strong enough for outside work, but adjustable for fine fabrics.
Designed to run hundreds of feet of hose!

-

Package Includes
-Clean Storm Hose Set 115 ft (Dual 50 ft 2 in + 15 ft of 1.5"ID Vacuum
& 1/4 in 3000 psi Solution) with Connections and QD's

Enough hose to clean a 2 story home!

Package Includes

PMF U1564SB Detailers 4-1/2in NO-DRIP Internal Spray Detailer
Brass Valve Hand Wand
- Quick Disconnect Needed .Male Brass Carpet Cleaners Style
(Default)

Cleans upholstery perfectly at 400 psi - give it a try - you will love it.
Does not over wet or over spray at all.

Package Includes
HydroForce AS08P Injection Sprayer Plus High Pressure with blow
molded jug

Prespray as fast as you can walk!
8 Times faster than a pump up sprayer.

Package Includes
Clean Storm Auto Fill Hose 6 ft By 1/2 Inch ID with 90 degree Fitting
for Hot water Garden Hose 20130305

Allows you to hook to your customers hot water from inside their
home.

Package Includes
Shower Head Hot Water Hook Up Kit SBM1834

Easy to use!

Package Includes
Faucet Adapter 13/16s to Garden Hose Connection 291A FGHA AX22

Hooks to 95% of the sinks on the market today.

Package Includes
-DriStorm Goliath Flood Pumper 26gal Four 2 Stage Vacs and
Pressure Washer Recovery 120v with Lint Filtration

42,500 vacuum units / 30 amp vacuum system on 2 power cords.
Strongest 2 corded vacuum system on the market today.
Designed for up to 200 ft of 2" vacuum hose!
Take inside or leave outside or incorporate as part of your building.
Carpet cleaning, Flood pumper, Pressure Washer Recovery, Tile
Cleaning, Air Duct Cleaning - one machine for everything.]
30 GPM APO

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Package Includes
Westpak 10-0556 14in Carpet Cleaning Wand 1.5in Pipe - 4 Jet 2
Bend Low Profile W/ Splash Guard

Cleans 20% faster than 12 inch wide wands!

Package Includes
Clean Storm Rotary Turbo Laser Nozzle 500 to 5100 psi HOT Heavy
Duty 4.0 gpm 8.726-081.0 SALE
- Add-ons QD Connection With Male Plug [87071400]

Detail curbs, walls, corners, rocks, under eaves, a must for outdoor
work.

Package Includes

know
-Training DVD Package of 3: Covers the basics a Cleaner needs to

Spend 4.5 hours with a certified Master Cleaner and learn more than just cleaning the fuzzy side up.

Package Includes

Westpak 10 inch Stair Tool Stainless Head 1-1/2 Pipe 2 Jet 29 inch Long W/Splashguard 10-0771 Wand

Clean carpet on stairs without having to bend over.
Super back saver.

Package Includes

Kit
Shazaam Chemical Start Up Package for Stains and Spotting Starter

Removal all types of stains and marks.

Package Includes
Shazaam: Aggressive Restoration Carpet Cleaner and Auto Detail
Starter Package

Videos

Video of the Goliath Heated Electric Truckmount Package

Goliath Plus
Quad Vac Flood pumper

The Industries Strongest Water Extraction Machine and Electric Pressure Washer
Vacuum Recovery!
New Larger Waste Tank Size: 26 gallon (20" X 20" X 15")
Body Construction: Fiberglass box for durability,
Vacuum Motors: Four 2 stage vacuums (8 stages total will operate 200 ft of 2"
vacuum hose!) Vacuum motors are configured: each pair is in series and then both
pairs are in parallel for the best of both worlds of high cfm and high inches of lift.
New Larger Flat Lid
Automation: 50 GPM STAINLESS STEEL sump pump with water level sensor
(machines automatically dumps the dirty water as you clean for non stop production)
Draws only 3.5 amps.

Features:

- Dual ball float/standpipe for increased air flow and vacuum performance.
- Water and vacuum tight hinged with gasketed reinforced lid.
- Dual 50 ft. 12-3 power cords

Factory provided

Two Extension Power Cord 50 ft 12-3 115 volt AX33 860831 E530 M1394

- ,Circuit locator,
- 12" rear wheels stair climbing wheels.
- Front mounted GFI w/ waterproof cover.
- Built in Auto Defoamer with adjustment knob.

Factory Installed

B112 1/8" Fip Screwed Bonnet Needle Valve 122440

- Dual cam lock waste water discharge - Garden hose for cleans and 1-1/2" dump hose for floods (your choice)
- Machine will operate on either one or two power cords (see below)
-

Factory Installed

Clean Storm Fiberglass Vacuum Motor Manifold 20131023

Allows for steam and hot water vacuum recovery without the worry of traditional plastic manifold collapse.

- When the machine is operating on one power cord you have the option to run the vacuum motors in series or parallel.
- Made in the USA
- Includes:
-

Factory Installed

Valterra: Gate Valve 1.5in Replacement Dump Valve H225 Drain Valve

Installed Carpet Cleaners: 2" Mip X 2" Barbed Truckmount vacuum hose connector
on front of machine.
Allows you to use either 2" or 1-1/2" ID vacuum hose (your choice)
2" ID vacuum hose required if hose run is over 75 ft. (better performance)
1.5" ID vacuum hose is OK for lengths under 75 ft.
Prefered method is to use mostly 2" hose by the machine and then the last 15 ft reduce to 1.5" ID for easier mobility.

Dealer Provided
FREE Hydro-Force: Truckmount Carpet Cleaning Hose Mount Lint Filter
AC10 HydroFilter
Included at no extra charge
Used to remove hair and carpet fibers from the water to protect auto pump out system

Factory Installed
Water Resistant Rocker Switches: 2 Position On/Off - 4 pinned with built in dust and water cover
5 installed on this machine
One switch for each vacuum motor and one for the auto dump pump override.

Installed Pair Locking Front 5 inch Caster

Keeps machine from rolling around during transport and on steep driveways.

- Technical Specification

: Primary cord (20 amp) runs (2) vac motors in air series with ball float shutoff and sump pump. If a secondary circuit is not available, machine would perform on this cord. Wired with an in-line GFCI and cooling fan.

- Secondary circuit (15 amp) runs the (2) other vac motor in air series with a ball float shutoff and check valve.

- 2" vacuum intake.
- Stainless steel screen lint catch to protect your auto dump pump.
- Garden hose cam lock adapter for carpet and tile cleaning
- 1-1/2" cam lock adapter for flood restoration (seen in photo below)
- (5) Green lighted splashproof rocker switches.
- Blue tank/Grey base
- 250 CFM.'s
- 170" of Lift (normally dual 2 stage in series would only achieve 155" of lift but these MaxVac vacuum motor are actually performing 170" in series! This is one of the reasons we chose this set up. These are not inflated numbers!)
 - 42,500 vacuum units (maximum 170 inches of lift X maximum 250 CFM) make this the strongest electric 2 power cord machines on the market!
 - Gallon of liquid defoamer can be set on top of extractor on jobs where you need to cut some suds. (auto dump systems only dump water and not bubbles)

Quad 2 Stage Max Vac Vacuum motors are mounted vertical for longer bearing life.

Unit Measurements:

- Handle height is 43-1/8". Machine dimensions" 43-1/8"H x 23"W x 30" L (we can make the machine handle shorter for smaller SUV's)
- Weight (assembled) = 96 lbs. w/out cords.

Goliath Advantages:

1. 26 gallon recovery tank
2. Auto defoamer needle valve means non stop production.
3. 2" vac port will run either 2" or 1-1/2" vacuum hose.
4. The highest lift and highest CFM extractor on the market. Nothing comes close. This machine is impressive when it comes to suction. This machine will run longer hose lengths and dry carpet better than any other electric machine that is operating on two power cords. 30 amp total vacuum system @ 120 volt = 3600 watts vacuum performance!
5. Will operate on one 15 amp power cord, will operate on two 7 amp power cords,

will operate on two 15 amp power cords, will operate on two 20 amp power cords. Just turn off features in applications where you have less power available.

6. Dual port water pump out discharge. Toggle back and forth between automatic dumping out a garden hose (for cleaning jobs) or out a 1-1/2" vacuum hose (water extraction jobs), your choice.
7. Switch plate cover will keep your water resistant switch covers in place. Unlike some other brands the clear water protection cover can fall off once the machine gets old or if it gets knocked around.
8. Now available with an optional 500 psi PumpTec pump in it to use as a carpet cleaning machine too Add \$850 (waste tank size is made 25% smaller to 19 gallons to make room for the pump under the hood)
9. Fiberglass body is not affected by steam vacuum recovery as plastic housing get soft.
10. Easily converts into an air duct cleaning machine, tile cleaning machine, carpet cleaning machine, auto detail extractor.

Owner's Manual
Pictures
These results were achieved with an open vacuum tank

Auto Defoamer with adjustment knob

QUAD TWO-STAGE VACUUM MOTORS IN SERIES/PARALLEL
AS PER MANUFACTURER'S RECOMMENDATION, MOTORS ARE MOUNTED IN A WAY THE BALANCES THE VACUUM (lift) AND THE VOLUME (cfm), BY MOUNTING THE VACS IN SERIES PAIRS THEN THE PAIRS ARE MOUNTED IN PARALLEL. THIS BALANCES THE LIFT AND CFM, GIVING BETTER PERFORMANCE THAN HAVING ALL 4 MOTORS IN SERIES (high lift but nominal cfm) OR ALL 4 IN TANDEM (plenty cfm but wimpy vacuum). SO FAR ONLY STEAMBRITE MFG GIVES YOU THIS SUPERIOR DELIVERY SYSTEM FOR 4 VAC MOTORS.

One Year Parts Warranty Included.

Receive half price shipping by picking up at Steam Brite San Antonio, TX
Also available in 230 volts for \$250 extra + a one month lead time.

To see our vacuum motor testing visit
<https://www.steam-brite.com/forum/showthread.php?p=3004#post3004>

Starter packages available to clean:
Air Ducts, Tile and Grout Cleaning, Water Extraction, Carpet Cleaning (either high flow and high pressure),

Auto Detailing, Mattress, Upholstery, and Drape Cleaning. Turn your Goliath into the world's strongest shop vac with:

Shazaam: Dry Vacuum Option for Goliath Extractor
Date Added: Thursday 26 March, 2009
Manufacturer: Shazaam

shipping weight is 141#s including pallet; dimensions are: 48 X 40 X 48

OPTIONS:

Optional
Clean Storm Grout Master Cleaning Tool 300psi - 1200 psi 20190919 Wand
For the first time in history, pressure wash tile and grout with a standard 500 psi portable carpet cleaning machine.
No high pressure pump required.
Watch Video On Link!



Steam

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Shazaam: Convert Portable to a Truckmounted Carpet Cleaning Machine and Leave outside with Generator, Reel, Power Cord

Where did the name Goliath Carpet Cleaning Machine come from?
<https://www.steam-bright.net/showthread.php?3389-Were-did-the-name-Goliath-Carpet-Cleaning-machine-come-from&p=5477#post5477>

Availability: This product was added to our catalog on Friday 30 October, 2015