



Model Number: 82.940

Mosmatic 82.940, Turbo Rotor Arm-Fixed, 18.5 inch 3 arm/jet x 1/4in Stainless Steel, 3/8in FG 11 degree spray

Manufacturer: Mosmatic Pressure Washing Equip

TKA series Turbo Rotor 3 Arm/ jet spray bar

TKA-FL-3cw3 D 18.5" G3/8"F 3x1/8"NF 3500 psi

The complete stainless versions of these various cleaning units are specially designed for use with water and cleaning additive at high rpm. MOSMATIC Turbo-Rotors from the TKA series for use as a self rotating unit on: Flat Surface Cleaners, Tire Cleaner Applicators, Parts Washers and Undercarriage Cleaners.

TKA-3w3 (3 arms / 3 nozzles)

Part No.

Diameter

Part No.

Diameter

82.865

4"

82.871

16"

82.866

6"

82.872

18"

82.867

8"

82.873

20"

82.868

10"

82.874

22"

82.869

12"

82.875

24"

82.870

14"

Available styles:

Technical Data "w"-style  
Throughput Medium: water, cleaning additive pH 3-12  
Pressure: 4000 psi  
Temperature: maximum 250&deg;F  
Body: stainless steel

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Pipe: stainless steel  
In: G3/8" F  
Out: 1/4" NPTF  
Choose from these swivel lines:  
1/4" NPTF / 3/8" NPTF  
DYC 55.063 / 55.163  
DYL 56.063 / 56.163  
DYG 57.063 / 57.163  
DYF 58.063 / 58.163  
DYT 59.063 / 59.163

Print Brochure:

---

Availability: This product was added to our catalog on Monday 11 April, 2016