



Model Number: 68333

Optima Scale Pallet Jack Scale with Printer 5,000-Lb. Capacity, 1-Lb. Display Increments, Model# OP-918P-5K [68333]

Manufacturer: Strong Way

Optima Scale Pallet Jack Scale with Printer 5,000-Lb. Capacity, 1-Lb. Display Increments, Model# OP-918P-5K

## Product Summary

This Optima Scale Pallet Jack Scale with Printer offers a quick, economical solution to determine pallet weights. It is designed to be used at a dock to estimate incoming and outgoing shipments, or in a warehouse to avoid overloading pallet racks. This scale shows weight with a clear LCD display and offers zero, tare and lb./kg. keypads. The built-in thermal printer records weight with time and date. Lowered height is 2 7/8in.; raised height is 7 1/2in. Suitable for weighing on the move, this heavy-duty unit features a reinforced structure, solid steel tie rods and a powder-coat finish. Its super-low profile is less than 3in.H. 4 NTEP-approved nickel-plated steel load cells resist corrosion. 200% overload protection protects against drop damage. The built-in digital filtering feature compensates for vibration, and the built-in tilt sensor allows weighing accurately on an uneven surface. The Lithium rechargeable battery allows long operational time in low temperatures. The "total" button allows you to see accumulated weight.

## Features + Benefits

## Product Summary

This Optima Scale Pallet Jack Scale with Printer offers a quick, economical solution to determine pallet weights. It is designed to be used at a dock to estimate incoming and outgoing shipments, or in a warehouse to avoid overloading pallet racks. This scale shows weight with a clear LCD display and offers zero, tare and lb./kg. keypads. The built-in thermal printer records weight with time and date. Lowered height is 2 7/8in.; raised height is 7 1/2in. Suitable for weighing on the move, this heavy-duty unit features a reinforced structure, solid steel tie rods and a powder-coat finish. Its super-low profile is less than 3in.H. 4 NTEP-approved nickel-plated steel load cells resist corrosion. 200% overload protection protects against drop damage. The built-in digital filtering feature compensates for vibration, and the built-in tilt sensor allows weighing accurately on an uneven surface. The Lithium rechargeable battery allows long operational time in low temperatures. The "total" button allows you to see accumulated weight.

## Key Specs

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Item#  
68333

Brand  
OptimaScale

Manufacturer's Warranty  
1 year Limited Warranty

Ship Weight  
360 lbs

Load Capacity (lbs.)  
5000

Min. Lift Height (in.)  
2-7/8

Max. Lift Height (in.)  
13

Fork Thickness (in.)  
4

Fork Length (in.)  
48

Width Between Forks (in.)  
13

Outside Fork Width (in.)  
27

Steering Wheel Size (in.)  
7

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Wheel Type  
Polyurethane

Turning Radius (in.)  
190°

Overall Dimensions L x W (in.)  
63 1/2 x 27

E20220618 JMG-->

Availability: This product was added to our catalog on Friday 12 August, 2016