



Model Number: 80.658

Mosmatic 80.658 Roof Cleaner DR-520 Spinner Wand 4000psi Freight Included

Manufacturer: Mosmatic Pressure Washing Equip

(Jets are not included, optional pressure gauge not included, optional ball valve not included)

Please note that this is a tool ONLY. You will need a pressure washer that is rated at a minimum of 2500 p.s.i. with 3.5 GPM.

#### Roof Cleaner

The MOSMATIC roof cleaner DR-520 is an industrial quality tool specially designed for efficient, high pressure roof cleaning while keeping the operator in a safe operating area.

The premium MOSMATIC swivel ensures optimum performance under harsh conditions. This new design allows the operator to maneuver and lower the roof cleaner along the roof surface by using the high pressure hose and the safety cable. The height and width adjustable cleaner works for most common roof designs, adding safety and stability.

DR-520

Part No.  
Height (adjustable)  
Width (adjustable)  
Stainless steel housing  
Maximum Pressure  
Weight

80.658  
7.7" - 9"  
21.6" - 25.2"  
21"  
4000 psi  
31.9 lbs

## Height and Width Adjustable

The DR-520 is adjustable up to 3.54" extended width and 1.3" in height. It works for any type of roof design adding safety and stability.

## Safety Eye

Allows you to easily secure the roof cleaner with a safety rope or cable. Swiveling Connector for easy hose connection.

## Optional

### Pressure Gage

Adjustable pressure guarantees efficient cleaning on any type of roof surface or pitch.

### Optional Ball Valve

### Ball Valve

Makes it easy and convenient to turn off the flow to the unit.

Please note the Mosmatic tools do not come with any quick disconnects (QD) to hook the spray gun to the pressure washer or tile cleaning machine. The gun is threaded with 3/8" Female International Pipe (FIP) connection. Please add the correct pressure washing QD and/or carpet cleaning QD to your order.

Depending on roof material, it is recommended to use a little wider jet than what you would use on cement. Example instead of 15 degree jets use 25 degree jets so to spread out the spray pattern. The gallons per minute rating on the pump would be cut in half per jet (2 jets per machine.) For example a 5 gpm pump would use 25025 jets.

Mosmatic 59.907 Dual 1/4" Fip In X G3/8" M Out for Roof Cleaning Spinner

Shipping 28" X 22" 10" @ 32 lbs

Also marketed under part M-74050, MOWA-80.658

Brochure

Roof Cleaner

High Pressure Movie

Watch our high pressure movie. You will see some of our products in use.

2012 Mosmatic Updated movie:

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Question: What is the recommended jet size for a Cold unit 3000 psi @ 5 gpm?  
Answer: 2503 1/8meg&rsquo;s depending on his surface. If cleaning something fragile I might go with a 4003 or just turn the pressure a bit.  
Optional

Spraying Systems Veejet 1/8 Mip Meg 25020 Nozzle 2x25 degree -  
8.707-537.0

pressure-washer-parts.com \$1545  
<https://pwpartsstore.com/80658-MOSMATIC-DR-520-ROOF-CLEANER-6914.htm>  
\$1264  
<https://www.pressurewasherstuff.com/mosmatic-dr-520-roof-cleaner-80-658.html>  
\$1182  
<https://www.higherpowersupplies.com/MC-80658.html> \$1129 free shipping  
--> 20140113dj

Availability: This product was added to our catalog on Thursday 25 November, 2010