



Model Number: 20170606

Clean Storm 20170606 Basic Starter Package PumpTec Water Otter 1200psi Pressure Washer Tile Carpet Cleaning AS1200

Manufacturer: Clean Storm

Turn any portable extractor into an incredible tile and grout machine with the Water Otter!

The worlds #1 best selling carpet and tile cleaning pump. This is the same pump installed under the hood of 90% of the tile cleaning machines on the market today. By hooking your pressure hose to the Water Otter instead of your portable extractor, you'll get 1200 psi of raw power to blast grout lines clean! Now you just need to hook your vac hose to your portable extractor, and put on a good tile and grout tool (SX-12 or Gekko come to mind) and you're ready to clean tile with the best! Clean at 500 psi for carpet cleaning or turn it down to 200 psi for upholstery cleaning. Commonly used with 12" spinner tile wands or smaller.

PumpTec: AS1200 Water Otter 1200 psi Pressure washer pump and tile and carpet cleaning pump

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Includes one Dealer supplied

Faucet Adapter 13/16s to Garden Hose Connection

Includes one dealer supplied

Clean Storm Auto Fill Hose 6 ft By 1/2 Inch ID with 90 degree Fitting  
for Hot water Garden Hose

Includes one dealer supplied

Shower Head Hot Water Hook Up Kit SBM1834

## Optional

### Clean Storm Automatic Fill Kit for Carpet and Tile Cleaning Machines

- \* Commercial Duty
- \* American-Made Pump and Motor
- \* 1,000 - 1,200 psi, 2.2 GPM at Nozzle Tip (turn down pressure if you like to as low as 200 psi)
- \* 14.3 Amp High Efficiency Motor
- \* Maintenance-Free 1,200 psi Pump
- \* 1,000 Hour Continuous, Full Load Rated
- \* Simple Repair, Low Cost Parts
- \* Each Component The Best Available
- \* GFCI with 35' Cord (120 volt versions only)
- \* Female Garden Hose Inlet
- \* 1/4 Female Quick Connect Outlet
- \* Max Water Temperature 140 degrees
- \* 120 Volt, 8 to 15 amps (depending on pressure), 240 volt version is this amp draw cut in half.
- fitted with an m44 motor, this is the motor used for a hard surface pumping system that is outside the extractor case.
- Does come with a pressure gauge.
- Out of box measurements 14" X 11" 11" H
- Shipping wt: 50#s
- Shipping dimensions: 20" X 16" X 15"
- Amp draw is 7.5 amps to turn on + 1 amp for each 200 psi you ask it to push.
- Example 500 psi uses 10 amps @ 120 volts

#### Current or past OEM Associations:

CWS-HDS1200  
80346  
20-0640  
AS1200  
Cross American Shock-Wave  
112412  
1642-1125  
13031749333  
20005831418  
80346-1

Pressure washer motor information below:

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Parts list

Brochure

Start Up Procedures

PumpTec Warranty Info .Options:

Add an extended Warranty to your cleaning equipment;

<https://www.steam-brite.com/extended-warranties-equipment-valued-749999-available-p-10663.html>



Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

## Four (4) Way Faucet Key J40-005

Note Pumptec Dealers do not receive the faucet adapter, or connection hose. Just the pump at dealer prices + shipping

Compare to other tile and carpet cleaning pump systems:

<https://www.steam-bright.net/showthread.php?2048-Tile-cleaning-pump-options-to-add-to-my-flood-pumper-or-carpet-cleaning-machine&highlight=tile+cleaning+pump>

Rotovac \$995

<https://4jhoseandsupply.com/product/pumptec-hard-surface-pump-motor-set-360u-180-m44-120-volt-80346/> \$1299

<https://crwsupply.com/pumptec-pressure-washer-water-otter-power-washer.html> \$1087.

<https://store.carpetcleanerdirect.com/portable-hard-surface-pump.html> NO PRESSURE GAUGE \$840

-->

Availability: This product was added to our catalog on Tuesday 06 June, 2017