



Model Number: SC21V

Sirocco SC21V Vacuum Recovery Surface Spinner Stainless Steel 6035

Manufacturer: Sirocco

Sirocco SC21V Vacuum Recovery Surface Spinner Stainless Steel 6035

21rdquo; Vacuuming Surface Cleaner

Perform pressure cleaning and wash water control simultaneously. The SC-21 surface cleaner with vacuum capability controls

overspray from pressure washing sidewalks, warehouse floors, tile surfaces and more.

Attach to a wet/dry vacuum and have dry

floors in minutes. Triple vacuum intake tubes remove 90-98% of dirty wash water during cleaning process.

Eliminate overspray while pressure washing sidewalks, warehouse floors, tile surfaces and more. Sanitize with up to 240deg;F as fast as you can walk, and have dry floors in minutes! Crazy faster than mop and bucket on tile and grout jobs &ndash; great for compelling demos!

The MOST important reason to own one of these is &ldquo;instant-capture&rdquo;;, but when you see your &ldquo;quality of clean&rdquo;; improve too, don&rsquo;t be surprised. The vacuum draws the water away from the spray area, removing the water-puddle, thus allowing better spray-Impact and a faster-spinning spray-bar. When the pressure washing and wash water control are done simultaneously, there&rsquo;s NO rinsing required &ndash; and the net increase in work-speed quickly pays for the equipment!

#### FEATURES:

- â—• Quick-couple trigger handle for easy removal and attachment of spray wand without damaging ball valves.
  - â—• Powerful 2-armed spray bar (with 2503 nozzles)
  - â—• High pressure water filter insures clean spray nozzles.
  - â—• Hand held &ldquo;SideKick&rdquo;; wand in conveniently located holster for spot-cleaning.
  - â—• Triple vacuum intake tubes remove 90-98% of dirty wash water during cleaning.
  - â—• Stainless steel outer shell for added strength and rust resistance.
  - â—• Wheeled carriage for easy portability over uneven terrain, and minimizing back strain while the vacuum sucks against the ground.
  - â—• Requires only 170+ cfm (but 5.5 to 6.5 gpm psi is best for 98% capture).
- Designed to accept 2" Id vacuum hose

#### SPECIFICATIONS:

- â—• Max psi: 5000
- â—• Max gpm: 8
- â—• Max temp: 240deg;F
- â—• Deck diameter: 21"
- â—• Vertical height: 56.5"
- â—• Ship weight: 39 lbs.

Pressure washer, 50 /100 ft vacuum hose, vacuum recovery system not included on

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

this web page.

Compare to current or past OEM associations:  
Barens 6035  
Sirocco SC21V

Optional  
Integrated gauges for water pressure and temperature. \$75 per gauge.  
SEE Comparison Chart: How to Choose the right tile and grout spinner wand size

Includes Factory Installed  
Karcher 87535970 Replacement Swivel Assembly for A+ Surface Cleaners  
8.753-597.0

Normal  
0

false  
false  
false

EN-US  
X-NONE  
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"  
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />



Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Intense Quote" />

Steambrite Supply

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Steambrite Supply

Name="Subtle Emphasis" />  
Name="Intense Emphasis" />  
Name="Subtle Reference" />  
Name="Intense Reference" />  
  
UnhideWhenUsed="true" Name="Bibliography" />  
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Grid Table 6 Colorful Accent 5" />  
Name="Grid Table 7 Colorful Accent 5" />  
Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />  
Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />  
Name="List Table 7 Colorful Accent 1" />  
Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />  
Name="List Table 7 Colorful Accent 2" />  
Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
```

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

mso-style-noshow:yes;  
mso-style-priority:99;  
mso-style-parent:"";  
mso-padding-alt:0in 5.4pt 0in 5.4pt;  
mso-para-margin:0in;  
mso-pagination:widow-orphan;  
font-size:11.0pt;  
font-family:"Calibri",sans-serif;  
mso-ascii-font-family:Calibri;  
mso-ascii-theme-font:minor-latin;  
mso-hansi-font-family:Calibri;  
mso-hansi-theme-font:minor-latin;  
mso-bidi-font-family:"Times New Roman";  
mso-bidi-theme-font:minor-bidi;}

Factory offers a 1 year parts manufactures warranty against defects and excludes maintenance, freeze damage, and wear items that include a 90 day parts warranty. Wear items include gauges, hoses, casters, switches, swivels, ect.

<http://powerpressurewash.com/6035.html>  
-->

Availability: This product was added to our catalog on Saturday 18 November, 2017