



Model Number: 215-CP47 PTI CH + reels

CleanCo 215-CP47 PTI CH Compact 47 Truckmount Chevy Vans Post Thermal Increase 230 degrees Electric Reel Water Tank

Manufacturer: Esteam Cleaning Systems

CleanCo Truckmount 215-CP47 PTI CH + Electric Vacuum Reel + Fresh Water Tank For Chevy Vans.
Includes labor but excludes van and shipping

Compact 47 - Easy to Use Cleaning Equipment

Complete truckmount operation starts with the precisely designed control panel featuring a gauge monitoring package, pressure & temperature controls and a dual speed setting for upholstery, carpet or hard surface cleaning. Truckmount operation is powered by an E.T.M. (Electronic Throttle Module) which maintains the van engine speed at a consistent RPM, increasing vacuum performance by 30% and reducing fuel consumption to only 1.5 gallons per operating hour.
(*As tested by GM installation)

High Heat: up to 240°F working water temperatures for exceptional cleaning results

Powerful Performance: 490 CFM for fast drying time, adjustable pressure up to 1200 PSI for upholstery, carpet and hard surface cleaning

Fuel Efficiency: the Electronic Throttle Module (ETM) regulates the van RPM reducing fuel consumption

Compact Design: 25" is all that's required, leaving the rest of your cargo space available for other equipment

Safety Features: Park Break Sensor, High Temperature Shutdown, Waste Tank Full Shutdown and Security Hose Ports to keep your equipment safe while you work

Warranty: 5 Year Extend-A-Care Warranty protects your investment for years to come
Engine: Direct drive system powered by host vehicle engine

Blower: Roots 47 Whispair DSL (dual splash lubricant, no grease fittings), 490 CFM, oil site lines & lube port on front panel. 14" HG/ 190" Water Lift. 93,100 vacuum units

Filter System: Twin 2.5" stainless steel blower protection filters, lift out lint basket

Pump: 5CP Cat Pump, clutch activated, 1200 PSI factory setting adjustable down to 50 PSI

Factory Installed

Cat Pump 34962 7 inches Single Groove Electric 12v Clutch 20MM Bore For Cat 5FR and 5PFR Pumps [Cat 34962]
or similar

Heat Method: Dual reverse flow heat exchangers, 205°F water temperature up to 240°F with Included Heat Max P.T.I. post heat system

Van radiator fluid travels one direction, high pressure water travels the other direction through the first heater providing up to 205 degrees F water. The Roots 47 blower produces up to 240 degree exhaust air heat once you start cleaning so the PTI heat exchanger is used to adsorb this additional heat.

Gauge Package: vacuum gauge, hour meter, blower speed tachometer, water pressure gauge, water temperature gauge

Waste Tank: 100 gallon powder coated 3/16 marine aluminum with 'Flow Max' unrestricted airflow design, sloped floor for easy draining, 120 gallon optional

Drain System: 2" drain valve

OR Optional Additional External Auto Drain

CleanCo Truckmount 237-035 Automatic Drain, Discharge System External

C.A.D. w/ Panel Mount

Dealer or factory installed.

Freshwater Tank: Includes 125 gallon Aqua Electric Reel tank

Dealer or factory Installed

CleanCo 225-310 Fresh Water tank 125 gal Aqua Tank Reel And Dual 250 ft

Electric Hose Reel

Live solution reel + electric storage vacuum reel + fresh water tank.

Optional

CleanCo 225-206 Truckmount 120 Gallon Fresh Water Tank with Chemical

Storage Rack

Dimensions: 58" L x 25" W x 37" H

Weight: 656 lbs

Precision Balanced PTO Drive Shaft

100 Gallon Waste Tank
Roots 47 Whispair DSL Vacuum Blower
5CP Clutch Activated Cat Pump
Dual Coolant Heat Exchangers (205°F max)
Dual Solutions Connections
Dual 2" Vacuum Connections
Dual Speed Settings (carpet & upholstery)
Quick Release Control Panel: gauge package, pressure & temperature adjustment, chemical flow meter, pre-wired auto drain, pump & blower oil site lines, blower lube port
Titanium 2" Truckmount Carpet Wand
100 ft x 2" Vacuum Hose
100 ft High Temperature Solution Hose
Chemical Jug & Holder
Interior Light Package
Park Break Sensor
Security Hose Port
High Temperature Shutdown
Waste Tank Full Shutdown
5 Year Extend-A-Care Warranty
Operation & Maintenance Manual
Embroidered Cleanco Jacket

Owners manual
Van Specifications for Compact Direct Drives
Chev and GMC Cargo Vans

2013-2018 Chev/GMC Savana Van 1 ton 6.0 L V8 Gas
4.8 L engine if you choose to not transfer water (no fresh water tank)

NOTE: Not Compatible with Passenger Vans
Cleanco does not recommend installing Compact Direct Drive PTO units in a van that has excessive wear and tear or is older than specified above.
Cleanco requires a minimum van specification of $\frac{3}{4}$ ton for Compact Direct Drive PTO systems.

It is recommended that prior to the purchase of a van, the customer review the specifications of the van with an authorized Cleanco Distributor

Without fresh water $\frac{3}{4}$ ton

With fresh water tank 1 ton.

Cargo Van usually cost between \$39,000 to \$40,000 more.

Van and equipment can be financed together.

"I thought I'd drop you a line on our Cleanco Compact 47 PTO now that it is 3 years old. As far as performance goes, as you know we run a 2 man team with the PTO. We have surveyed our customers and they tell us the carpet is dry in 3-4 hours even when we dual the machine up. The water temp consistently runs at 230C+. We have had very few problems with it, the occasional belt to be replaced, nothing really serious. We have the van serviced about every 5000 kms, at this time the machine is serviced too, it seems to work well not having the van and the machine off for separate days for servicing. The one thing I have noticed is the fuel savings. We use

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

the PTO for most carpet cleaning jobs, our fuel account is far less than what it was prior to the PTO. We have also measured the amount of water we use on the average job and we were surprised on how little water it actually used. Overall we are really happy with the machine for obvious reasons. It cleans carpets, it's cheap to run and there is little down time."

Glen Carbis

Jumbuck Cleaning Services, Australia

Optional

Clean Storm 20190925 Grout Master Cleaning Edging Hand Tool 300psi -
1200 psi

Clean shower walls, counter tops, and grout lines with your 500 psi machine
Watch Video On Link!

Availability: This product was added to our catalog on Wednesday 06 December, 2017