



Model Number: 215-CP47 CH

CleanCo 215-CP47 CH Compact 47 Truckmount For Chevy Vans

Manufacturer: Esteam Cleaning Systems

CleanCo Truckmount 215-CP47 CH For Chevy Vans. Includes labor but excludes van and shipping

Compact 47 - Easy to Use Cleaning Equipment

Complete truckmount operation starts with the precisely designed control panel featuring a gauge monitoring package, pressure & temperature controls and a dual speed setting for upholstery, carpet or hard surface cleaning. Truckmount operation is powered by an E.T.M. (Electronic Throttle Module) which maintains the van engine speed at a consistent RPM, increasing vacuum performance by 30% and reducing fuel consumption to only 1.5 gallons per operating hour.

(*As tested by GM installation)

High Heat: up to 205°F working water temperatures for exceptional cleaning results

Powerful Performance: 490 CFM for fast drying time, adjustable pressure up to 1200 PSI for upholstery, carpet and hard surface cleaning

Fuel Efficiency: the Electronic Throttle Module (ETM) regulates the van RPM reducing fuel consumption

Compact Design: 25" is all that's required, leaving the rest of your cargo space available for other equipment

Safety Features: Park Break Sensor, High Temperature Shutdown, Waste Tank Full Shutdown and Security Hose Ports to keep your equipment safe while you work

Warranty: 5 Year Extend-A-Care Warranty protects your investment for years to come

Engine: Direct drive system powered by host vehicle engine

Blower: Roots 47 Whispair DSL (dual splash lubricant, no grease fittings), 490 CFM, oil site lines & lube port on front panel. 14" HG/ 190" Water Lift. 93,100 vacuum units

Filter System: Twin 2.5" stainless steel blower protection filters, lift out lint basket

Pump: 5CP Cat Pump, clutch activated, 1200 PSI factory setting adjustable down to 50 PSI

Factory Installed

Cat Pump 34962 7 inches Single Groove Electric 12v Clutch 20MM Bore For Cat 5FR and 5PFR Pumps [Cat 34962] or similar

Heat Method: Dual reverse flow heat exchangers, 205°F water temperature up to 240°F with optional Heat Max P.T.I. post heat system

Gauge Package: vacuum gauge, hour meter, blower speed tachometer, water

pressure gauge, water temperature gauge
Waste Tank: 100 gallon powder coated 3/16 marine aluminum with 'Flow
'Max' unrestricted airflow design, sloped floor for easy draining, 120 gallon
optional
Drain System: 2" drain valve or

Optional external auto drain
CleanCo Truckmount 237-035 Automatic Drain, Discharge System External
C.A.D. w/ Panel Mount

Freshwater Tank: Optional 125 gallon Aqua Electric Reel tank

Optional
CleanCo 225-310 Fresh Water tank 125 gal Aqua Tank Reel And Dual 250 ft
Electric Hose Reel
Live solution reel + electric storage vacuum reel + fresh water tank.

Optional
CleanCo 225-206 Truckmount 120 Gallon Fresh Water Tank with Chemical
Storage Rack

Dimensions: 58" L x 25" W x 37" H
Weight: 656 lbs

Precision Balanced PTO Drive Shaft
100 Gallon Waste Tank
Roots 47 Whispair DSL Vacuum Blower
5CP Clutch Activated Cat Pump
Dual Coolant Heat Exchangers (205°F max)
Dual Solutions Connections
Dual 2" Vacuum Connections
Dual Speed Settings (carpet & upholstery)

Quick Release Control Panel: gauge package, pressure & temperature adjustment, chemical flow meter, pre-wired auto drain, pump & blower oil site lines, blower lube port

Titanium 2" Truckmount Carpet Wand
100 ft x 2" Vacuum Hose
100 ft High Temperature Solution Hose
Chemical Jug & Holder
Interior Light Package
Park Break Sensor
Security Hose Port
High Temperature Shutdown
Waste Tank Full Shutdown
5 Year Extend-A-Care Warranty
Operation & Maintenance Manual
Embroidered Cleanco Jacket

Owners manual
Van Specifications for Compact Direct Drives
Chev and GMC Cargo Vans

2015-2020 Chev/GMC Savana Van 1 ton 6.0 L V8 Gas with transfer of fresh water
4.8 L engine if you choose to not transfer fresh water (no fresh water tank)

NOTE: Not Compatible with Passenger Vans

Cleanco does not recommend installing Compact Direct Drive PTO units in a van that has excessive wear and tear or is older than specified above.

Cleanco requires a minimum van specification of $\frac{3}{4}$ ton for Compact Direct Drive PTO systems.

It is recommended that prior to the purchase of a van, the customer review the specifications of the van with an authorized Cleanco Distributor

Without fresh water $\frac{3}{4}$ ton

With fresh water tank 1 ton.

Cargo Van usually cost between \$39,000 to \$40,000 more.


Finance payment can be a single payment for both the van and equipment.

Optional

Clean Storm 20190925 Grout Master Cleaning Edging Hand Tool 300psi -
1200 psi

Clean shower walls, counter tops, and grout lines with your 500 psi machine
Watch Video On Link!

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Availability: This product was added to our catalog on Thursday 07 December, 2017

Steambrite Supply