



Model Number: AOne-70L D

Demo DriStorm Industrial dehumidifier Contair CT-125 Bluedri BD-76P XPower XD-125 [AOne-70L D] GTIN 852016006121

Manufacturer: Clean Storm

Demo DriStorm AOne-70L Commercial dehumidifier

The Used DriStorm Demonstrator Model.

Demo / refurbished /blemished means: might have blemish, scratch, rust, or dent, used at a trade show, tested in the showroom by a customer, last years model, return by shipping company, returned by customer, used by factory for R&D work, might be engraved as a rental unit, or just an out of box just sitting on the shelf special. Limited stock so if you purchase it and we cannot fill the order because another customer beat you to the bargain, your money will be returned. Please do not call to see if it is still available as if the web page is up and viewable, it is available this second. If you delayed and asked if it available so you let some other customer place the order ahead of you. All sales are final. Condition of this unit: "B+ Perfect!" \*Our refurbished / demo equipment goes through the same type of testing as all of our products do that are ready for purchase. The unit is in perfect working condition when it leaves our facility and includes the same warranty as a new machine (except labor)

You are more than welcome to inquire as to the current number of hours on this machine.

AOne-70L Dehumidifier is here to change the game by setting the bar higher than the competition in the water damage restoration industry. The 150 pints per day (PPD) water extraction capability along with all the expected features are now available in the DriStorm AOne-70L. The DriStorm DriStorm AOne-70L combines high-tech design with professional grade performance and portability. The roto-molded polyethylene housing is dent resistance, offers superior durability, and helps to protect furnishing when in use. Stack up to two units high for efficient storage. A rigid handle and semi-pneumatic wheels ensure easy transport and maneuverability.

## SPECIFICATIONS

Voltage: 115V 60Hz

Water Removal: 150PPD/ 76PPD @ AHAM

Refrigerant: R410A

Max Air Process: 235 CFM

Amp Draw: 7.3 AMPS

Weight: 81lbs

Body Construction: Molded Polyethylene

Size: 23" W x 23" L x 33.5" H

Operating Range: 40°F (5°C) - 95°F (35°C)

Capacity (pints / 24h): 125

Safety Certifications: C-ETL-US

Power Cord Length: 25' 3-Wire

Available Colors: Blue  
Warranty: 1 year / 5 years housing  
Coverage Area (sq. ft.): 861 X 8 ft = 6888 Cubic Feet.

## FEATURES

On / Off Control  
Adjustable Humidistat  
Automatic Bucket Full Shut-off  
Automatic Defrost  
Bucket Full Indicator Light  
Removable Water Tank  
Washable Air Filter (Discontinued)  
Removable Carrying Handles  
25' Length of PVC Drain Hose  
Cable Wrap Facility

## KEY DESIGN FEATURES

- Washable Air filter for easy maintenance
- Dependable dehumidification ranging
- Collapsible Handle for easy transport
- High capacity Integral condensate pump
- Thermostat defrost control
- Splash guard switch
- Encased in a heavier chassis for increased Protection, and extended use

Compare to current or past OEM Associations:

DriStorm AONE-70L  
Contair CT-125  
Bluedri BD-76P  
UPC 45635397729  
UPC 852016006121  
Air Chaser XPower XD-125  
ASIN B01MRF98PT  
Johnny Vac JVDHUM70

Xpower XD-125 Owners Manual  
Owners manual

Optional:

DriStorm Dehumidifier Booster Amplifier 20181009 Raises Temp and Lowers

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Relative Humidity

Availability: This product was added to our catalog on Friday 29 December, 2017