



Model Number: AS42-U

Burgess Model 982 Electric Hot Thermal Professional Fogger 115 volts AS42-U Scratch and Dent special. (1 available.) 841688003859

Manufacturer: Burgess

Burgess 982 Electric Professional Thermal Fogger for Outdoor Mosquito Control or Commercial Cleaning and Sanitizing
SteamBrite Item No. AS42

Barrel assembly has an abundant of dents on side of it due to when the manufacture crimps the barrel.

We tested this unit 1 time for 5 minutes to confirm it works to factory specs and it does.

All sales final.

Video: <https://youtube.com/shorts/DEKPJ13-Gfl?feature=share>

USES: Electric Hot Fogger

FEATURES/BENEFITS: This versatile fogger creates a dry fog, similar in nature to the smoke created by fire. This dry fog follows the path of smoke & neutralizes the odor. Can be used as a solvent sprayer by simply removing the heating barrel. Comes with a durable aluminum solution tank. You can't afford to compromise on equipment. Designed for both residential and commercial applications, the Electric Thermal Mosquito Fogger has the professional performance you require. Multi-jet nozzles ensure you reach the tightest cracks and crevices without leaks or dripping. Stainless steel tank, brass wand and Viton seals provide maximum durability and will hold up to the harshest working conditions. The same effective system used by professionals to kill mosquitoes that may carry the Zika virus or West Nile virus.

Commercial-grade fogger ideal for flood and fire recovery and eliminating pet or mildew odor

Can also be used as a highly-effective insect fogger - killing and repelling mosquitoes, biting flies, and flying insects for up to 6 hours

The same effective system used by professionals to kill mosquitoes.

Removable heating element for electric spraying capability. Utilizes a 110V power supply.

For thermal fogging only use products formulated specifically for thermal fogging: oil or water-based solutions containing propylene glycol oils

110v Burgess Professional Fogger Model 982

Current or past OEM Associations:

16982150

UPC 0 34457 98200 8

Model F982

Model 190443

205713946
ASIN B006WVFIZS
FG-EGF-EA
F-982
0034457982008

The original fogger was manufactured for use with insecticides outdoors only, so the operator's manual provided by the vendor stated in the Safety

Note new Precautions & Operating Instructions:

SAFETY PRECAUTIONS

• Use outdoors only. Fire or explosion may occur if used in confined area.

Fogging - For Use Outdoors Only

However our application requires use of the fogger indoors for odor control. To allow for indoor use the Safety Precautions & Operating Instructions were changed as follows:

SAFETY PRECAUTIONS

• Except as provided below, use outdoors only. Fire or explosion may occur if used in confined area.

Fogging - For Use Outdoors Only "except as provided in #6 below"

(Step #1 - # 5 remain the same as the original manual - Step #6 added as follows)

6. The fogger should only be operated indoors by certified, trained Fire and Smoke Restoration Technicians and certified, trained Odor Control Technicians and only in accordance with the IICRC (FSRT) Fire & Smoke Restoration Technicians and Odor Control Technicians (OCT) guidelines and standards.

Electric Hot Thermal Professional Fogger 115 volts Model 982

Amazon

-->

California residents: see Proposition 65 information

Eliminates mosquitoes, biting flies, and other pests for up to 6 hours

Treats an average 5,000 square foot yard in less than 10 minutes

Heats in minutes for hours of use with no offensive odor

110-Volt power supply version

Removable heating coil for electric spraying capabilities

Barrel assembly have dents on side of them due to when the manufacture crimps them.

All units are brand new is factory sealed boxes.

In the past we have opened every single box, and every single fogger has a dent in the barrel and this is how they make them! All sales are final. These are being sold \$3 over our cost, so we are not going to field any phone calls that we have shipped used equipment as this is not the case. All units are brand new. The photo to the right is an example of one of the worse cases we have seen so usually expect a slight depression on one side.

E20170925JMG

amazon

--> .

From the manufacturer

Owners Manual

Burgess 982 Electric Thermal Professional Fogger

Our heavy duty thermal fogger is designed for a variety of commercial applications including: flood and fire restoration, odor control with deodorizers, and insect control.

With Barrel Attached: the fogger produces a dry fog. The secret to the success of the Burgess 16982150 Electric Thermal Fogger lies in its ability to produce microscopic particles that spread and penetrate any area being treated.

With Barrel Removed: the model 982 turns into a 2 ounce per minute, all-purpose electric applicator for applying water-based or oil-based material.

Effectively controls flying insects with oil-based insecticides or odors caused by fire, smoke, pets, mildew, etc. with oil-based deodorant. Can convert 1 ounce of oil-based insecticide into 2,000 cu. ft. of fog in just 2 minutes.

Key Features

Thermostatically Controlled Heating Chamber
Heating element atomizes chemical into fine particles allowing it to float under and around surfaces for complete coverage.

Adjustable Flow Rate
The flow rate can be adjusted based on the application for a wetter or dryer fog.

Durable Spun Aluminum Container
Heavy duty reservoir holding up to 96 ounce of oil- or water-based solutions.

Assembly Instructions for Burgess 16982150 Electric Thermal Fogger
With fogger unplugged, inspect nozzle cap by pulling barrel away from fogger body as shown.
Inspect nozzle for accumulation of any foreign matter. Clean nozzle if needed before using and secure nozzle tightly.
Attach barrel by positioning the prongs directly in line with the slots provided for them in the housing. Push the barrel firmly into place being careful not to twist or bend the prongs.
Barrel should snap into place. Do not leave any gap between fogger body and barrel as shown.
After filling container with (oil based) chemical, be sure latches are fastened securely to lid as shown.

Troubleshooting Guide

Symptom
Probable Cause
Correction Action

Poor Fog Quality

- 1) Low voltage or 2) Incorrect extension cord
- 1) Change to another power source. 2) Extension cords must be 3-wire, 10, 12 or 14 gauge. Lighter cords may result in insufficient heating and insecticide leakage from end of barrel.

Chemical Dripping

- 1) Nozzle loose, 2) Excessive chemical output, 3) Worn out barrel assembly, or 4) Other (see poor fog quality)
- 1) Tighten nozzle securely. 2) Adjust to drier output. 3) Replace with factory replacement assembly only.

No Fog or Spray (Unit Vibrates)

- 1) Nozzle obstructed, 2) Pump plugged, or 3) No power at plug
- 1) Remove and clean nozzle with sharpened wooden toothpick (do not use metal object). 2) Insert wooden toothpick into hole at bottom of pump and pick out foreign material. 3) Check electrical connections, fuse, and extension cord.

No Fog, Sprays

- 1) Worn-out barrel assembly or 2) Using water-based insecticide
- Replace with factory replacement assembly only.

Operating Instructions

1. Allow the Burgess 16982150 Electric Thermal Fogger to pre-heat for two minutes or more.
2. Carry the fogger as you would a suitcase, holding it about 3 feet off the ground and away from your side.
3. Pull the trigger, conveniently located on the underside of the handle, to start the unit operating. Release trigger to stop.
4. Turn adjustment knob clockwise to obtain a dry fog. With a dry fog, you should see no moisture on a 8 inch x 12 inch minimum piece of paper or cardboard when you pass it through the fog about a foot from the barrel. Be careful not to place hand in front of the barrel.
5. For continuous use (more than 1 minute), be sure the unit is adjusted for a dry fog or liquid will drip from end of barrel.

Note: The fogger should only be operated indoors by certified, trained Fire and Smoke Restoration Technicians and certified, trained Odor Control Technicians and only in accordance with the IICRC (FSRT) Fire & Smoke Restoration Technicians and Odor Control Technicians (OCT) guidelines and standards.

Product description

The Burgess 982 Fogger is a commercial-grade fogger ideal for flood and fire recovery and eliminating pet or mildew odor. Can also be used as a highly effective pest control fogger. The same effective system used by professionals to kill mosquitoes. Removing heating element converts it to a low volume sprayer/mister. For thermal fogging only use products formulated specifically for thermal fogging - oil or water-based solutions containing propylene glycol oils. These products are flammable and only certified professionals should use them. Always follow chemical manufacturer instructions, warnings and safety guidelines. Refer to SDS for proper use instructions and to verify compatibility with thermal fogging. For low volume spraying (heating element detached): water-based and light oils may be used. Heavy oils and other thick fluids will not work in this spraying mode. Do not use wettable powders in the fogger as they will damage unit and clog nozzle components. To get

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

the most from your fogger use a dry fog - the dryer the fog, the smaller the particles. Fog dryness is controlled by chemical flow rate through heating chamber, which is controlled by turning adjustment knob clockwise (counterclockwise for wetter fog). Wet fog deposits film or residue, which may be desired on trashcans, pavement, or building foundations. Never use wet fog on plants, shrubs or carpeting. The oily residue could have damaging effects. Keep fogger 10 feet away from area being treated and let fog drift in desired direction. At this distance, any non-vaporized particles will settle to the ground.

<https://www.ebay.com/p/Burgess-110v-Electric-Thermal-Professional-Fogger-16982150/1201535994>

-->

Availability: This product was added to our catalog on Thursday 08 March, 2018