



Model Number: CRB17-240v

Clean Storm CRB17-240v Wide Pre-Scrubber and Dry Cleaning Machine TM4C-240v International

Manufacturer: Clean Storm

Clean Storm CRB-17" Wide Counter Rotating Brush (CRB) Pre-Scrubber Shampooer and Dry Cleaning Machine VLM (Very Low Moisture) 240 volts for international use!

Description

Commercial carpet cleaning system that gives you 6 machines in 1.

- Pre-scrubbing agitator for before hot water extraction.
- Adsorbent powder and encapsulation dry carpet cleaning machine.
- Hard floor cleaning machine.
- Pile lifting machine.
- Area rug / wool cleaning machine.
- Ultimate Hair removal machine.

Features

- Use on dry, or damp carpet.
- Change between brush types in under one minute.
- Ultra fast, super easy to use.
- Counter rotation of brushes makes the machine glide over the carpet like a hockey puck on ice!
 - Built for the dry cleaning industry but quickly taking over as the best prescrubbing machine on the market today!
- Use before you rinse with your hot water extraction machine.
- One machine can clean the carpet, tile and delicate wool rugs.

Specification

- 1 year limited warranty on machine
- 2 year limited warranty on motor
- Sound level: 57.8 dB
- Dirt capacity: 0.9 gal
- Power 240V
- Brush rotation speed 380 RPM
- Weight 55 lbs. | 24 kg
- Dimensions (W × H × D) 17.0 × 9.2 × 42.5 in 40.6 × 69.9 × 105.8 cm
 - Cleaning capacity (carpet/hard floor encapsulation cleaning): 7500 square feet/hour/ Agitation for prescrubbing 10,000 sq ft hr.(929 sq meters)
 - Includes Blue "medium" Carpet Cleaning Brush.
 - 15" Wide Brush / 17" Wide Housing
 - Machines have splash proof electronics and can be used in rug pits, carpets and hard floor surfaces.
 - Cylindrical counter-rotating brushes dislodge embedded soils without damaging

carpet fibers

- Renovator system captures dry particulate matter and debris and lifts pile while agitating.
- Solution dries in minutes
- Multi-purpose: use to agitate prespray before hot water extraction; change brushes for wood floors and other hard surfaces
- Connect two units for even faster cleaning!
- Great for residential and commercial carpet

Warranty Statement

Owners Manual

CRB 2019 Manual

Schematics

Brochure

Included

Quadruple discount: Free shipping, free chemical, free power cord, free extended warranty!

Includes snap in stainless steel dust and splash covers and renovators for dirt and adsorbent power collection.

Includes: Snap in Stainless steel renovator trays with view windows.

Includes: Snap in Stainless steel splash and dust cover with transport wheels.

Clean Storm E8 Transport Tray Assembly for CRB 17 and TM4-C

Clean Storm B753-DS Blue Standard Brush 15in For CRB 17in Floor Scrubber Machine TM4 - Sold Each

Compare to current or past OEM associations Pro 35 Machine
15" Multi-Clean Counter Rotating Brush
Prospector Encap-Pro TM4 VLM
Sapphire Scientific 67-065
VersaClean CRB1580
MasterBlend 320100

PM-ENCAPTM4-EA
Clean Storm CRB17
CRB Industries TM4
Brush N Clean
Zerorez Lifter
OE-TM4-EA
1640-7924
CRB15
CRB17
CRB-17
ND15
Optional

Clean Storm B750-DS Green Stiff Hard Brush 15in for CRB 17in Floor
Scrubber Machine TM4 - Sold Each (Used to be Black)

Clean Storm B751-DS Gray Soft Brush 15in for CRB 17in Floor Scrubber
Machine TM4 - Sold Each

Clean Storm B752-DS White Extra Soft Brush 15in for CRB 17in Floor
Scrubber Machine TM4 - Sold Each

Clean Storm B753-DS Blue Standard Brush 15in For CRB 17in Floor
Scrubber Machine TM4 - Sold Each

Clean Storm B754-DS Yellow Extra Stiff Hard Brush 15in for CRB 17in Floor
Scrubber Machine TM4 - Sold Each

Clean Storm T-4S Tandem Bar for CRB17 TM4 **ON BACKORDER UNTIL
MARCH**

Clean Storm 20170401 AbZorb Ultra Pro Organic Compound Dry Carpet
Cleaner 28 lbs. DryZone

Harvard CRB and VLM Encapsulation Cleaner Combination 20161206

Compare Carpet Cleaning Counter Rotation Brush CRB Agitator Scrubbers Encap Comparison

Preventive Maintenance on CRB Machines

Between each job, remove the brushes and wipe out the crud under the brush cover and by the bearings. (Use box rags, thick paper towel)

At the end of the day after all jobs, use a cleaner such as Mr. Clean, Windex or a possible disinfectant with a scrub brush and wipe down with box rags.

Make sure the bearings on the non-gear side spin freely, the moment they begin to not spin freely; it can torque the gear side and cause the gears to break. You will need to replace the non-gear side bearings as soon as they stop spinning freely. Important to check this on a weekly basis.

Cleaning of Brushes: Take a 5-gallon bucket full of hot water and place the brushes in it. It will normally turn extremely black. Empty out the 5-gallon bucket and repeat. For extreme rat nasty with some brushes, you may need to repeat this process 6-7 times. The avg. time it takes per bucket full of hot water is 45 mins. During the final soak pour a few ounces of disinfectant and let it sit for 30-60 mins. Remove from bucket, set in front of fan and let dry.

Remember the brushes get full of crud, dirt and debris and that overtime you don't get as good as a clean. As the brush spins, all the crud collects on the black tube and it collects on the bristles from the inside moving out. However, if you constantly clean the brushes at the end of the day, they stay almost brand new for an incredibly long period of time.

Note: It can take up to 2 days for the dirtiest of brushes as you repeat the bucket of hot water process 6-7 times. It is recommend you do the process as much as needed until the water does not change colors. Also, if you do not properly clean after every job, the crud builds up and the gears work harder since the brush has to fight against the built up crud and this can cause the gears to break.

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Brush Rotation: Do not rotate the brushes from front to back. Since the brushes are soaked in hot water, it takes the memory out of that brush. However, if you use the machine for a long period of time, you will need to flip the brush but not front to back, only the other way around. It is important to remember that the brushes have a natural curve to the bristles tips and the bristles form "a memory" after constant use. You will need to rotate the brushes so the memory goes the opposite direction and begins to clean better.

Note: In order to tell when this happens, pay close attention to the cleaning results. If the results become mediocre, then flip the brushes.

Insert some grease between the bearing and the cover and the bearing shaft entrance every month.

Every 3 months, remove the gear cover, clean the gears and re-grease with white lithium grease.

Make it a habit to remove the bearing cover every month to clean it up well with W-40 and make sure to dry it with compressed air and fit the cover together again.

Availability: This product was added to our catalog on Monday 16 July, 2018