



Model Number: 59 URAI DSL

Dresser Roots 59 URAI DSL Blower (5 week build time frame)

Manufacturer: Howden Roots Blowers

Dresser Roots 59 URAI DSL Blower

**\*\*NOTE: THE FACTORY IS NO LONGER GOING TO HONOR PRICES BASED ON THE DATE SOLD RATHER WILL ADJUST THE PRICE BASED ON THE DATE IT SHIPS. THIS MEANS IF YOU SEE A BLOWER WEBPAGE FOR \$2000 TODAY, BUT THE BLOWER SHIPS IN 12 WEEKS FROM NOW, YOU WILL HAVE TO AGREE TO THE NEW PRICE AND WILL HAVE TO PAY THE DIFFERENCE BEFORE THE ITEM SHIPS.**

QUESTION: If I purchase a cross over blower and it does not fit, will Steambrite or the factory waive the 25% restocking fee?

ANSWER: No. To purchase a similar performing blower is your decision as it states on every webpage, "All other warranties, express or implied, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose, are hereby disclaimed";

THANKS FOR YOUR UNDERSTANDING.

MAX PRESSURE:

13 psi

MAX VACUUM:

16" Hg

MAX SPEED:

2850 RPM

MANUFACTURER:

Howden Roots

## Product Description Roots Model 59 URAI DSL

Flow Range: to 857 CFM  
Max &Delta; Pressure: 7 psi  
Max &Delta; Vacuum: 15&Prime; Hg  
Max RPM: 2850  
Min RPM: 763  
Max &Delta;T: 225&F  
Connection: 4&Prime; FPT  
Shaft Dia.: 1.125&Prime;  
Drive End Lubrication: Oil  
Gear End Lubrication: Oil  
Required Oil Gear End Horizontal Unit: 27.6 ounces  
Required Oil Drive End Horizontal Unit: 14.8 ounces  
Required Oil Gear End Vertical Unit: 16 ounces  
Required Oil Drive End Vertical Unit: 7.5 ounces  
Unit Weight: 209 pounds (95 kg)  
Shipping Box Size (LxWxH): 24.5&Prime;x19.5&Prime;x20&Prime;  
(622mmx495mmx508mm)  
Shipping Container: Cardboard Box with formed foam

NOTE: Default shaft orientation is LEFT HAND -- Unit can be mounted with top hand crank, bottom hand crank, left hand crank or right hand crank. Can be spun in either direction. Simply change the mounting feet and relocate the breather port to the top.

Common carrier is recommended

Compare Dresser Roots VS Tuthill VS Gardner Denver / Sutorbilt Blower - Crossover Charts

"These blower and vacuum pumps are for sale and use in the carpet cleaning industry only as some OEM configuration have special coatings, or even mounting holes drilled in them. Example These blowers won't work for Easy Air Package equipment as it is not drilled and tapped to mount a fan. All other applications for use outside the carpet cleaning industry cannot be guaranteed."

Howden Terms

- Model: T3036102
- Shipping Weight: 203lbs
- Manufactured by: Dresser Roots

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

## Important Option

Oil level must be topped off on new blowers  
Oil level must be changed after 50 hour break in period.  
Oil level must be changed every 200 hours after break in period.  
Gardner Denver 28G46 Brand Blower Oil Aeon PD-XD Full Synthetic Formula  
Extra Heavy Duty for High Heat Applications 28G47-QT  
Add to your shopping cart now!

[http://store.tomlinequipment.com/index.php?main\\_page=index&cPath=8\\_1\\_3](http://store.tomlinequipment.com/index.php?main_page=index&cPath=8_1_3)  
-->

Availability: This product was added to our catalog on Wednesday 18 July, 2018