



Model Number: 000-079-220

HydraMaster 000-079-220, Comet P33T Waste Pump out External KIT, Truck mounts, Automatic Wastewater Disposal System

Manufacturer: HydraMaster

All HYDRAMASTER ORDERS ARE FINAL, NON-CANCELLABLE, NO REFUNDS, PRICES SUBJECT TO CHANGE BASED ON DATE SHIPPED!

HydraMaster 000-079-220 Comet P33T Waste Pump out External KIT for Truck mounts AWDS Automatic Wastewater Disposal System

Truckmount Automatic Waste Pump-Out Systems

Comet P33T Automatic Pump Out System

The Big Mouth automatic pump-out system is designed with low torque bearings to allow for more flow rate than the competition, while drawing the same or fewer amps. Extra large valves allow larger solids and debris to be passed without clogging the system.

Compare to current or past OEM associations:

Comet PT33

Comet P33T

Blue Baron Part # 6130.0001.00.C

Prochem 66-945533,, PP66-945533

Replaces Sapphire 68-003

Sapphire Scientific 68-158S

Replaces Prochem 8.633-597.0

Pumpout (Comet PT33)

6130.0001.00.C

HydraMaster 000-079-220

More flow 8 GPM for fast tank emptying

More horsepower

Larger valves prevent clogging

Stainless steel motor shaft results in less corrosion

Improved pulsation dampener

HEAVY DUTY WASTE PUMP OUT Assembly

Works on Prochem truckmounts as well as truckmounts made by Avenger, MasterBlend, Sapphire Scientific, Steambrite, BlueLine, Blue Baron, more...

This heavy duty waste pump out is ideal for large commercial applications and deflooding jobs. A 1/8 HP DC motor runs on 12 volt DC current drawing 11.5 amps. The diaphragm pump runs from a 170 RPM gear drive system and pumps 5 gallons per minute. This durable pump out can run dry without damaging the unit and will meet most any challenge you encounter.

HydraMaster's new style waste tank pump continually empties your waste tank as needed, and allows you to easily empty waste water to a sanitary sewer up to 75 feet away. It is able to pump out while you are cleaning. This accessory allows you to properly discharge waste water to a sanitary sewer where it will be filtered before flowing into our rivers, lakes and streams. Being "green" was never easier.

Specially designed oversized check valves to allow for passing of larger debris.

- Oversized valve spring has only 3 to 5 coils versus 13-15 in the competitors. This is especially important for hair and other materials that may get caught in the springs.

- Easy access U-bolts to allow for checking and cleaning the valves in the field, without removing the pump from the truck.

- Trouble-free pumping... even with gravel or large particles in the flow.

- Auto-level shutoff float switch in the waste tank controls the pumping cycle. Waste tank is continually emptied as needed—and while your unit is in operation!

- Includes all hardware for most installations for Hydramaster branded truckmounts

- Ideal for high volume cleaners, large commercial jobs and de-flooding situations

- Externally mounted, for easy maintenance

- Rugged

- Dimensions: Measures 20-1/2" x 12" x 10-1/2" (1.5 cubic feet of space needed)

- Pump only Weight: 39 Lbs.
Kit includes heavy duty pump, Float switch, hoses, and clamps.

FREE Factory Provided with purchase
8.619-387.0: Float Switch 9616L-21N/15A/5/AA/3ft

Heavy-Duty Pump Out

This heavy duty waste pump out is ideal for large commercial applications and deflooding jobs. A 1/8 HP DC motor runs on 12 volt DC current drawing 11.5 amps. The diaphragm pump runs from a 170 RPM gear drive system and pumps five gallons per minute. This durable pump out can run dry without

damaging the unit and will meet most any challenge you encounter. The diaphragm design means problem free pumping even with gravel or large particles in the flow – and there’s no filter screen to clean!

Measures 20-1/2" x 12" x 10-1/2"

Automate your extraction operations with a waste pump system. Reduce downtime by automatically pumping waste water – no need to stop your work to empty your onboard tank every time it’s full. A pump system can also significantly speed tank draining compared to gravity drain.

All diaphragm pumps are backed by a one year manufactures warranty on manufacturing defects in the pump.

This exclude maintenance and abuse. In other words, if you let it freeze or clog it up with mud and dirt because you do not filter the water, it is not covered.

ALL AUTOMATIC PUMP OUT SYSTEMS REQUIRE THE USE OF A VACUUM HOSE MOUNT FILTER SYSTEM

Optional HydroForce AC10CLEAR Transparent Truckmount Hose Mount

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Carpet Cleaning Lint Filter HydroFilter Clear

Optional Clean Storm 40 Mesh 1in Fip X 1in Fip Water Filter 20140212

Availability: This product was added to our catalog on Thursday 13 June, 2019