



Model Number: 966554101A

Demo Husqvarna 966554101A, DM280 Core Rig Drill Motor, 240v EU Plug 10amp DM 280 A Rated, ENO50, GTIN 805544719353

Manufacturer: Husqvarna Equipment

Demo Husqvarna DM280 Core Rig Drill Motor 240v EU Plug 10amp Used DM 280 966554101A Low Speed 1Yr Repair Protection

Only 1 unit left at this price 7/23, ships from TCMF location.

Powerful electric core drill for use with stand. DM 280 is the perfect choice for medium core drilling. Recommended diameter up to 355 mm. The motor is very easy to operate with several ergonomic features facilitating drilling and set up. Suitable for water evacuation, ventilation, angle drilling and stitch drilling. Special reduction motor turns slower than the 240 volt version but still gets the job done. 1 Year factory provided warranty.

Updated pop-up carbon brushes for longer life and service intervals

Water cooled, three speed gearbox

LED Overload monitoring

Smartstart reduces drill motor rpm to decrease vibration when starting a hole.

Water hose can be turned 180 degree for better hose management.

#### Applications

Core drilling up to 14" in diameter with Husqvarna drill stands

For reinforced concrete, bricks and other building material

Heavy-duty applications like water evacuation, channels for ventilation and plumbing, waste evacuation pipes, gas supply pipes, barriers, road signs and holes in corners for wall sawing openings

Angle drilling and positioning in all directions

Ideal for use with DS 450, DS 70 and GYRO 50 drill stands

Compare to current or past OEM associations:

DM280 Drill Motor

965987204

DM 280

966 55 41-04

GTIN 805544719353

Husqvarna DM 280 Drill Motor

Water Connector

G 1/4"

Weight  
29 lbs

Product Length  
505 mm / 19.88 Inches

Product Width  
142 mm / 5.59 Inches

Voltage  
240 Volts

Watts / Amp  
2000 / 8.66

Spindle Outer Thread  
1 1/4" 7 UNC

Max Drill Bit Size  
400 mm / 15.75 Inches

Recommended Drill bit Min  
50 mm / 2 Inches

Number of Gearbox Speeds  
3

Sound Power Level, Guaranteed (LWA)  
113 dB(A)

Sound Power Level, Measured  
112 dB(A)

Sound Pressure Level at Operators Ear  
98 dB(A)

Power Cord Length  
8 Feet

## 2012 Schematics / Parts

Factory supplied 1 year warranty, optionally purchase 3 to 5 years total investment protection.

You will need to remove the EU plug and install a NEMA L6-20P to use in the USA

Demo / refurbished / blemished means: might have blemish, scratch, rust, or dent, used at a trade show, tested in the showroom by a customer, last years model, return by shipping company, returned by customer, used by factory for R&D work, no factory box. Limited stock so if you purchase it and we cannot fill the order because another customer beat you to the bargain, your money will be returned. Please do not call to see if it is still available as if the web page is up and viewable, it is available this second. If you delayed and asked if it available so you let some other customer place the order ahead of you. All sales are final. Same factory warranty as brand new: 1 years parts / 1000 hours! Extended the warranty to 3 or even 5 years for a little more with no hour exclusions.

Condition of this machine: "A" Only 1 at this price!

Our demo equipment usually has less than 100 hours on it.

Photos are not available as these ship from the factory direct as they have already been refurbished, cleaned, tested, and crated.

Ships from TCMF warehouse.

## Optional

This kit will allow you to convert from the Eu plug to use in every building in the USA, Canada, Mexico, and Japan.

Even includes the extra L6-20 Plug.

Husqvarna PG280 PG450 PG530 DM340 S36 Power Supply L6-20R No Generator Required Bundle 83280365

Husqvarna DS 450 Core Drill Stand 966829808 Diameter 17.72 Inches / Travel 25 Inches DS450

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Note, Husqvarna also makes a DM 340 in 120 volts and a stronger 240 volt option.  
This is the 120 volt version slower turning unit.  
The stronger unit is located

Husqvarna DM340 Core Rig Drill Motor 98 72-07 240v L6-20P 14amp DM  
340 987207

240 volt version, drills faster, much easier to plug in two 15 amp cords than a  
single 20 amp cord, more pressure can be applied while the bits can be turned faster.

[https://www.contractorsdirect.com/husqvarna-dm280-low-speed-drill?gclid=EAlaIQobChMImPLSml6i5gIVSdbACh3oEQy3EAQYBCABEGl4Tfd\\_BwE](https://www.contractorsdirect.com/husqvarna-dm280-low-speed-drill?gclid=EAlaIQobChMImPLSml6i5gIVSdbACh3oEQy3EAQYBCABEGl4Tfd_BwE) \$1979.00  
-->

Availability: This product was added to our catalog on Saturday 18 January, 2020