



Model Number: SP-250-1-1 L2

Gillette SP-250-1-1 L2 Sentry Pro 25KW Standby Generator 240v 1 Phase 104 Amps Liquid Cooled Level 2 Quiet Series 1800 Rpm

Manufacturer: Gillette Generator

Gillette SP-250-1-1 Sentry-Pro Power Plants 25KW Standby Generator 240v 1 Phase 104 Amps Liquid Cooled Level 2 Quiet Series Enclosure 1800 Rpm 2.4 Liter

100% Quieter than most standby units

38% larger engine means unit is running with ease and last much longer (compare to 1.5 liter engines on competing units)

Heavy Duty Extra Large Air Cleaner

Level 2 Enclosure includes 1" X 4 lbs density foam throughout housing interior and includes air dams and "Critical" grade HD silencer.

(Compare to other liquid cooled brands, only included an enclosure - no foam!)

2.4 Liter PSI Engine/ 60 Hertz, HD Liquid cooled engine (Compare to light duty air cooled engine = less engine noise)

1800 Rpm (Compare to 3600 Rpm air cooled = quieter performance)

Operates on LPG or Natural Gas.

4-Pole Commercial / UL-2200 Certifies / Industrial Standby Sets

Includes:

Float Battery Charger, Silencer, flexible Oil and Radiator Drain Hose for easy Maintenance, Programmable Digital Controller, Battery Tray and Cables,

Overload Circuit Breaker: 125 Amp / 240 Volt / Lug size 4-4/0

Optional

Part #

Part

Description

Price

S-10A

1" Flexible Dry Fuel Line

LPG or Natural Gas Line with 1" Npt fittings, 16" Long for 25-60KW

\$200

S-13C

1000 Watt Engine Coolant Heater

Coolant Heater with ON-OFF Thermostat. For 25-60KW

\$400

S-B600  
600 CCA Starting Battery  
12 VDC Starting Battery / 600 Cold Cranking Amps  
\$200

S-17BC  
Emergency Stop Switch Normally Closed  
"Mushroom" style STOP Switch mounted in NEMA-4X UL Listed Enclosure /  
Includes Clear Hinged Lift Cover  
\$400

S-39  
DC Enclosure Lights  
12 VDC Powered LED Cavity Interior Enclosure Service Lighting  
\$575

S-39AC  
AC Enclosure Lights  
120 VAC Powered LED Cavity Interior Enclosure Service Lighting (Electrical  
Contractor to Supply Load Wires that are Circuit Protected from Building)  
\$575

S-40  
Liquid LP Fuel System  
Complete Liquid LP Carburetion System Installed  
\$1667

S-41A  
Dual Fuel (LPG/NG) Automatic Fuel Switching  
As one dry fuel source ends, the second connected dry fuel source  
automatically continues nonstop operation! For 25KW - 150KW (Not available when  
using the S-40 Liquid LP system)  
\$2243

S-78A  
Load Center  
Auxiliary Connection Box Frame Mounted. 120/240 1Ph Terminal Strips Only  
for Block Heater & Battery Charger Connection Upgrades. Electrical contractor  
to supply load wires that are circuit protected from building.  
\$564

S-MD24  
Motorized Dampers  
24"X24" HD 120-240 VAC Motorized Damper (Enclosure ventilation Control)  
\$1667

S-112A  
Enclosure Door Restraints  
Service Door Restraints to hold doors open  
\$552

S-114A  
Isolator Mounting Pad  
3"X6"X1/4" Thick Anti-Vibration Pads, 4 pack  
\$225

S-EH3  
Enclosure Space Heater  
3 KW, 1 Phase or 3 Phase Heater (Consult Rep for Voltage & Thermostat Requirements)  
\$1580

ATSS13R-200-1-1  
Service Entrance Rated Transfer Switch  
UL-1008 Certified Entrance Rated 2&3 Pole Industrial ASCO 185 Series  
Automatic Transfer Switch  
\$2000

S-35A  
Aluminum Skid Base  
Separate, all aluminum bottom skid base, replacing standard steel skid 68"  
base  
\$2000

S-37A  
Stainless Outer Housing  
Replace Standard Housing with all exterior, brushed stainless steel housing  
(perfect coastal accessory - looks cool too!)  
\$2000

S-56  
Winding Upgrade  
Special winding insulation system consisting of (3) individual dips and bake cycles of 100% solid varnish with final epoxy overcoat finish, plus fungus and

moisture spray protection  
\$700

S-59  
Winding Upgrade  
Internal generator space heater, energized with 120/240 vac, keeping rotor  
and stator winding dry in humid conditions, during standby operation  
\$525

S-122A  
R7 Foam Upgrade  
Upgrade foam to 2" R7 Foam + Noiseless metal sound dampener in exhaust  
chute. 4-5 dba additional sound reduction  
\$1127

S-51A  
Frame Drip Pan  
Environmental Liquid Containment Pan Installed under frame base  
\$750

Download Documents  
SP-250 Specifications  
SP-250 Level 2 Enclosure Line Drawings  
SP-250 Level 3 Enclosure Line Drawings  
SP-250 Open Line Drawing  
180 mph windload calcs  
SP-250 Submittal Pack  
SP-250-EPA Certificate  
ATS Choices  
Circuit Breaker and Winding Upgrades  
Silencer Upgrades  
Controller Upgrades  
Special Additional Feature for 1800 rpm

Availability: This product was added to our catalog on Saturday 27 March, 2021