



Model Number: 75859

NorthStar 75859, Portable Electric Air Compressor, 125-155 psi 1.6 HP 30-Gallon Vertical, 5.3 CFM 120 volt 15 Amp

Manufacturer: NorthStar

NorthStar 75859 Portable Electric Air Compressor 125-155 psi 1.6 HP 30-Gallon Vertical 5.3 CFM 120 volt 15 Amp Freight Included

300% larger tank than most other 120 volt air compressors for longer run times

Heavy-duty 1.6 HP, 15 Amp induction motor for maximum performance and efficiency

Durable cast iron V-twin pump provides good heat dissipation and no transfer of heat between cylinders

Belt drive oil-lubricated pump runs quietly and delivers long pump life

30-gallon vertical tank is ASME certified

10in. pneumatic wheels for easy portability

Product Summary

The NorthStar® 30-Gallon Portable Electric Air Compressor is powered by a heavy-duty 1.6 HP induction motor for maximum performance and efficiency. Cast iron oil-lubricated V-twin pump provides good heat dissipation and no transfer of heat between cylinders for long service life. Versatile dual voltage motor is wired for standard 120V outlets but can be converted to 240V applications. 30-gallon vertical tank is ASME certified. Equipped with 10in. pneumatic wheels for easy portability. Made in U.S.A. Free shipping to lower 48 states to commercial address with forklift on site. Home Delivery extra \$85.00 even if forklift on site.

What's Included

(1) 30-gallon portable air compressor

(2) 10in. pneumatic wheels

Features + Benefits

Heavy-duty 1.6 HP, 15 Amp induction motor for maximum performance and efficiency

Durable cast iron V-twin pump provides good heat dissipation and no transfer of heat between cylinders

Belt drive oil-lubricated pump runs quietly and delivers long pump life

30-gallon vertical tank is ASME certified

10in. pneumatic wheels for easy portability

Dual voltage motor is wired for standard 120V outlets but can be converted to 240V applications

Convenient controls put gauges, regulator and quick connect at your fingertips

1/4in. quick connectors for easy tool changes

Quiet 77dB operation

155 max. PSI for optimum tool performance

Durable stainless steel reed valves

Oil level sight glass

Automotive style ball bearings

10in. cast iron balanced flywheel

One-piece cast iron crankcase

Thermally stable cast iron cylinder body

Aluminum head and machined cast iron valve plate

Tank Type
Vertical

Drive Style
Belt

Oil Required
Yes

Horsepower
1.6

Amps
15

Volts
120/240

Motor RPM
3,450

Drain Type
Petcock

Pump Life (hrs.)

1,500

Pump Material
Cast iron

Noise Level (dB)
76

Dimensions L x W x H (in.)
26 x 24 1/2 x 52

Weight (lbs.)
171

Item#
75859

Brand
NorthStar

Manufacturer's Warranty
4 Yr Consumer/2 Yr Commercial

Ship Weight
171.0 lbs

Max. PSI
155

Air Tank Size (gal.)
30

CFM at 90 PSI

5.3

CFM at 40 PSI
6.2

Air Outlet Size (in.)
1/4 NPT

Air Outlets (qty.)
1

Quick-Connect Outlets
1

Duty Cycle
75%

Working Pressure (PSI)
125–155


Tank Fill Time (min.)
8.2

Regulator Included
Yes

.
Optional

Optional
Clean Storm 20230809 Air Duct Cleaners Basic 60 Gallon Air Compressor
Starter Bundle 13.1 CFM Dual 120 Volts 16 Amps
No gasoline needed.

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Availability: This product was added to our catalog on Monday 30 August, 2021

Steambrite Supply