



Model Number: 20220210

Clean Storm 20220210 Tile Cleaning Pump 1000 psi 2 gpm 1.5 Hp With Hot Water Hook Up kit

Manufacturer: Clean Storm

Clean Storm 20220210 Tile Cleaning Pump 1000 psi 2 gpm 1.5 Hp with Hot Water Hook Up Kit

Bundle includes:

Clean Storm Auto Fill Hose 6 ft By 1/2 Inch ID with 90 degree Fitting for Hot water Garden Hose 20130305

Faucet Adapter 15/16ths to Garden Hose Connection [291A] FGHA AX22 (fits most 13/16ths) 1665-0273 Kaivac FGHA

Shower Head Pipe to Male Garden Hose Brass Adapter 20180916

Clean Storm 20220207 Tile Cleaning Pump 1000 psi 2 gpm 1.5 Hp

22mm Female To Insulated 1/4in Female Carpet and Tile Cleaning QD
Quick Disconnect 20130104

The 20220207 Molded cart cold water power washers use a rotationally modeled heavy wall polyethylene that forms the chassis of the cart. This design offers great protection of the electric motor and pump from the elements. Two model styles offer a location for a one gallon chemical bottle or the deluxe models offer 6 gallon of chemical storage in the molded frame of the cart. Portable electric power washer features include an industrial motor that is totally enclosed and thermal overload protected, industrial triplex plunger pump with ceramic plungers and stainless steel valves is protected by unloader valve. Equipped with low pressure chemical injection for application of concentrate liquid detergents and is activated by sliding the multi-reg variable pattern nozzle into the low pressure position.

Product Specifications

Brand: Clean Storm
Water Type: Cold
Powered By: Electric Motor
Mounting Type: Cart
Flow Rate in GPM / LPM: 2 / 7.6
Horsepower: 1.5
Product Dimensions: 21" x 16" x 36"
Voltage / Amperage / Phase: 120 Volt / 15 Amp / 1
Pump Thermal Protection: Mechanical
Max Pump Inlet Water Temp: 140° F
Hose Dimension: 25' x 5/16"
Power Cord: 35' with GFCI

[Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >](#)

Ship Weight: 125
Operating Pressure in PSI / Bar: 1000 / 69
High pressure water connection is 22mm male

Availability: This product was added to our catalog on Tuesday 08 February, 2022