



Model Number: 124159

Drieaz 124159 DriForce XL Wall, Cabinet, Cavity, Floor, Stairwells, and Cabinet Warm Air Drye

Manufacturer: Legend Brand

Drieaz 124159 DriForce XL Wall, Cabinet, Cavity, Floor, Stairwells, and Cabinet Warm Air DryerWall Cabinet, Cavity, Floor, Stairwells, and Cabinet Warm Air Dryer

Use ProMo Code 5.6%OFF at checkout

Pushes warm dehumidified air in small wet areas including but not limited to walls, flooring, cabinets, ceilings, stairwells, and any hard to reach cavities with minimal damage.

Can be extended to drying the adjacent rooms.

Includes:

25 ft 14-3 Power Cord with Nema 5-15 plug

2" Barbed Suction Port with Vacuum Motor filter

System Advantages:

15 amp breaker, GFCI, 275 Degree F shut down, and Hour Meter Monitoring.

No need to leaving tubing on machine when they are not needed.

Can be expanded to the next room.

Can use all existing accessories from all other manufactures and suppliers.

Can be used to push or pull on the air.

Can produce desiccant RH and temperature quality air when mated with optional LGR dehumidifier and ducting.

Allows for the building materials to be dried without removal.

Factory Brochure

Features:

See below for optional accessories.

Caution: Do not suck up water into the vacuum motor. Motor is rated for humidity but not water.

Can be with the following Xactimate WRT-Wall pieces of equipment and accessories!

Works with all your existing tubing, hoses, mats and accessories from Injectidry Floor Drying System Package MI22

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Works with all your existing tubing, hoses, mats and accessories from
Drieaz F286 Rescue Mat System AC581

Works with all your existing tubing, hoses, mats and accessories from
Injectidry MI26 HP PLUS Wall & Ceiling Drying Package

Works with all your existing tubing, hoses, mats and accessories from
Drieaz F211-AK Driforce Inter Air Drying System Accessory Kit

Works with all your existing tubing, hoses, mats and accessories from Injectidry Wall and Ceiling Package MI20

Works with all your existing tubing, hoses, mats and accessories from Drieaz F211-BU Driforce Inter Air Drying System Base Unit

Works with all your existing tubing, hoses, mats and accessories from Drieaz F211 Driforce Inter Air Drying System

Tips:

1. When removing baseboard, score top edge with blade. Always place a large putty knife or sheet rock mud applicator on the wall to help prevent the pry bar from leaving dents in the soft wet wall. Once baseboard is removed, from the back side, take channel lock piers and grab the nails and pull / roll the nail all the way through the wood. Mark both the lower wall and back baseboard with a number/letter with permanent marker. Lay paint side down. Determine if you want to drill 1/2" holes, 3/8" holes, or 1/4" holes into the wet surface depending on the accessories at hand every 16" apart below the cove base/base board top edge but above the sill plate stud. Drill a 1/16" hole near the ceiling every 16" to let the water vapor out of the wall cavity. Once the area is dry you simply re-attach the baseboard/cove base. Caulk the top of the baseboards, caulk the nail marks caused by affixing the baseboard to the wall, as well as the 1/16" top vent hole. Paint as needed.

2. The in and outbound air hose connection is 2" barbed so it already works with all the Drieaz branded accessories but the Injectidry uses 1-1/2" barbed connection you might need to consider an AH46 expanded hose cuff. These enlarger cuffs screw over the outside of 1.5" ID vacuum hose and enlarge to slip over 2" barbed connections.

Optional:

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

DriStorm Dehumidifier Booster Amplifier 20181009 Raises Temp and Lowers
Relative Humidity
Video On Link!

Compare to current or past OEM Associations:

Availability: This product was added to our catalog on Thursday 30 June, 2022